

Aphylloroid fungi (*Basidiomycota*) of Chile: an annotated checklist

CRISTIAN RIQUELME^{1,2} & MARIO RAJCHENBERG^{3,4*}

¹ Laboratorio de Química de Productos Naturales, Facultad de Ciencias Naturales y Oceanográficas, Universidad de Concepción, Concepción Chile

² Programa de Doctorado en Ciencias mención Ecología y Evolución, Escuela de Graduados, Facultad de Ciencias, Universidad Austral de Chile, Valdivia, Chile

³ Centro de Investigación y Extensión Forestal Andino Patagónico, C.C: 14, 9200 Esquel, Chubut, Argentina and Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET)

⁴ Universidad Nacional de la Patagonia San Juan Bosco, Sede Esquel, Facultad de Ingeniería, Ruta 259 km 14.6, 9200 Esquel, Chubut, Argentina

* CORRESPONDENCE TO: mrajchenberg@ciefap.org.ar

ABSTRACT—We critically reviewed the aphylloroid fungal species recorded from Chile on the basis of literature reviews from 1828 to 2020. A total of 345 species names were distributed in the following categories: accepted taxa (236), uncertain taxa (83), taxa inferred by molecular analysis only (12), and excluded taxa (14). For each accepted species, information on the species name, its first record from Chile, the typification data, substrate, distribution, and remarks are presented. The distribution of accepted taxa shows a major recording from the Valdivian Forest province. We found that 61 (25.85%) of the accepted taxa were originally described from Chile. *Nothofagus* was the genus that hosted the highest number of fungal species.

KEY WORDS—aphyllophorales, coralloid fungi, corticioid fungi, polypores

Introduction

Aphylloroid fungi delimitation

Aphylloroid fungi, an informal and convenient name, refers to a group of basidiomycetes with persistent fruitbodies that typically produce non-lamellate fruitbodies and holobasidia (Stalpers 1978). These fungi show a poroid, cantharelloid, clavarioid, corticioid, hydnoid, or cupuloid habit with a variable hymenial surface (Buchanan 2001). The employment of macromorphological, micromorphological, and ecological features, paired with the use of a variety of chemical reagents, have permitted ready recognition of several groups within this artificial classification (Donk 1964), some of which are supported phylogenetically (Hibbett & al. 2014). Currently, Aphyllorales is a polyphyletic, highly diverse group, both phenotypically and phylogenetically (Hibbett & al. 2014), but easily recognized in the field.

An overview of Chilean mycology

In Chile, the earliest known collection of fungi dates to 1767 and was carried out by Philibert Commerson (Garrido & al. 1985). Later, Carlo Bertero collected samples at Juan Fernández Archipelago and in central Chile (Bertero 1828, 1829), the samples being later identified by Camille Montagne (Montagne 1835, 1837, 1843) and Miles Joseph Berkeley (Berkeley 1839).

Charles Darwin collected 218 vascular plants and 14 fungi and lichens (including duplicates preserved in “spirits of wine”) between 1832 and 1835. Sixty-two of the plant species were new taxa, partly described by William Jackson Hooker. The fungal specimens collected by Darwin were identified as two species of *Cyttaria*, *C. darwinii* and *C. berteroii* described by Berkeley (Berkeley 1842), a possible *Lycoperdon* sp., *Aleurodiscus vitellinus* as deduced from Darwin’s notes (collection codified under the number 973), and *Scutellinia scutellata*. Darwin’s fungal collections are kept at Kew (Porter 1987, 1999). Montagne (1850) enumerated 448 fungi, lichens, and myxomycetes of Claude Gay’s Historia Física y Política de Chile (Gay 1854), including 156 new species and varieties. At the same time, Joseph Léveillé also contributed to Gay’s works (Léveillé 1846). During the late 19th and early 20th centuries, scientific expeditions were undertaken in continental and insular Chile that resulted in the collection of fungi (Hemsley 1885, Hariot & al. 1889, Johow 1896, Bresadola 1900, Hennings 1900, Keissler 1928, Romell 1928, Sydow 1928, 1932). These expeditions were primarily natural history explorations that were botanical in nature and included fungi.

Systematic investigation of Chilean fungi was pioneered by Carlo Luigi Spegazzini (1858–1926), the Italian-born Argentinian botanist and mycologist (Spegazzini 1887a, 1887b, 1910, 1917a, 1917b, 1918, 1921, 1924). Marcial Ramón Espinosa Bustos (1874–1959) was the first Chilean mycologist who made significant contributions to the growing field of mycology in Chile (Espinosa 1917a, 1917b, 1921, 1943).

SUMMARY: MYCOTAXON 136: 3—MYCOBIOTA NEW TO WWW.MYCOTAXON.COM

EXPERT REVIEWERS: GENEVIEVE MARIA GATES, SERGIO P. GORJÓN, KAREN K. NAKASONE

UPLOADED — OCTOBER 2021

Rolf Singer's Mycoflora Australis (Singer 1969), though mostly concerned with agaricoid fungi, also provided new records of aphyllophoroid taxa. Systematic research on wood-decay fungi in southern South America was started by Jorge E. Wright (Wright & Deschamps 1972). Waldo Lazo advanced Chilean mycology, particularly for agaricoid and clavarioid fungi (Lazo 1972). Mujica & al. (1980) compiled a 308-page compendium of hosts and substrates and all bibliographical references for Chilean fungi in Flora fungosa chilena. Martínez & Valenzuela (2004) compiled all records of aphyllophoroid fungi to date, basing their work mostly on Mujica & al. (1980); reaching a total of 142 species.

Current recent research into Chilean aphyllophoroid fungi was conducted by Rajchenberg and colleagues on polypore fungi (Rajchenberg 1987, 2006, Rajchenberg & Wright 1987, Rajchenberg & al. 2015, 2019). Corticioid fungi found in Chile were summarized by Gorjón & Hallenberg (2012b).

Outline of Chilean biogeography

The biogeographical arrangement within which Chile is located (the Austral kingdom or Antarctic region according to Cabrera & Willink (1980)) comprises the southern temperate areas of southern South America, South Africa, Australia, New Zealand, New Guinea, New Caledonia, and Antarctica (Morrone 2018). Moreira-Muñoz (2007) enumerates the 15 plant families endemic to the Austral kingdom: *Araucariaceae*, *Asteliaceae*, *Atherospermataceae*, *Berberidopsidaceae*, *Calceolariaceae*, *Centrolepidaceae*, *Corsiaceae*, *Cunoniaceae*, *Escalloniaceae*, *Griselinaceae*, *Luzuriagaceae*, *Nothofagaceae*, *Proteaceae*, *Restionaceae*, and *Styliadaceae*. Some representatives of the families *Nothofagaceae*, *Atherospermataceae*, *Cunoniaceae* and *Berberidopsidaceae* are important hosts for several aphylloporoid fungi from Chile. Part of the Austral kingdom, the Andean region or Andean Patagonian dominion are classified into three subregions: Subantarctic, Central Chile, and Patagonian.

The vascular flora of Chile encompasses seven floristic elements (Moreira-Muñoz 2011): Neotropical, Antitropical, Cosmopolitan, Pantropical, South Temperate, Endemic, and Australasian. The Neotropical floristic element, the most prevalent in Chile, contains genera like *Azara*, *Myrceugenia*, and *Quillaja* that have a disjointed distribution between southern Chile and south-eastern Brazil. The Antitropical floristic element contains genera disjointedly distributed between North and Central America, South America, Australasia, and Madagascar, such as *Weinmannia*. Genera found in the Cosmopolitan floristic element occupy more than two continents and more than two principal climatic zones. The Pantropical floristic element includes genera like *Beilschmiedia* and *Cryptocarya* with tropical, subtropical, and often temperate distribution. The South Temperate floristic element includes mostly coniferous genera like *Austrocedrus*, *Fitzroya*, *Pilgerodendron*, and *Saxegothaea*. The Endemic floristic element contains endemic genera of continental Chile such as *Gomortega*, *Peumus*, and *Pitavia*. The Australasian floristic element contains genera of Gondwanan origin, found in southern South America, New Zealand, Eastern Australia and/or Tasmania such as *Araucaria*, *Citronella*, *Dicksonia*, *Eucryphia*, *Fuchsia*, *Lomatia*, *Nothofagus*, and *Prumnopitys*. A classic example of the current distribution patterns of this ancestral Australasian biota is the coevolution of *Cytaria* spp. (*Ascomycota*, *Leotiomycetes*) and *Nothofagus* spp. (Crisci & al. 1988, Peterson & al. 2010). For a detailed account about the tree species of the temperate forests of Chile and southern Argentina see Donoso Zegers (2013) and for an updated catalogue of vascular plants growing in Chile see Rodríguez & al. (2018).

The aim of this work was to critically update the list of aphyllophoroid fungi from Chile and to evaluate their diversity and distribution, while linking its biogeographical and ecological relevant patterns.

Materials & methods

This checklist is based on a comprehensive literature review. All aphyllophoroid fungi reported for Chile from 1828 until December 2020 were assembled. Nomenclature and authors' names follow Index Fungorum (Index Fungorum 2020), MycoBank (Robert & al. 2013), and the International Plant Names Index (IPNI 2020). The taxonomy of polypores follows Justo & al. (2017) and for the corticioid fungi Larsson (2007). The generic names of the flora are according to Plants of the World Online (POWO 2020). The criteria for considering fungi as aphyllophoroid mainly follows Donk (1964) and Kotiranta & al. (2009). When available, information on type specimens was added. Species distribution is reported by province (SIIT 2021). Biogeographic regions follow Romano (2017) who based his work mostly on Morrone (2015). The maps were made in ArcGIS 10.5 (ESRI Inc. 2016) using default parameters. All figures were edited in Inkscape 1.0.1 (The Inkscape Project 2020) and GIMP 2.10.12 (The GIMP team 2019).

Species are presented with the following information, except when superfluous or unavailable: (1) Species name, (2) First citation in Chile (name of the species when different from the one accepted in the list and/or the publication record), (3) Type specimen (collection or herbarium number of the type if taxon was described from Chile or from neighboring areas of Argentina,

(4) Substrate (taxon name and/or plant organ where it was found), (5) Distribution (recorded in provinces of Chile, from north to south), (6) Remarks, and (7) Other references that cite taxon from Chile.

Species were listed in the following categories: (1) Accepted taxa [236]: species with two or more independent records. These taxa have been studied recently by specialists. (2) Uncertain taxa [83]: species with a single record, scant documentation such as voucher specimen, or poor or uncertain taxonomic treatment. (3) Taxa inferred by molecular analysis only [12]: species that are recorded based on environmental samples by BLAST determinations (Altschul & al. 1990) and lacking vouchered specimens. (4) Excluded taxa [14]: taxa that were incorrectly described, their distribution misassigned, or inclusion within the aphyllophoroid fungi was not supported by available data.

Results

In total, 236 accepted aphyllophoroid species were reported from Chile. They are distributed among 135 genera, 57 families, and 17 orders. 61 species (25.85%) were described from Chilean material. The most represented order was *Polyporales* with 63 spp., followed by *Hymenochaetales* (33 spp.), *Russulales* (25 spp.), *Agaricales* (21 spp.), *Cantharellales* and *Gomphales* (17 spp.). Families with the most registered taxa are *Hymenochaetaceae* (18 spp.), *Gomphaceae* (16 spp.), *Polyporaceae* (13 spp.), *Schizophoraceae* (12 spp.), and *Stereaceae* (11 spp.). The genera with the most species are *Ramaria*, *Xylodon* and *Botryobasidium* with 12, 9, and 8 species, respectively. *Aleurodiscus*, *Clavaria*, and *Hymenochaete* were represented by 6 records each.

Species numbers were distributed as follows: 125 corticoid, 52 polyporoid, 32 coralloid, 18 jelly fungi, 5 hydnoid, 3 cyphelloid, and 1 gomphoid species. The host species associated with these aphyllophoroid fungi are presented in Table 1 (see Appendix).

A heatmap using Kernel Density Estimation and a biogeographical species distribution map is shown (Figure 1). About 45% of the records are concentrated between the Valdivia and Palena provinces whereas almost 25% are distributed throughout central Chile, from Malleco to Curicó provinces. A distributional quantitative overview is provided in Table 2 (see Appendix).




FIG. 1. Distribution patterns of Chilean aphyllophoroid fungi. A. Kernel Density Estimation heatmap of species occurrences. B. Map showing general distribution records by biogeographic province. Crosses indicate places where aphyllophoroid fungi have been recorded, when the record is accurate.

Annotated checklist

Accepted taxa

Aleurodiscus antarcticus (Speg.) Ryvarden

FIRST CITATION—*Corticium antarcticum* Speg. (Spegazzini 1887b).

TYPE SPECIMEN—CHILE (holotype LPS 3703).

SUBSTRATE—On decayed branches.

DISTRIBUTION—Antártica Chilena.

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg 1987, Rajchenberg & Wright 1987, Lazo 1996a, Núñez & Ryvarden 1997, Martínez & Valenzuela 2004, Hjortstam & Ryvarden 2007.

Aleurodiscus parmuliformis G. Cunn.

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—NEW ZEALAND (holotype PDD 15218).

SUBSTRATE—On dead branches of *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

Aleurodiscus patagonicus Nogal, Telleria, M. Dueñas & M.P. Martín

FIRST CITATION—Phookamsak & al. 2019.

TYPE SPECIMEN—CHILE (holotype MA-Fungi 90714, isotype 19609Tell).

SUBSTRATE—On unidentified wood.

DISTRIBUTION—Palena.

Aleurodiscus quila Gorjón, Gresl. & Rajchenb.

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—CHILE (holotype BAFC coll. S. P. Gorjón 3088, isotypes at SALA and HCFC).

SUBSTRATE—On dead stems of *Chusquea quila*.

DISTRIBUTION—Palena.

Aleurodiscus trivialis (Speg.) Greslebin

FIRST CITATION—*Corticium triviale* Speg. (Spegazzini 1887b).

TYPE SPECIMEN—CHILE (lectotype LPS 3717).

SUBSTRATE—On branches of *Nothofagus* sp.

DISTRIBUTION—Tierra del Fuego.

OTHER REFERENCES—Bresadola 1900, Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a, Núñez & Ryvarden 1997, Greslebin 2002, González & Opazo 2002, Martínez & Valenzuela 2004, Hjortstam & Ryvarden 2007.

Aleurodiscus vitellinus (Lév.) Pat.

FIRST CITATION—*Exidia vitellina* Lév. (Léveillé 1844).

TYPE SPECIMEN—CHILE (type PC).

SUBSTRATE—On dead wood. On branches of *Nothofagus antarctica*, *N. dombeyi*, *N. pumilio*, *Nothofagus* sp. and *Drimys* sp.

DISTRIBUTION—Malleco, Cautín, Valdivia, Ranco, Osorno, Chiloé, Palena, Aysén, Coyhaique, Magallanes, Antártica Chilena.

OTHER REFERENCES—Montagne 1850, Gay 1854, Spegazzini 1887a, Spegazzini 1887b, Hariot & al. 1889, Lloyd 1917, Espinosa 1917b, Spegazzini 1922, Singer & al. 1965, Singer 1969, Mujica & al. 1980, Lazo 1983, Peredo 1987, Lazo 1996a, Lazo 1996b, Núñez & Ryvarden 1997, González & Opazo 2002, Greslebin 2002, Martínez & Valenzuela 2004, Hjortstam & Ryvarden 2007, Gorjón & Hallenberg 2012b, Lazo 2016, González-Ramírez & al. 2018, Barría-Díaz & al. 2019, MyCoPortal 2020, Natural History Museum, University of Oslo 2020, The Field Museum 2020.

Amphinema byssoides (Pers.) J. Erikss.

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

Amyloathelia aspera Hjortstam & Ryvarden

FIRST CITATION—Hjortstam & Ryvarden 1993.

TYPE SPECIMEN—CHILE (holotype BAFC 33741, M. Rajchenberg 4185, isotypes at GB and O).

SUBSTRATE—On dead branches in *Drimys winteri* and *Nothofagus* spp. forest. On dead wood of *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Palena.

OTHER REFERENCES—Hjortstam & Ryvarden 2007, Greslebin 2002, Gorjón & Hallenberg 2012b.

***Amylocorticellum iaganicum* (Speg.) Gorjón, Gresl. & Rajchenb.**

FIRST CITATION—*Corticium iaganicum* Speg. (Spegazzini 1887b).

TYPE SPECIMEN—CHILE (holotype LPS 3725).

SUBSTRATE—On *Maytenus magellanica*.

DISTRIBUTION—Tierra del Fuego.

OTHER REFERENCES—Rajchenberg & Wright 1987, Gorjón & al. 2011a.

***Amylocorticium cebennense* (Bourd.) Pouzar**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On bark of *Fuchsia magellanica*. On *Araucaria araucana*.

DISTRIBUTION—Cautín, Malleco, Palena.

OTHER REFERENCES—Natural History Museum, University of Oslo 2020.

***Amyloporia xantha* (Fr.) Bondartsev & Singer ex Bondartsev**

FIRST CITATION—Guillén & al. 2011.

SUBSTRATE—On stump of *Pinus radiata*.

DISTRIBUTION—Concepción.

OTHER REFERENCES—Han & al. 2016, Acevedo & Naulin 2020.

***Arambarria cognata* (Bres.) Rajchenb. & Pildain**

FIRST CITATION—*Arambarria destruens* Rajchenb. & Pildain (Rajchenberg & al. 2015).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 34575).

SUBSTRATE—On *Vitis vinifera*.

DISTRIBUTION—Santiago, Talca.

REMARKS—Also present in native woody plants in Chile.

OTHER REFERENCES—Cloete & al. 2015 (as *Fomitiporella* sp.), Pildain & al. 2017, Acevedo & Naulin 2020, Salvador-Montoya & al. 2020.

***Artomyces adrienneae* Lickey**

FIRST CITATION—Lickey & al. 2003.

TYPE SPECIMEN—CHILE (holotype TENN-F-054434).

SUBSTRATE—Most likely on *Nothofagus* sp.

DISTRIBUTION—Valdivia, Ranco, Osorno.

OTHER REFERENCES—MyCoPortal 2020.

***Artomyces nothofagi* R.J. Kneal & M.E. Sm.**

FIRST CITATION—Kneal & Smith 2015.

TYPE SPECIMEN—CHILE (holotype SGO 164746, isotype FLAS-F-58994).

SUBSTRATE—On highly decayed wood of *Nothofagus dombeyi*.

DISTRIBUTION—Aysén.

OTHER REFERENCES—MyCoPortal 2020.

***Athelia bombacina* (Link) Pers.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

***Athelia epiphylla* Pers.**

FIRST CITATION—Valdebenito & Pinto 1971.

SUBSTRATE—On *Pyrus communis*.

DISTRIBUTION—San Felipe de Aconcagua.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Athelia rolfsii* (Curzi) C.C. Tu & Kimbr.**

FIRST CITATION—*Sclerotium rolfsii* Sacc. (Auger & Esterio 1982).

SUBSTRATE—On *Dianthus caryophyllus* and *Malus domestica*.

DISTRIBUTION—Tamarugal, Cachapoal.

OTHER REFERENCES—Mosella & Verdugo 1984, Sepúlveda 1993, Martínez & Valenzuela 2004.

***Athelopsis glaucina* (Bourdot & Galzin) Oberw. ex Parmasto**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno, Chiloé.

***Athelopsis aff. lembospora* (Bourdot) Oberw.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Saxegothaea conspicua* and on bark of *Fuchsia magellanica* and *Luma apiculata*.

DISTRIBUTION—Osorno, Palena, Aysén.

***Aurantiporus albidus* Rajchenb. & Cwielong**

FIRST CITATION—Rajchenberg 1995b.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 33339, isotype HCFC M. Rajchenberg 10696).

SUBSTRATE—On cut side of a fallen tree. On *Nothofagus* spp.

DISTRIBUTION—Llanquihue.

OTHER REFERENCES—Rajchenberg 2006, Acevedo & Naulin 2020.

***Basidiodendron caesiocinereum* (Höhn. & Litsch.) Luck-Allen**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Bjerkandera adusta* (Willd.) P. Karst.**

FIRST CITATION—*Polyporus adustus* (Willd.) Fr. (Berkeley 1877).

SUBSTRATE—On decayed or dead branches of *Aextoxicum punctatum*, *Beilschmiedia miersii*, *Eucryphia cordifolia*, *Fitzroya cupressoides*, *Gevuina avellana*, *Laurelia sempervirens*, *Laureliopsis philippiana*, *Nothofagus dombeyi*, *N. obliqua* and *Persea lingue*. Also on *Eucalyptus nitens*, *Fraxinus excelsior* and *Liquidambar styraciflua*.

DISTRIBUTION—Valparaíso, Marga Marga, Santiago, Colchagua, Concepción, Malleco, Valdivia, Ranco, Chiloé.

OTHER REFERENCES—Espinosa 1917b, Espinosa 1928, Spegazzini 1917b, Spegazzini 1918, Lloyd 1920, Spegazzini 1921, Singer & al. 1965, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Martínez & Valenzuela 2004, Rajchenberg 2006, Guillén & al. 2011, Ortiz & al. 2013, Ortiz & al. 2014b, Lazo 2016, Acevedo & Naulin 2020, Motato-Vásquez & al. 2020, Sweden's Virtual Herbarium 2020.

***Bondarzewia guaitecasensis* (Henn.) J.E. Wright**

FIRST CITATION—Hennings 1900.

TYPE SPECIMEN—CHILE (type BPI 209678).

SUBSTRATE—Root pathogen of *Nothofagus* spp.

DISTRIBUTION—Concepción, Valdivia, Llanquihue, Aysén.

OTHER REFERENCES—Lloyd 1915, Singer 1953, Singer 1964, Singer 1969, Mujica & al. 1980, Barrera 1984, Garrido & al. 1985, Lazo 1996a, Rajchenberg 2003, Valenzuela 2003, Martínez & Valenzuela 2004, Rajchenberg 2006, Guillén & al. 2011, Acevedo & Naulin 2020.

***Botryobasidium bondarcevii* (Parmasto) G. Langer**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On dead wood of *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

Botryobasidium chilense Hol.-Jech.

FIRST CITATION—Holubová-Jechová 1980.
 TYPE SPECIMEN—CHILE (holotype FH).
 SUBSTRATE—On dead and rotting wood.
 DISTRIBUTION—Magallanes.
 REMARKS—Teleomorph of *Haplotrichum chilense* (Linder) Hol.-Jech.
 OTHER REFERENCES—Langer 1994, Hjortstam & Ryvarden 2007.

Botryobasidium isabellinum (Fr.) D.P. Rogers

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On dead wood of *Nothofagus dombeyi*.
 DISTRIBUTION—Palena.

Botryobasidium laeve (J. Erikss.) Parmasto

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Chiloé.

Botryobasidium lembosporum (D.P. Rogers) Donk

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Osorno.

Botryobasidium obtusisporum J. Erikss.

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Chiloé.

Botryobasidium subcoronatum (Höhn. & Litsch.) Donk

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Llanquihue, Chiloé.
 OTHER REFERENCES—MyCoPortal 2020.

Botryobasidium vagum (Berk. & M.A. Curtis) D.P. Rogers

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Osorno.

Brevicellicium* aff. *flavovirens Hjortstam

FIRST CITATION—Gorjón & Hallenberg 2012b.
 TYPE SPECIMEN—ARGENTINA (holotype K 80082).
 DISTRIBUTION—Chiloé.

Byssomerulius corium (Pers.) Parmasto

FIRST CITATION—*Merulius corium* (Pers.) Fr. (Léveillé 1846).
 SUBSTRATE—On old trunks of *Luma chequen* and on *Aristotelia* sp.
 DISTRIBUTION—Valparaíso (Juan Fernández Archipelago), Biobío.
 OTHER REFERENCES—Montagne 1850, Berkeley 1877, Espinosa 1917b, Spegazzini 1924, Romell 1928, Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a.

Cabalodontia subcretacea (Litsch.) Piątek

FIRST CITATION—*Phlebia subcretacea* (Litsch.) M.P. Christ. (Gorjón & Hallenberg 2012b).
 DISTRIBUTION—Osorno.

Calocera cornea (Batsch) Fr.

FIRST CITATION—Montagne 1835.
 SUBSTRATE—On fallen branches and dead wood. On *Nothofagus antarctica* and *N. obliqua*.
 DISTRIBUTION—Limarí, San Antonio, Valparaíso, Malleco, Tierra del Fuego.

OTHER REFERENCES—Montagne 1850, Spegazzini 1887a, Spegazzini 1921, Romell 1928, Lazo & al. 1977, Lazo 1983, Lazo 1996a, González & Opazo 2002, Lazo 2016, Sweden's Virtual Herbarium 2020.

***Calocera filum* Lév.**

FIRST CITATION—Léveillé 1846.

TYPE SPECIMEN—CHILE.

SUBSTRATE—On fallen branches and litter.

DISTRIBUTION—Valdivia.

REMARKS—*Clavaria filum* Lév. in Montagne (1850).

OTHER REFERENCES—Montagne 1850, Mujica & al. 1980, Lazo 1996a.

***Calocera viscosa* (Pers.) Fr. var. *dilatata* P. Karst.**

FIRST CITATION—Spegazzini 1910.

SUBSTRATE—On fallen branches of *Peumus boldus*.

DISTRIBUTION—Limarí, Concepción.

OTHER REFERENCES—Mujica & al. 1980, González & Opazo 2002, Farr & Rossman 2020.

***Ceratellopsis graminicola* (Bourdot & Galzin) Corner**

FIRST CITATION—*Pterula graminicola* (Bourdot & Galzin) Singer (Singer 1969).

SUBSTRATE—On aerial stem of *Chusquea* sp.

DISTRIBUTION—Llanquihue.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1983, Barrera 1984, Lazo 1996a.

***Ceratobasidium cornigerum* (Bourdot) D.P. Rogers**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

***Ceriporia purpurea* (Fr.) Donk**

FIRST CITATION—*Polyporus purpureus* Fr. (Romell 1928).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Ceriporia reticulata* (Hoffm.) Domanski**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno, Palena.

OTHER REFERENCES—MyCoPortal 2020.

***Cerrena unicolor* (Bull.) Murrill**

FIRST CITATION—Palma & al. 2005.

SUBSTRATE—In mycangial glands of *Tremex fuscicornis*.

DISTRIBUTION—Los Andes.

***Chaetotyphula actiniceps* (Petch) Corner**

FIRST CITATION—Singer 1969.

SUBSTRATE—On dead leaves of dicotyledons.

DISTRIBUTION—Osorno.

OTHER REFERENCES—Lazo 1983, Barrera 1984, Lazo 1996a.

***Cheimonophyllum stipicoides* (Speg.) Singer**

FIRST CITATION—*Panus stipicoides* Speg. (Spegazzini 1921).

TYPE SPECIMEN—CHILE (type LPS 18239).

DISTRIBUTION—Cauquenes, Malleco.

OTHER REFERENCES—Singer 1969, Mujica & al. 1980, Barrera 1984, Lazo 1996a, Martínez & Valenzuela 2004.

***Chondrostereum purpureum* (Pers.) Pouzar**

FIRST CITATION—*Stereum purpureum* Pers. (Montagne 1850).

SUBSTRATE—On dead and decayed branches. On *Nothofagus dombeyi*.

DISTRIBUTION—Valparaíso, Santiago, Diguillín, Malleco, Palena.

OTHER REFERENCES—Spegazzini 1887b, Henning 1900, Espinosa 1917b, Spegazzini 1921, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Gorjón & Hallenberg 2012b, Lazo 2016, Farr & Rossman 2020.

***Clavaria acuta* Sowerby**

FIRST CITATION—Lazo 1971.

SUBSTRATE—On soil and decayed branches.

DISTRIBUTION—Colchagua, Cautín.

REMARKS—Determined by E. J. H. Corner.

OTHER REFERENCES—Lazo 1972, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016, MyCoPortal 2020.

***Clavaria albido'bisa* Singer**

FIRST CITATION—Singer 1969.

TYPE SPECIMEN—CHILE (holotype SGO 092418, R. Singer M7814, TENN-F-040212, syntype SGO 092419).

SUBSTRATE—On litter, under *Persea lingue*.

DISTRIBUTION—Concepción.

OTHER REFERENCES—Mujica & al. 1980, Barrera 1984, Lazo 1996a.

***Clavaria nigricans* Lloyd**

FIRST CITATION—Lloyd 1917.

SUBSTRATE—On soil.

DISTRIBUTION—Santiago, Colchagua.

OTHER REFERENCES—Espinosa 1917b, Corner 1950, Mujica & al. 1980, Lazo 1991, Lazo 1996a, MyCoPortal 2020.

***Clavaria pulverulentorosea* Speg.**

FIRST CITATION—Spegazzini 1921.

TYPE SPECIMEN—CHILE (LPS 5776).

SUBSTRATE—On soil.

DISTRIBUTION—Malleco.

OTHER REFERENCES—Mujica & al. 1980.

***Clavaria pumanquensis* Lazo**

FIRST CITATION—Lazo 1971.

TYPE SPECIMEN—CHILE (holotype NY 776274, W. Lazo PU-155).

SUBSTRATE—On soil.

DISTRIBUTION—Colchagua.

OTHER REFERENCES—Lazo 1972, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Clavaria zollingeri* Lév.**

FIRST CITATION—Lazo 1971.

SUBSTRATE—On soil.

DISTRIBUTION—Colchagua.

OTHER REFERENCES—Léveillé 1846, Lazo 1972, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Clavulina pampeana* (Speg.) Corner**

FIRST CITATION—*Clavaria pampeana* Speg. (Singer 1969).

SUBSTRATE—On decayed wood and on sandy earth.

DISTRIBUTION—Malleco, Osorno.

OTHER REFERENCES—Corner 1950, Mujica & al. 1980, Lazo 1996a.

***Clavulinopsis amoena* (Zoll. & Moritzi) Corner**

FIRST CITATION—Singer 1969.

SUBSTRATE—On soil.

DISTRIBUTION—Limarí, Colchagua.

OTHER REFERENCES—Lazo 1971, Mujica & al. 1980, Lazo 1983, Barrera 1984, Lazo 1996a, Lazo 2016.

***Clavulinopsis laeticolor* (Berk. & M.A. Curtis) R.H. Petersen**

FIRST CITATION—*Clavulinopsis pulchra* (Peck) Corner (Singer 1969).

DISTRIBUTION—Ranco.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Coniophora arida* (Fr.) P. Karst.**

FIRST CITATION—*Corticium aridum* (Fr.) Sacc. (Montagne 1850).

SUBSTRATE—On branches.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Coniophora eremophila* Lindsey & Gilb.**

FIRST CITATION—Ginns 1982.

DISTRIBUTION—Magallanes.

OTHER REFERENCES—Hjortstam & Ryvarden 2007, Gorjón & Hallenberg 2012a.

***Coniophora puteana* (Schumach.) P. Karst.**

FIRST CITATION—*Coniophora luteocincta* (Berk.) Massee (Espinosa 1917b).

SUBSTRATE—On fallen wood and lumber.

DISTRIBUTION—Valdivia, Chiloé.

OTHER REFERENCES—Sydow 1932, Lazo 1996a, Ortiz & al. 2014b.

***Coniophora submembranacea* (Berk. & Broome) Cooke**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Saxegothaea conspicua*.

DISTRIBUTION—Palena.

***Corticium roseum* Pers.**

FIRST CITATION—*Thelephora rosea* (Pers.) Pers. (Bertero 1828).

DISTRIBUTION—Location in Chile not given.

REMARKS—*Corticium lombardiae* (M.J. Larsen & Gilb.) Boidin & Lanq. recorded by Greslebin & Rajchenberg (2003) is the same taxon (Ghobad-Nejjad & al. 2021).

OTHER REFERENCES—Mujica & al. 1980, Greslebin & Rajchenberg 2003, Martínez & Valenzuela 2004.

***Crustoderma patricium* (G. Cunn.) Nakasone**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Crustodontia chrysocreas* (Berk. & M.A. Curtis) Hjortstam & Ryvarden**

FIRST CITATION—*Phlebia chrysocreas* (Berk. & M.A. Curtis) Burds. (Perozo 1987).

SUBSTRATE—On *Laureliopsis philippiana* and *Nothofagus dombeyi*.

DISTRIBUTION—Valdivia, Osorno, Chiloé.

REMARKS—A causal agent of “palo podrido” also known as “huempe”, which is partially delignified wood that is used as cattle forage.

OTHER REFERENCES—Barrasa & al. 1992, González & Opazo 2002, Gorjón & Hallenberg 2012b, Ortiz & al. 2013, Schilling & al. 2020, MyCoPortal 2020.

***Crystallicutis serpens* (Tode) El-Gharabawy, Leal-Dutra & D.W. Griff.**

FIRST CITATION—*Merulius serpens* Tode (Léveillé 1846).

SUBSTRATE—On trunk of *Weinmannia* sp.

DISTRIBUTION—Location in Chile not given.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002.

***Cyanosporus caesius* (Schrad.) McGinty**

FIRST CITATION—*Postia caesia* (Schrad.) P. Karst. (Rajchenberg 1993).

SUBSTRATE—On *Drimys winteri*, *Nothofagus nitida* and *Saxegothaea conspicua*.

DISTRIBUTION—Ranco, Osorno, Llanquihue.

OTHER REFERENCES—Shen & al. 2019, Acevedo & Naulin 2020, MyCoPortal 2020.

***Cylindrobasidium laeve* (Pers.) Chamuris**

FIRST CITATION—*Corticium laeve* Pers. (Hariot & al. 1889).

SUBSTRATE—On trunks of *Chusquea quila* and *Nothofagus* sp.

DISTRIBUTION—Osorno, Chiloé, Palena, Antártica Chilena.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Gorjón & Hallenberg 2012b, Sweden's Virtual Herbarium 2020.

***Dacrymyces stillatus* Nees**

FIRST CITATION—*Dacrymyces deliquescens* (Bull.) Duby (Spegazzini 1887b).

DISTRIBUTION—Marga Marga, Malleco, Antártica Chilena.

OTHER REFERENCES—Spegazzini 1921, Lazo 1996a.

***Dacryopinax spathularia* (Schwein.) G.W. Martin**

FIRST CITATION—Lazo 1971.

SUBSTRATE—On wood.

DISTRIBUTION—Colchagua.

REMARKS—Determined by G. W. Martin (Lazo 1971).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Dendrothele incrustans* (P.A. Lemke) P.A. Lemke**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Dendrothele lemkei* Gresl. & Rajchenb.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 34520).

DISTRIBUTION—Chiloé.

OTHER REFERENCES—Greslein & Rajchenberg 1998.

***Dentipellicula leptodon* (Mont.) Y.C. Dai & L.W. Zhou**

FIRST CITATION—*Hydnus leptodon* Mont. (Montagne 1843).

TYPE SPECIMEN—CHILE (isotype K 160373).

SUBSTRATE—On dead wood.

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago).

OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Maas Geesteranus 1974, Mujica & al. 1980, Lazo 1996a, Hjortstam & Ryvarden 2007, Nakasone 2008, Nakasone 2012, Gorjón & Hallenberg 2012a, Zhou & Dai 2013.

***Dichostereum rhodosporum* (Wakef.) Boidin & Lanq.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Chiloé, Palena.

***Ductifera pululahuana* (Pat.) Donk**

FIRST CITATION—*Ductifera millei* Lloyd (Lazo 1971).

SUBSTRATE—On dead wood.
DISTRIBUTION—Colchagua.
REMARKS—Determined by G. W. Martin.
OTHER REFERENCES—Mujica & al. 1980, Lazo 2016.

***Emmia latemarginata* (Durieu & Mont.) Zmitr., Spirin & Malysheva**

FIRST CITATION—*Poria geoderma* Speg. (Spegazzini 1921).
SUBSTRATE—At the base of trees.
DISTRIBUTION—Marga Marga.
OTHER REFERENCES—Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a, Martínez & Valenzuela 2004, Miettinen & al. 2016, Justo & al. 2017, Acevedo & Naulin 2020.

***Exidia fuliginea* Mont.**

FIRST CITATION—Montagne 1850.
TYPE SPECIMEN—CHILE (PC).
DISTRIBUTION—Cachapoal.
OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Exidia glandulosa* (Bull.) Fr.**

FIRST CITATION—Spegazzini 1917b.
SUBSTRATE—On fallen dead branches of *Quillaja saponaria*.
DISTRIBUTION—Marga Marga.
OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002.

***Exidia rubra* E. Bommer & M. Rousseau**

FIRST CITATION—Bommer & Rousseau 1900.
TYPE SPECIMEN—CHILE (nº 85)
DISTRIBUTION—Magallanes.
OTHER REFERENCES—Bommer & Rousseau (1905), Mujica & al. 1980.

***Exidiopsis calcea* (Pers.) K. Wells**

FIRST CITATION—*Corticium calceum* (Pers.) Fr. (Spegazzini 1887b).
SUBSTRATE—On decayed branches of *Berberis* sp. and *Fuchsia* sp.
DISTRIBUTION—Valdivia, Magallanes.
OTHER REFERENCES—Spegazzini 1910, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Exobasidium antarcticum* Speg.**

FIRST CITATION—Spegazzini 1887a.
TYPE SPECIMEN—CHILE (LPS 1445).
SUBSTRATE—On *Lebetanthus myrsinites*.
DISTRIBUTION—Tierra del Fuego.
OTHER REFERENCES—Spegazzini 1887b, Mujica & al. 1980, Lazo 1996a.

***Exobasidium japonicum* Shirai**

FIRST CITATION—Mujica & al. 1980.
SUBSTRATE—On *Rhododendron indicum*.
DISTRIBUTION—Valdivia.
OTHER REFERENCES—Lazo 1996a.

***Exobasidium rhododendri* (Fuckel) C.E. Cramer**

FIRST CITATION—Mujica & al. 1980.
SUBSTRATE—On *Rhododendron* sp.
DISTRIBUTION—Valdivia.
OTHER REFERENCES—Lazo 1996a.

Fibroporia gossypium (Speg.) Parmasto

FIRST CITATION—Rajchenberg 1982a.
 SUBSTRATE—On *Pinus radiata*.
 DISTRIBUTION—Biobío.
 OTHER REFERENCES—Rajchenberg & Wright 1987, Rajchenberg 1989.

Fibroporia vaillantii (DC.) Parmasto

FIRST CITATION—*Polyporus vaporarius* (Pers.) Fr. (Léveillé 1846).
 SUBSTRATE—On dead wood. On *Berberis ilicifolia*. On bark of *Nothofagus* sp. On dead branches of *Persea lingue*.
 DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Valdivia, Magallanes, Antártica Chilena.
 OTHER REFERENCES—Montagne 1850, Hemsley 1885, Spegazzini 1887a, Spegazzini 1887b, Hariot & al. 1889, Johow 1896, Spegazzini 1910, Mujica & al. 1980, González & Opazo 2002, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Fistulina antarctica Speg.

FIRST CITATION—Spegazzini 1887a.
 TYPE SPECIMEN—CHILE (type LPS 24915).
 SUBSTRATE—On *Nothofagus antarctica* and *N. betuloides*.
 DISTRIBUTION—Cautín, Valdivia, Chiloé, Aysén, Magallanes.
 OTHER REFERENCES—Spegazzini 1887b, Hariot & al. 1889, Spegazzini 1922, Singer 1969, Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a, González & Opazo 2002, Valenzuela 2003, Bodensteiner & al. 2004, Rajchenberg 2006, Barría-Díaz & al. 2019, Acevedo & Naulin 2020, The New York Botanical Garden 2020, MyCoPortal 2020.

Fistulina endoxantha Speg.

FIRST CITATION—Spegazzini 1918.
 TYPE SPECIMEN—CHILE (type LPS 24916).
 SUBSTRATE—On decayed branches. On *Nothofagus alpina* and *N. obliqua*.
 DISTRIBUTION—Malleco, Ranco.
 OTHER REFERENCES—Spegazzini 1921, Singer 1969, Mujica & al. 1980, Barrera 1984, Rajchenberg & Wright 1987, Lazo 1996a, González & Opazo 2002, Rajchenberg 2006.

Fomitiporella umbrinella (Bres.) Murrill

FIRST CITATION—*Poria inermis* Ellis & Everh. (Espinosa 1917b).
 SUBSTRATE—On *Drimys winteri*, *Eucryphia cordifolia* and *Metrosiderus stipularis*.
 DISTRIBUTION—Marga Marga, Valparaíso (Robinson Crusoe Island), Osorno, Chiloé.
 REMARKS—A frequent taxon that is often misidentified. Pildain & al. (2018) showed its conspecificity with *F. americana* Y.C. Dai, X.H. Ji & Vlasák, whereas Salvador-Montoya & al. (2020) showed all of them to be *F. umbrinella*.
 OTHER REFERENCES—Romell 1928, Mujica & al. 1980, Rajchenberg 1987, Rajchenberg 1989, Rajchenberg 1995c, Lazo 1996a, Martínez & Valenzuela 2004, Rajchenberg 2006, Rajchenberg & al. 2015, Pildain & al. 2018, Acevedo & Naulin 2020, Salvador-Montoya & al. 2020, Sweden's Virtual Herbarium 2020.

Fomitiporia chilensis Rajchenb. & Pildain

FIRST CITATION—Rajchenberg & al. 2019.
 TYPE SPECIMEN—CHILE (holotype BAFC 52942, isotype M. Rajchenberg 12557).
 SUBSTRATE—On *Cryptocarya alba*, *Lithraea caustica* and *Peumus boldus*.
 DISTRIBUTION—Concepción, Arauco.
 OTHER REFERENCES—Acevedo & Naulin 2020.

Fuscoporia ferruginosa (Schrad.) Murrill

FIRST CITATION—*Poria ferruginosa* (Schrad.) P. Karst. (Spegazzini 1917b).
 SUBSTRATE—On dead branches of *Drimys winteri*.
 DISTRIBUTION—Marga Marga.
 OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Fuscoporia rhabarbarina* (Berk.) Groposo, Log.-Leite & Góes-Neto**

FIRST CITATION—*Fomes rhabarbarinus* (Berk.) Sacc. (Spegazzini 1917b).

SUBSTRATE—On trunks of *Cryptocarya alba*.

DISTRIBUTION—Marga Marga.

OTHER REFERENCES—Espinosa 1921, Mujica & al. 1980, Rajchenberg 1987, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Fuscoporia senex* (Nees & Mont.) Ghob.-Nejh.**

FIRST CITATION—*Polyporus senex* Nees & Mont. (Nees von Esenbeck & Montagne 1836).

TYPE SPECIMEN—CHILE (holotype S F15572).

SUBSTRATE—On dead trunks. On living trunks of *Blepharocalyx cruckshanksii*, *Metrosideros stipularis*, *Nothofagus dombeyi*, *Saxegothaea conspicua* and *Myrtaceae*.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Llanquihue, Aysén.

OTHER REFERENCES—Nees von Esenbeck & Montagne 1836, Montagne 1850, Philippi 1869, Hemsley 1885, Johow 1896, Gotschlich 1913, Lloyd 1915, Espinosa 1917b, Espinosa 1921, Romell 1928, Espinosa 1943, Mujica & al. 1980, Ryvarden 1982, Rajchenberg 1995c, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Rajchenberg 2006, Rajchenberg & al. 2015, Acevedo & Naulin 2020.

***Ganoderma australe* (Fr.) Pat.**

FIRST CITATION—*Polyporus australis* Fr. (Montagne 1850).

SUBSTRATE—On old trunks. On *Aextoxicum punctatum*, *Aristotelia chilensis*, *Cryptocarya alba*, *Eucryphia cordifolia*, *Myrceugenia fernandeziana*, *Nothofagus obliqua* and *Persea lingue*. Also on *Eucalyptus nitens*, *Prunus armeniaca*, *Robinia pseudoacacia*.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), San Antonio, Santiago, Concepción, Biobío, Malleco, Valdivia, Osorno, Chiloé, Magallanes, Antártica Chilena.

OTHER REFERENCES—Berkeley 1877, Spegazzini 1887a, Hariot & al. 1889, Johow 1896, Spegazzini 1910, Gotschlich 1913, Spegazzini 1917b, Spegazzini 1918, Espinosa 1921, Romell 1928, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Martínez & al. 1991, Lazo 1996a, Gottlieb & al. 1998, Lazo 1998, Moncalvo 2000, González & Opazo 2002, Martínez & Valenzuela 2004, Rajchenberg 2006, Moncalvo & Buchanan 2008, Guillén & al. 2011, Lazo 2016, Barria-Díaz & al. 2019, Tchonet Tchoumi & al. 2019, Acevedo & Naulin 2020, The New York Botanical Garden 2020.

***Gloeocystidiellum kenyense* Hjortstam**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Gloeocystidiellum rajchenbergii* Gorjón & Hallenb.**

FIRST CITATION—Gorjón & Hallenberg 2012a.

TYPE SPECIMEN—CHILE (holotype GB 0185102, N. Hallenberg 16358, isotype HCFC, CONC-F).

SUBSTRATE—On *Caldcluvia paniculata*.

DISTRIBUTION—Chiloé, Palena.

OTHER REFERENCES—Gorjón & Hallenberg 2012b.

***Gloeophyllum abietinum* (Bull.) P. Karst.**

FIRST CITATION—Guillén & al. 2011.

SUBSTRATE—On pole of *Cupressus* sp.

DISTRIBUTION—Biobío.

OTHER REFERENCES—Acevedo & Naulin 2020.

***Gloeophyllum protractum* (Fr.) Imazeki**

FIRST CITATION—Guillén & al. 2011.

SUBSTRATE—On trunk of *Pinus radiata*.

DISTRIBUTION—Concepción.

OTHER REFERENCES—Acevedo & Naulin 2020.

***Gloeophyllum trabeum* (Pers.) Murrill**

FIRST CITATION—*Trametes trabea* G. H. Otth (Espinosa 1917b).

DISTRIBUTION—Location in Chile not given.

OTHER REFERENCES—Mujica & al. 1980, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Gloeoporus dichrous* (Fr.) Bres.**

FIRST CITATION—*Polyporus dichrous* Fr. (Espinosa 1917b).

SUBSTRATE—On decayed trunks.

DISTRIBUTION—Osorno, Chiloé.

OTHER REFERENCES—Sydow 1928, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Rajchenberg 2006, Sweden's Virtual Herbarium 2020.

***Gloiothele lactescens* (Berk.) Hjortstam**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

***Gomphus nothofagorum* Singer**

FIRST CITATION—Singer 1968.

TYPE SPECIMEN—CHILE (type SGO 092562, R. Singer M6776).

SUBSTRATE—Associated with *Nothofagus alpina* and *N. dombeyi*.

DISTRIBUTION—Ranco.

OTHER REFERENCES—Singer 1969, Barrera 1984, Garrido 1988.

***Grifola garga* Singer**

FIRST CITATION—Singer 1969.

TYPE SPECIMEN—CHILE (type SGO 092562, R. Singer M6934).

SUBSTRATE—On trunks and branches of *Nothofagus obliqua*.

DISTRIBUTION—Diguillín, Cautín, Valdivia, Ranco, Llanquihue, Chiloé, Aysén.

REMARKS—Gotschlich (1913) mentions "galgal" as one of the best-known edible species in Valdivia and Llanquihue.

OTHER REFERENCES—Philippi 1893, Gotschlich 1913, Mujica & al. 1980, Lazo 1983, Barrera 1984, Lazo 1996a, Lazo 2000, Rajchenberg 2002, Valenzuela 2003, Rajchenberg 2006, Harada & al. 2010, Lazo 2016, MyCoPortal 2020.

***Grifola sordulenta* (Mont.) Singer**

FIRST CITATION—*Polyporus sordulentus* Mont. (Montagne 1850).

TYPE SPECIMEN—CHILE (isotype BPI 220949).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Lloyd 1910, Gotschlich 1913, Singer 1961, Singer 1969, Mujica & al. 1980, Ryvarden 1982, Lazo 1996a, Rajchenberg 2002, Martínez & Valenzuela 2004, Rajchenberg 2006, Acevedo & Naulin 2020.

***Guepinia crassipes* Mont.**

FIRST CITATION—Montagne 1850.

TYPE SPECIMEN—CHILE (type MNHN-PC-FUSION84277)

SUBSTRATE—On dead wood.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Guepiniopsis alpina* (Tracy & Earle) Brasf.**

FIRST CITATION—Lazo 1971.

SUBSTRATE—On dead wood.

DISTRIBUTION—Malleco.

REMARKS—Determined by G. W. Martin.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Lazo 2016.

***Hericium clathroides* (Pall.) Pers.**

FIRST CITATION—Lazo 1971.
SUBSTRATE—On living and dead trees.
DISTRIBUTION—Valparaíso.
REMARKS—Determined by R. A. Maas Geesteranus.
OTHER REFERENCES—Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Hericium coralloides* (Scop.) Pers.**

FIRST CITATION—*Hydnus coralloides* Scop. (Montagne 1835).
SUBSTRATE—On decayed trunks.
DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Concepción (M. Rajchenberg pers. obs.).
OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Singer 1969.

***Heterochaete delicata* Bres.**

FIRST CITATION—Sydow 1932.
SUBSTRATE—On decayed branches.
DISTRIBUTION—Palena.
OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Hirneola antarctica* Speg.**

FIRST CITATION—Spegazzini 1887a.
TYPE SPECIMEN—CHILE (type LPS 21847).
SUBSTRATE—On trunks of *Berberis ilicifolia*. On dead branches of *Nothofagus antarctica*.
DISTRIBUTION—Magallanes.
OTHER REFERENCES—Spegazzini 1887b, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Hydnodon thelephorus* (Lév.) Banker**

FIRST CITATION—*Hydnus thelephorum* Lév. (Léveillé 1844).
SUBSTRATE—On soil.
DISTRIBUTION—Location in Chile not given.
OTHER REFERENCES—Montagne 1850, Mujica & al. 1980, Lazo 1996a, Hjortstam & Ryvarden 2007.

***Hydnoporia tabacina* (Sowerby) Spirin, Miettinen & K.H. Larss.**

FIRST CITATION—*Thelephora tabacina* (Sowerby) Fr. (Léveillé 1846).
SUBSTRATE—On dead trunks and branches of *Drimys winteri*.
DISTRIBUTION—Marga Marga, Valparaíso (Alejandro Selkirk Island).
OTHER REFERENCES—Léveillé 1846, Montagne 1850, Spegazzini 1917a, Spegazzini 1917b, Romell 1928, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Hymenochaete berteroii* Pat.**

FIRST CITATION—*Thelephora tabacina* (Sowerby) Fr. var. *australis* Mont. (Montagne 1835).
TYPE SPECIMEN—CHILE (type MNHN-PC-FUSION85770).
SUBSTRATE—On dead wood.
DISTRIBUTION—Valparaíso (Robinson Crusoe Island).
OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Mujica & al. 1980, Léger 1998.

***Hymenochaete aff. jobii* Parmasto**

FIRST CITATION—Gorjón & Hallenberg 2012b.
DISTRIBUTION—Osorno, Chiloé.
OTHER REFERENCES—MyCoPortal 2020.

***Hymenochaete microcycla* (Zipp. ex Lév.) Spirin & Miettinen**

FIRST CITATION—*Polyporus tabacinus* Mont. (Montagne 1835).

TYPE SPECIMEN—CHILE (possible type NY 731017).

SUBSTRATE—On decayed wood. On dead trunks of *Ovidia andina*.

DISTRIBUTION—Malleco, Llanquihue, Chiloé.

REMARKS—*Hymenochaete microcycla* according to Miettinen & al. (2019).

OTHER REFERENCES—Montagne 1850, Gay 1854, Lloyd 1910, Gotschlich 1913, Spegazzini 1917a, Espinosa 1917b, Spegazzini 1921, Sydow 1928, Mujica & al. 1980, Ryvarden 1982, Rajchenberg 1987, Lazo 1996a, Martínez & Valenzuela 2004, Rajchenberg 2006, Miettinen & al. 2019, Acevedo & Naulin 2020, MyCoPortal 2020.

***Hymenochaete resupinata* (Sw.) Parmasto**

FIRST CITATION—*Dichochaete setosa* (Sw.) Parmasto (Parmasto 2010).

DISTRIBUTION—Location in Chile not given.

OTHER REFERENCES—Parmasto & al. 2014.

***Hymenochaete rubiginosa* (Dicks.) Lév.**

FIRST CITATION—*Stereum rubiginosum* Fr. (Montagne 1850).

SUBSTRATE—On bark and branches of *Nothofagus obliqua* and *Persea lingue*.

DISTRIBUTION—Cachapoal, Concepción, Malleco, Valdivia.

OTHER REFERENCES—Spegazzini 1910, Spegazzini 1921, Mujica & al. 1980, Lazo 1996a, González & Opazo 2002.

***Hymenochaete tenuissima* Berk.**

FIRST CITATION—Bresadola 1900.

SUBSTRATE—On decayed trunks. On branches of *Nothofagus antarctica*.

DISTRIBUTION—Arauco, Aysén, Magallanes.

OTHER REFERENCES—Hennings 1900, Espinosa 1917b, Mujica & al. 1980, Lazo 1996a.

***Hypoderma obtusum* J. Erikss.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

***Hypoderma roseocremeum* (Bres.) Donk**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Hypoderma setigerum* (Fr.) Donk**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

***Hypodontia alutaria* (Burt) J. Erikss.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Chiloé.

OTHER REFERENCES—Riebesehl & Langer 2017.

***Hypodontia arguta* (Fr.) J. Erikss.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Osorno, Chiloé, Palena.

OTHER REFERENCES—Riebesehl & Langer 2017, Sweden's Virtual Herbarium 2020.

***Hypochniciellum ovoideum* (Jülich) Hjortstam & Ryvarden**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

Hypochnicium huinayense Tellería, M. Dueñas & M.P. Martín

FIRST CITATION—Crous & al. 2013.

TYPE SPECIMEN—CHILE (holotype MA-Fungi 86742).

SUBSTRATE—On *Eucryphia cordifolia*.

DISTRIBUTION—Palena.

Hypochnicium patagonicum Gorjón & Hallenb.

FIRST CITATION—Gorjón & Hallenberg 2012a.

TYPE SPECIMEN—CHILE (holotype SALA-FUNGI 4192-1, S. P. Gorjón 3102, isotype GB, HCFC).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

OTHER REFERENCES—Gorjón & Hallenberg 2012b.

Inonotus rickii (Pat.) D.A. Reid

FIRST CITATION—*Ptychogaster cubensis* Pat. (Gottlieb & al. 2002).

SUBSTRATE—On *Schinus molle*.

DISTRIBUTION—Arica.

OTHER REFERENCES—Sepúlveda & al. 2016.

Kurtia argillacea (Bres.) Karasiński

FIRST CITATION—*Hyphoderma argillaceum* (Bres.) Donk (Gorjón & Hallenberg 2012b).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Chiloé, Palena.

Laetiporus portentosus (Berk.) Rajchenb.

FIRST CITATION—Rajchenberg 1995a.

SUBSTRATE—On standing *Nothofagus dombeyi* and *Nothofagus pumilio*.

DISTRIBUTION—Talca, Diguillín, Osorno.

OTHER REFERENCES—Rajchenberg 2006, Lindner & Banik 2008.

Laetisaria fuciformis (Berk.) Burds.

FIRST CITATION—Palfner & al. 2010.

SUBSTRATE—On dry necrotic leaves of *Lolium* sp.

DISTRIBUTION—Cautín.

Laetisaria nothofagicola (Diederich & Lawrey) Diederich, Lawrey & Ghobad-Nejhad

FIRST CITATION—*Marchandiomyces nothofagicola* Diederich & Lawrey (Diederich & Lawrey 2007)

TYPE SPECIMEN—CHILE (holotype NY 892290).

SUBSTRATE—On decorticated trunk of *Nothofagus* sp.

DISTRIBUTION—Antártica Chilena.

OTHER REFERENCES—Diederich & al. 2018.

Lentaria surculus (Berk.) Corner

FIRST CITATION—Singer 1969.

SUBSTRATE—On wood of *Eucryphia* sp.

DISTRIBUTION—Ranco.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002.

Leptocorticium tenellum Nakasone

FIRST CITATION—Hallenberg 2012.

SUBSTRATE—On *Bambusoideae*.

DISTRIBUTION—Osorno.

OTHER REFERENCES—Gorjón & Hallenberg 2012b.

***Lyomyces sambuci* (Pers.) P. Karst.**

FIRST CITATION—*Hypodontia sambuci* (Pers.) J. Erikss. (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Osorno.

OTHER REFERENCES—Riebesehl & Langer 2017, Riebesehl & al. 2019.

***Macrohyporia dictyopora* (Cooke) I. Johans. & Ryvarden**

FIRST CITATION—Rajchenberg 2006.

DISTRIBUTION—Ranco, Palena (M. Rajchenberg pers. obs.).

***Multiclavula delicata* (Fr.) R.H. Petersen**

FIRST CITATION—*Clavaria delicata* (Fr.) Fr. (Spegazzini 1887b).

SUBSTRATE—On decayed trunks of *Nothofagus*.

DISTRIBUTION—Magallanes.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Myxarium nucleatum* Wallr.**

FIRST CITATION—*Exidia nucleata* (Schwein.) Burt (Lazo 1971).

SUBSTRATE—On decayed wood.

DISTRIBUTION—Chiloé.

REMARKS—Determined by B. Lowy.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Neodictyopus dictyopus* (Mont.) Palacio, Robledo & Drechsler-Santos**

FIRST CITATION—*Polyporus dictyopus* Mont. (Montagne 1835).

TYPE SPECIMEN—CHILE (holotype BPI 207664).

SUBSTRATE—On dead trunks. On *Aextoxicum punctatum*.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Ranco, Llanquihue.

OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Gotschlich 1913, Singer 1969, Mujica & al. 1980, Garrido & al. 1985, Garrido 1988, Gamundí & Horak 1993, Lazo 1996a, Martínez & Valenzuela 2004, Palacio & al. 2017, Acevedo & Naulin 2020, MyCoPortal 2020.

***Neolentiporus maculatissimus* (Lloyd) Rajchenb.**

FIRST CITATION—*Polyporus maculatissimus* Lloyd (Singer & al. 1965).

SUBSTRATE—On fallen *Nothofagus dombeyi*.

DISTRIBUTION—Ranco, Palena, Aysén, Coyhaique.

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg 1995a, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020, MyCoPortal 2020.

***Nothocorticium patagonicum* Gresl. & Rajchenb.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 34525).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

OTHER REFERENCES—Greslein & Rajchenberg 1999.

***Nothophellinus andinopatagonicus* (J.E. Wright & J.R. Deschamps) Rajchenb. & Pildain**

FIRST CITATION—As *Polyporus rhabarbarinus* Berk. (Wright & Deschamps 1972).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 22507).

SUBSTRATE—On *Nothofagus pumilio*.

DISTRIBUTION—Última Esperanza, Tierra del Fuego.

OTHER REFERENCES—González & Opazo 2002, Rajchenberg 2006, Rajchenberg & al. 2015, Acevedo & Naulin 2020, MyCoPortal 2020.

***Obba valdiviana* (Rajchenb.) Miettinen & Rajchenb.**

FIRST CITATION—*Ceriporiopsis rivulosa* (Berk. & M.A. Curtis) Gilb. & Ryvarden var. *valdiviana* Rajchenb. (Rajchenberg 1995c).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 33238, isotype M. Rajchenberg 10736).

SUBSTRATE—In forest of *Aextoxicum punctatum*, *Eucryphia cordifolia*, *Laureliopsis philippiana* and *Nothofagus obliqua*.

DISTRIBUTION—Ranco, Osorno.

OTHER REFERENCES—Rajchenberg 2006, Miettinen & Rajchenberg 2012, Justo & al. 2017, Acevedo & Naulin 2020.

***Oliveonia fibrillosa* (Burt) Donk**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

***Peniophora lycii* (Pers.) Höhn. & Litsch.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Peniophorella pallida* (Bres.) K.H. Larss.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Peniophorella pertenuis* (P. Karst.) Hallenb. & R.H. Nilsson**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

OTHER REFERENCES—Ortiz & al. 2014b, Schilling & al. 2020.

***Phaeoclavulina campoi* (Speg.) Giachini**

FIRST CITATION—*Clavaria campoi* Speg. (Spegazzini 1921).

TYPE SPECIMEN—CHILE (type LPS 39622).

SUBSTRATE—On soil.

DISTRIBUTION—Malleco.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Giachini & Castellano 2011.

***Phaeoclavulina ochracea* (Bres.) Giachini**

FIRST CITATION—*Ramaria flaccida* (Fr.) Bourdot var. *chilensis* Lazo (Lazo 1971).

SUBSTRATE—On soil.

DISTRIBUTION—Valparaíso.

OTHER REFERENCES—Lazo 1972, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 1996b, Giachini & Castellano 2011, Lazo 2016.

***Phaeoclavulina zippelii* (Lév.) Overeem**

FIRST CITATION—*Ramaria zippelii* (Lév.) Corner (Singer & al. 1965).

SUBSTRATE—On wood, under *Nothofagus* sp.

DISTRIBUTION—Ranco.

OTHER REFERENCES—Mujica & al. 1980, Garrido 1988, Lazo 1996.

***Phanerochaete australosanguinea* Tellería, M. Dueñas & M.P. Martín**

FIRST CITATION—Phookamsak & al. 2019.

TYPE SPECIMEN—CHILE (holotype MA-Fungi 91309, isotype M. Tellería 20102Tell).

SUBSTRATE—On unidentified wood.

DISTRIBUTION—Palena.

REMARKS—Probably previously reported as *Phanerochaete sanguinea* (Fr.) Pouzar from the Patagonian Andes forest of Southern Argentina by Greslebin & Rajchenberg (2003).

***Phanerochaete sordida* (P. Karst.) J. Erikss. & Ryvarden**

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On lumber.
 DISTRIBUTION—Tamarugal, Osorno, Chiloé, Palena.
 OTHER REFERENCES—Ortiz & al. 2013, Ortiz & al. 2014a.

***Phanerochaete velutina* (DC.) P. Karst.**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno, Palena.

***Phellinus livescens* (Speg.) Rajchenb.**

FIRST CITATION—*Fomes livescens* Speg. (Rajchenberg 1987).
 TYPE SPECIMEN—CHILE (holotype LPS 24921, type BPI 231601).
 DISTRIBUTION—Arauco, Malleco, Palena (M. Rajchenberg pers. obs.), Magallanes.
 REMARKS—Synonym of *Phellinus igniarius* var. *resupinatus* Bres. in Wright & Deschamps (1972) according to Rajchenberg & Wright (1987).
 OTHER REFERENCES—Wright & Deschamps 1972, Rajchenberg & Wright 1987, Rajchenberg 2006, Rajchenberg & al. 2015.

***Phellinus ralunensis* Adask., Gilb. & Blanchette**

FIRST CITATION—Adaskaveg & al. 1991.
 TYPE SPECIMEN—CHILE (holotype ARIZ RAB 3-89A).
 SUBSTRATE—On *Eucryphia cordifolia*, *Laureliopsis philippiana* and *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno, Llanquihue.
 OTHER REFERENCES—Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Phellodon melaleucus* (Sw. ex Fr.) P. Karst.**

FIRST CITATION—Singer 1969.
 SUBSTRATE—Under *Nothofagus dombeyi*.
 DISTRIBUTION—Llanquihue.
 OTHER REFERENCES—Garrido 1988, Lazo 1996a, Martínez & Valenzuela 2004.

***Phlebia acanthocystis* Gilb. & Nakasone**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On decayed wood.
 DISTRIBUTION—Palena.

***Phlebia columellifera* (G. Cunn.) Duhem**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On decayed wood.
 DISTRIBUTION—Osorno.

***Phlebia rufa* (Pers.) M.P. Christ.**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On lumber. On *Luma apiculata* and *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno, Chiloé, Palena.
 OTHER REFERENCES—Ortiz & al. 2014b.

***Phlebia subfascicularis* (Wakef.) Nakasone & Gilb.**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On bark of *Fuchsia magellanica* and on *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno, Palena.

***Phlebia* aff. *totara* (G. Cunn.) Stalpers & P.K. Buchanan**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On bark of living *Podocarpus nubigenus*.

DISTRIBUTION—Coyhaique, Palena.

***Phlebiopsis friesii* (Lév.) Spirin & Miettinen**

FIRST CITATION—*Thelephora amoena* Lév. (Léveillé 1846).

TYPE SPECIMEN—CHILE.

SUBSTRATE—On fallen branches.

DISTRIBUTION—Malleco

OTHER REFERENCES—Montagne 1850, Spegazzini 1917a, Spegazzini 1918, Mujica & al. 1980, Martínez & Valenzuela 2004, Miettinen & al. 2016.

***Phylloporia boldo* Rajchenb. & Pildain**

FIRST CITATION—Rajchenberg & al. 2019.

TYPE SPECIMEN—CHILE (holotype BAFC 52945, isotype M. Rajchenberg 12606).

SUBSTRATE—On living *Peumus boldus*.

DISTRIBUTION—Melipilla, Concepción, Arauco.

Other references—Acevedo & Naulin 2020, Riquelme & al. 2020.

***Picipes austroandinus* (Rajchenb. & Y.C. Dai) J.L. Zhou & B.K. Cui**

FIRST CITATION—As *Polyporus melanopus* (Pers.) Fr. (Rajchenberg 2006).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 52287).

DISTRIBUTION—Diguillín (M. Rajchenberg pers. obs.).

OTHER REFERENCES—Dai & al. 2013, Zhou & al. 2016.

***Pistillaria fuegiana* (Speg.) Corner**

FIRST CITATION—*Clavaria fuegiana* Speg. (Spegazzini 1887b).

TYPE SPECIMEN—ARGENTINA (holotype LPS 19260).

SUBSTRATE—On decayed branches of *Nothofagus* sp.

DISTRIBUTION—Tierra del Fuego.

OTHER REFERENCES—Corner 1950, Mujica & al. 1980, Lazo 1996a.

***Pistillaria saxegothaeae* Singer**

FIRST CITATION—Singer 1969.

TYPE SPECIMEN—CHILE (holotype BAFC R. Singer M3256).

SUBSTRATE—On dead branches of *Saxegothaea* sp.

DISTRIBUTION—Ranco.

***Podoserpula pusio* (Berk.) D.A. Reid**

FIRST CITATION—Hjortstam & Ryvarden 2007.

DISTRIBUTION—Location in Chile not given.

OTHER REFERENCES—Gorjón & Hallenberg 2012a.

***Polyporus gayanus* Lév.**

FIRST CITATION—Léveillé 1846.

TYPE SPECIMEN—CHILE (lectotype LPS 24999).

SUBSTRATE—On *Laurelia* sp., *Nothofagus antarctica*, *N. dombeyi*, *N. obliqua* and *N. pumilio*.

DISTRIBUTION—Malleco, Valdivia, Osorno, Llanquihue, Aysén, Última Esperanza, Tierra del Fuego.

REMARKS—Synonym of *P. cycliscus* Mont.

OTHER REFERENCES—Montagne 1850, Bresadola 1900, Lloyd 1910, Spegazzini 1921, Spegazzini 1922, Singer 1969, Mujica & al. 1980, Ryvarden 1982, Barrera 1984, Rajchenberg & Wright 1987, Garrido & al. 1985, Lazo 1996a, Martínez & Valenzuela 2004, Rajchenberg 2006, Acevedo & Naulin 2020, MyCoPortal 2020.

***Polyporus limbatus* Link ex Fr.**

FIRST CITATION—Montagne 1850.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Johow 1896, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Postia dissecta* (Cooke) Rajchenb.**

FIRST CITATION—*Polyporus dissectus* Lév. (Léveillé 1846).

TYPE SPECIMEN—CHILE (possible type BPI 239293).

SUBSTRATE—On *Austrocedrus chilensis*, *Nothofagus pumilio*, *Saxegothaea conspicua* and *Nothofagus* sp. On lumber. On *Pinus radiata*.

DISTRIBUTION—Concepción, Biobío, Ranco, Chiloé.

OTHER REFERENCES—Lloyd 1915, Mujica & al. 1980, Rajchenberg 1983, Rajchenberg 1987, Rajchenberg 1989, Rajchenberg 1992, Lazo 1996a, Rajchenberg 2003, Martínez & Valenzuela 2004, Rajchenberg 2006, Ortiz & al. 2014b, Acevedo & Naulin 2020.

***Postia pelliculosa* (Berk.) Rajchenb.**

FIRST CITATION—Rajchenberg 2006.

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Tierra del Fuego.

REMARKS—*Spongipellus chubutensis* J.E. Wright & J.R. Deschamps from Argentinean Patagonia is a synonym.

OTHER REFERENCES—Rajchenberg & Robledo 2013, Acevedo & Naulin 2020, MyCoPortal 2020.

***Postia punctata* Rajchenb. & P.K. Buchanan**

FIRST CITATION—Rajchenberg & Buchanan 1996.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 33359 M. Rajchenberg 10846).

SUBSTRATE—On *Nothofagus dombeyi* and fallen *N. pumilio*.

DISTRIBUTION—Osorno, Palena.

OTHER REFERENCES—Pildain & Rajchenberg 2013, Shen & al. 2019, Acevedo & Naulin 2020.

***Postia venata* (Rajchenb. & J.E. Wright) Rajchenb.**

FIRST CITATION—Pildain & Rajchenberg 2013.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 27610).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

OTHER REFERENCES—Rajchenberg 1983, Rajchenberg 1987.

***Pseudoinonotus crustosus* (Speg.) Rajchenb. & Pildain**

FIRST CITATION—*Inonotus crustosus* (Speg.) J.E. Wright & J.R. Deschamps (Sandoval-Leiva 2014).

TYPE SPECIMEN—ARGENTINA (holotype LPS).

SUBSTRATE—On *Nothofagus antarctica*.

DISTRIBUTION—Aysén.

OTHER REFERENCES—Rajchenberg & al. 2015, Acevedo & Naulin 2020.

***Pteridomyces valdivianus* Gorjón & Hallenberg.**

FIRST CITATION—Gorjón & Hallenberg 2012a.

TYPE SPECIMEN—CHILE (holotype GB GB-0185077 N. Hallenberg 16298, isotype SALA).

SUBSTRATE—On *Chusquea quila*.

DISTRIBUTION—Osorno.

OTHER REFERENCES—Gorjón & Hallenberg 2012b, Sweden's Virtual Herbarium 2020.

***Pterulicium campoi* (Speg.) Leal-Dutra, Dentinger & G.W. Griff.**

FIRST CITATION—*Pterula campoi* Speg. (Spegazzini 1921).

TYPE SPECIMEN—CHILE (type LPS 1468).

SUBSTRATE—On decayed branches of *Nothofagus obliqua*.

DISTRIBUTION—Malleco.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Leal-Dutra & al. 2020.

Punctulariopsis subglobispora (Hallenb. & Hjortstam) Ghob.-Nejh.

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—ARGENTINA (holotype GB-0069546 N. Hallenberg 12761).

DISTRIBUTION—Osorno.

OTHER REFERENCES—Ghobad-Nejhad & al. 2010.

Ramaria acutissima (Berk.) Corner

FIRST CITATION—*Clavaria acutissima* Berk. (Montagne 1850).

TYPE SPECIMEN—CHILE (possible type MNHN-PC-FUSION83845).

SUBSTRATE—On soil.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Corner 1950, Mujica & al. 1980, Lazo 1996a.

Ramaria aurea (Schaeff.) Quél.

FIRST CITATION—*Clavaria aurea* Schaeff. (Bresadola 1900).

SUBSTRATE—On soil.

DISTRIBUTION—Aysén.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

Ramaria fennica (P. Karst.) Ricken

FIRST CITATION—*Clavaria fennica* P. Karst. (Lloyd 1920).

DISTRIBUTION—Santiago.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, MyCoPortal 2020.

Ramaria flava (Schaeff.) Quél.

FIRST CITATION—*Clavaria flava* Schaeff. (Lloyd 1920).

SUBSTRATE—On soil.

DISTRIBUTION—Valparaíso, Santiago, Diguillín, Malleco, Valdivia, Llanquihue, Aysén.

OTHER REFERENCES—Spegazzini 1921, Singer 1969 (as *F. flava* var. *parvispora* Corner), Mujica & al. 1980, Barrera 1984, Lazo 1996a, Lazo 2000, Valenzuela 2003, Lazo 2016, Barria-Díaz & al. 2019, MyCoPortal 2020.

Ramaria flavobrunnescens (G.F. Atk.) Corner

FIRST CITATION—Singer 1969.

DISTRIBUTION—Cauquenes, Llanquihue.

OTHER REFERENCES—Mujica & al. 1980, Barrera 1984, Lazo 1996a.

Ramaria holorubella (G.F. Atk.) Corner

FIRST CITATION—Barrera 1984.

DISTRIBUTION—Osorno.

Ramaria molleriana (Bres. & Roum.) Corner

FIRST CITATION—Lazo 1971.

SUBSTRATE—On decayed wood.

DISTRIBUTION—Colchagua.

OTHER REFERENCES—Corner 1950, Corner 1957, Lazo 1972, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

Ramaria patagonica (Speg.) Corner

FIRST CITATION—*Clavaria patagonica* Speg. (Spegazzini 1887a).

TYPE SPECIMEN—CHILE (holotype LPS 19262).

SUBSTRATE—On soil.

DISTRIBUTION—Osorno, Magallanes.

OTHER REFERENCES—Corner 1957, Mujica & al. 1980, Lazo 1996a, MyCoPortal 2020.

Ramaria subaurantiaca Corner

FIRST CITATION—Lazo 1972.

SUBSTRATE—On soil.

DISTRIBUTION—Ranco.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Ramaria subtilis* (Coker) Schild**

FIRST CITATION—*Ramaria flava* (Schaeff.) Quél. var. *subtilis* (Coker) Corner (Singer 1969).

DISTRIBUTION—Cauquenes, Arauco, Llanquihue.

REMARKS—Also known as “changle” according to Valenzuela (2003).

OTHER REFERENCES—Garrido 1988, Valenzuela 2003.

***Ramaria valdiviana* Singer**

FIRST CITATION—Singer 1969.

TYPE SPECIMEN—CHILE (holotype SGO 092427 R. Singer M6916, isotype TENN-F-040213).

SUBSTRATE—Associated with *Nothofagus obliqua*.

DISTRIBUTION—Valdivia.

REMARKS—Also known as “changle” according to Lazo (1996b).

OTHER REFERENCES—Mujica & al. 1980, Barrera 1984, Garrido 1988, Lazo 1996b, Valenzuela 2003.

***Repetobasidium vile* (Bourdot & Galzin) J. Erikss.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Resinicium luteosulphureum* (Rick) Baltazar & Rajchenb.**

FIRST CITATION—*Resinicium friabile* Hjortstam & Melo (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Osorno.

***Rhizochaete brunnea* Gresl., Nakasone & Rajchenb.**

FIRST CITATION—Gorjón & Hallenberg 2012b.

TYPE SPECIMEN—ARGENTINA (holotype BAFC 34527, isotype A. Greslebin 278).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Palena.

OTHER REFERENCES—Greslebin & al. 2004.

***Rhizoctonia pseudocornigera* (M.P. Christ.) Oberw., R. Bauer, Garnica & R. Kirschner**

FIRST CITATION—*Ceratobasidium pseudocornigerum* M.P. Christ. (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Osorno.

***Rigidoporus concrescens* (Mont.) Rajchenb.**

FIRST CITATION—*Polyporus concrescens* Mont. (Montagne 1835).

TYPE SPECIMEN—CHILE (type MNHN-PC-PC0706770, isotype S F15054, isotype photography NY 730584).

SUBSTRATE—On dead wood.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Palena (M. Rajchenberg pers. obs.).

OTHER REFERENCES—Montagne 1850, Johow 1896, Mujica & al. 1980, Ryvarden 1982, Rajchenberg 1992, Lazo 1996a, Martínez & Valenzuela 2004.

***Rigidoporus microporus* (Sw.) Overeem**

FIRST CITATION—As *Polyporus fernandesianus* Mont. (Montagne 1835).

TYPE SPECIMEN—CHILE (type S F15058).

SUBSTRATE—On dead wood. On wooden beams

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Valdivia.

OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Spegazzini 1910, Mujica & al. 1980, Ryvarden 1982, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Rubellofomes minutisporus (Rajchenb.) B.K. Cui, M.L. Han & Y.C. Dai

FIRST CITATION—*Fomitopsis minutispora* Rajchenb. (Sandoval & Rajchenberg 2011).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 33360 M. Rajchenberg 10851).

SUBSTRATE—On wood in forest of *Aextoxicum punctatum*, *Eucryphia cordifolia*, *Laureliopsis philippiana*, *Nothofagus dombeyi* and *N. obliqua*.

DISTRIBUTION—Ranco.

OTHER REFERENCES—Rajchenberg 1995b, Acevedo & Naulin 2020.

Ryvardenia campyla (Berk.) Rajchenb.

FIRST CITATION—Rajchenberg & Robledo 2013.

DISTRIBUTION—Chiloé.

OTHER REFERENCES—Rajchenberg 2006, Pildain & Rajchenberg 2013.

Ryvardenia cretacea (Lloyd) Rajchenb.

FIRST CITATION—*Postia cretacea* (Lloyd) Rajchenb. (Rajchenberg 1987).

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Última Esperanza.

OTHER REFERENCES—Rajchenberg 2006, Rajchenberg & Pildain 2012, Ortiz-Santana & al. 2013, Rajchenberg & Robledo 2013, Acevedo & Naulin 2020.

Schizophyllum amplum (Lév.) Nakasone

FIRST CITATION—*Cytidia flocculenta* (Fr.) Höhn. & Litsch. (Lazo 1971).

SUBSTRATE—On dead wood.

DISTRIBUTION—Valparaíso.

REMARKS—Determined by D. Reid.

OTHER REFERENCES—Mujica & al. 1980, Nakasone 1996, Lazo 1996a, Martínez & Valenzuela 2004, Lazo 2016.

Schizophyllum commune Fr.

FIRST CITATION—*Schizophyllum alneum* (L.) J. Schröt. (Henning 1900).

SUBSTRATE—On lumber. On trunks and decayed branches. On *Nothofagus obliqua*. On *Acacia melanoxylon*.

DISTRIBUTION—Valparaíso, Maipo, Santiago, Cachapoal, Colchagua, Cauquenes, Talca, Concepción, Malleco, Cautín, Valdivia, Osorno.

OTHER REFERENCES—Spegazzini 1910, Espinosa 1917b, Spegazzini 1918, Espinosa 1943, Singer 1969, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Garrido & al. 1985, Butin & Peredo 1986, Garrido 1988, Lazo 1996a, González & Opazo 2002, Madrid 2005, Donoso & al. 2008, Tortella & al. 2008, Guillén & al. 2011, Lazo 2016, MyCoPortal 2020, The New York Botanical Garden 2020.

Scopuloides rimosa (Cooke) Jülich

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

Scotomyces subviolaceus (Peck) Jülich

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

Scytinostroma decidens Boidin, Gilles & Lanq.

FIRST CITATION—Gorjón & Hallenberg 2012b.

SUBSTRATE—On *Chusquea quila*.

DISTRIBUTION—Osorno, Palena.

Scytinostroma lusitanicum (Trotter) P.M. Kirk

FIRST CITATION—*Scytinostroma ochroleucum* (Bres. & Torrend) Donk (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Chiloé.

***Serpula himantiooides* (Fr.) P. Karst.**

FIRST CITATION—Aqueveque & al. 2002.
 SUBSTRATE—On *Eucalyptus globulus*. On lumber. On decayed wood.
 DISTRIBUTION—Concepción, Osorno.
 OTHER REFERENCES—Carlsen & al. 2011, Gorjón & Hallenberg 2012b, Torres & al. 2019.

***Serpula lacrymans* (Wulfen) J. Schröt.**

FIRST CITATION—*Merulius lacrymans* (Wulfen) Schumach. (Espinosa 1917b).
 SUBSTRATE—On wood of *Pinus radiata*.
 DISTRIBUTION—Concepción.
 OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Guillén & al. 2011.

***Sertulicium chilense* (Tellería, M. Dueñas & M.P. Martín) Spirin & Volobuev**

FIRST CITATION—*Sistotremastrum chilensis* Tellería, M. Dueñas & M.P. Martín (Tellería & al. 2014).
 TYPIFICATION—CHILE (holotype MA-Fungi 86368).
 SUBSTRATE—On unidentified wood.
 DISTRIBUTION—Palena.
 OTHER REFERENCES—Spirin & al. 2021.

***Sistotrema diademiferum* (Bourdot & Galzin) Donk**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 SUBSTRATE—On *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno.

***Sistotrema porulosum* Hallenb.**

FIRST CITATION—Gorjón & Hallenberg 2012b.
 DISTRIBUTION—Osorno.

***Skeletocutis stramentica* (G. Cunn.) Rajchenb.**

FIRST CITATION—Rajchenberg 2006.
 DISTRIBUTION—Chiloé (M. Rajchenberg pers. obs.).

***Spongiporus balsameus* (Peck) A. David**

FIRST CITATION—*Postia balsamea* (Peck) Jülich (Rajchenberg 2006).
 DISTRIBUTION—Valdivia.
 OTHER REFERENCES—Shen & al. 2019.

***Steccherinum meridionale* (Rajchenb.) Westph., Tomšovský & Rajchenb.**

FIRST CITATION—*Junguhnuia collabens* (Fr.) Ryvarden var. *meridionalis* (Rajchenberg 1987).
 TYPE SPECIMEN—CHILE (holotype BAFC 31012).
 SUBSTRATE—On fallen trunk of *Laureliopsis philippiana*.
 DISTRIBUTION—Valdivia, Osorno, Chiloé, Palena.
 OTHER REFERENCES—Rajchenberg 2003, Rajchenberg 2006, Westphalen & al. 2018, Acevedo & Naulin 2020, Natural History Museum, University of Oslo 2020, Sweden's Virtual Herbarium 2020.

***Stereum greslebiniae* Gorjón & Hallenb.**

FIRST CITATION—*Stereum greslebinii* Gorjón & Hallenb. (Gorjón & Hallenberg 2012a).
 TYPE SPECIMEN—CHILE (holotype SALA S. P. Gorjón 2639, isotype GB, HCFC).
 SUBSTRATE—On *Luma apiculata* and *Nothofagus dombeyi*.
 DISTRIBUTION—Osorno.
 OTHER REFERENCES—Gorjón & Hallenberg 2012b.

***Stereum hirsutum* (Willd.) Pers.**

FIRST CITATION—*Thelephora hirsuta* Willd. (Léveillé 1846) and *Thelephora rhinopila* Lév. (Léveillé 1846).

TYPE SPECIMEN—CHILE (possible type MNHN-PC-FUSION85507) for *Thelephora rhicnopila*.

SUBSTRATE—On trunks, branches and bark. On *Aextoxicum punctatum*, *Nothofagus antarctica*, *N. dombeyi* and *Persea lingue*. On *Acacia melanoxylon*, *Eucalyptus nitens* and *Quercus coccinea*.

DISTRIBUTION—Valparaíso, San Antonio, Santiago, Maipo, Colchagua, Concepción, Biobío, Malleco, Cautín, Valdivia, Ranco, Osorno, Chiloé, Palena, Aysén, Tierra del Fuego, Antártica Chilena.

REMARKS—Synonym of *Thelephora rhicnopila* Lév. according to Boidin (1960).

OTHER REFERENCES—Montagne 1850, Spegazzini 1887b, Hennings 1900, Espinosa 1917b, Spegazzini 1921, Boidin 1960, Singer & al. 1965, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Butin & Peredo 1986, Lazo 1996a, Lazo 1998, González & Opazo 2002, Martínez & Valenzuela 2004, Hjortstam & Ryvarden 2007, Donoso & al. 2008, Tortella & al. 2008, Guillén & al. 2011, Gorjón & Hallenberg 2012a, Gorjón & Hallenberg 2012b, Ortiz & al. 2014b, Lazo 2016, Schilling & al. 2020.

***Stereum ochraceoflavum* (Schwein.) Sacc.**

FIRST CITATION—Spegazzini 1910.

SUBSTRATE—On *Aristotelia chilensis* and *Nothofagus dombeyi*. On *Rubus creticus*.

DISTRIBUTION—Marga Marga, Valdivia, Palena.

OTHER REFERENCES—Spegazzini 1917b, Mujica & al. 1980, Lazo 1996a, Gorjón & Hallenberg 2012b.

***Stereum rufofulvum* (Mont.) Pat. & Lagerh.**

FIRST CITATION—*Thelephora rufofulva* Mont. (Montagne 1837).

TYPE SPECIMEN—CHILE (MNHN-PC-FUSION85741).

SUBSTRATE—On dead branches.

DISTRIBUTION—Cachapoal.

OTHER REFERENCES—Fries 1838, Montagne 1850, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Muséum National d’Histoire Naturelle 2020.

***Subulicystidium longisporum* (Pat.) Parmasto**

FIRST CITATION—Gorjón & al. 2011b.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Palena.

OTHER REFERENCES—Gorjón & Hallenberg 2012b.

***Thelephora terrestris* Ehrh. ex Fr.**

FIRST CITATION—Lloyd 1920.

SUBSTRATE—On soil of *Pinus* spp. plantation. Associated with *Nothofagus antarctica*.

DISTRIBUTION—San Antonio, Santiago, Malleco.

OTHER REFERENCES—Singer 1969, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Barrera 1984, Garrido 1988, Lazo 1996a, Lazo 1998, Martínez & Valenzuela 2004, Lazo 2016.

***Trametes betulina* (L.) Pilát**

FIRST CITATION—*Lenzites betulinus* (L.) Fr. (Hennings 1900).

SUBSTRATE—On wooden beams. On dead decayed trunks and branches. On *Acacia melanoxylon* and *Persea lingue*.

DISTRIBUTION—Valparaíso, Concepción, Biobío, Malleco, Cautín, Valdivia, Chiloé.

OTHER REFERENCES—Spegazzini 1910, Spegazzini 1917a, Spegazzini 1918, Spegazzini 1921, Mujica & al. 1980, Lazo 1983, Rajchenberg 1987, Lazo 1996a, Martínez & Valenzuela 2004, Tortella & al. 2008, Guillén & al. 2011, Justo & Hibbet 2011, The New York Botanical Garden 2020.

***Trametes sanguinea* (L.) Lloyd**

FIRST CITATION—*Polyporus sanguineus* (L.) Fr. (Spegazzini 1917a).

SUBSTRATE—On trunks of *Nothofagus dombeyi*.

DISTRIBUTION—Osorno.

OTHER REFERENCES—Nobles & Frew 1962, Mujica & al. 1980, Burgos & Ortiz 1988, Pincheira & al. 1990, Lazo 1996a, Martínez & Valenzuela 2004, Justo & Hibbet 2011, Acevedo & Naulin 2020.

***Trametes versicolor* (L.) Lloyd**

FIRST CITATION—*Polyporus versicolor* (L.) Fr. (Berkeley 1839).

SUBSTRATE—On decayed trunks and branches. On lumber. On *Araucaria araucana*, *Aristotelia chilensis*, *Beilschmiedia miersii*, *Fitzroya cupressoides*, *Myrceugenia fernandeziana*, *Nothofagus dombeyi*, *Persea lingue*, *Drimys* sp. and *Rhaphithamnus* sp. On *Eucalyptus nitens*.

DISTRIBUTION—Marga Marga, Valparaíso (Robinson Crusoe Island), San Antonio, Cachapoal, Concepción, Malleco, Cautín, Valdivia, Llanquihue, Chiloé, Aysén, Magallanes, Antártica Chilena.

REMARKS—Synonym of *Coriolus fernandezianus* Singer according to Rajchenberg (1982b).

OTHER REFERENCES—Montagne 1850, Hemsley 1885, Spegazzini 1887a, Spegazzini 1887b, Hariot & al. 1889, Johow 1896, Hennings 1900, Spegazzini 1910, Espinosa 1917a, Espinosa 1917b, Spegazzini 1917a, Spegazzini 1918, Lloyd 1920, Romell 1928, Singer & al. 1965, Lazo & al. 1977, Mujica & al. 1980, Rajchenberg 1982b, Lazo 1983, Butin & Peredo 1986, Rajchenberg & Wright 1987, Lazo 1996a, Lazo 1998, Parada & al. 2000, González & Opazo 2002, Martínez & Valenzuela 2004, Donoso & al. 2008, Tortella & al. 2008, Guillén & al. 2011, Ortiz & al. 2013, Ortiz & al. 2014b, Lazo 2016, Barría-Díaz & al. 2019, Acevedo & Naulin 2020, Landcare Research 2020.

***Trechispora byssinella* (Bourd.) Liberta**

FIRST CITATION—Liberta 1973.

DISTRIBUTION—Magallanes.

OTHER REFERENCES—Hjortstam & Ryvarden 2007, Gorjón & Hallenberg 2012a.

***Trechispora farinacea* (Pers.) Liberta**

FIRST CITATION—*Hydnum farinaceum* Pers. (Romell 1928).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Chiloé, Palena.

OTHER REFERENCES—Mujica & al. 1980, Gorjón & Hallenberg 2012b.

***Trechispora praeoculata* (Bourd. & Galzin) Liberta**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno.

***Trechispora subsphaerospora* (Litsch.) Liberta**

FIRST CITATION—*Corticium subsphaerosporum* Litsch. (Keissler 1928).

TYPE SPECIMEN—CHILE (holotype NY 776596, lectotype W 16955, isolectotype W 16591)

SUBSTRATE—On *Dicksonia brackenridgei*.

DISTRIBUTION—Valparaíso (Alejandro Selkirk Island).

OTHER REFERENCES—Liberta 1973, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Hjortstam & Ryvarden 2007, Gorjón & Hallenberg 2012a.

***Tremella mesenterica* Retz.**

FIRST CITATION—*Tremella lutescens* Fr. (Montagne 1850).

SUBSTRATE—On wood.

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago), Colchagua, Chiloé, Magallanes.

REMARKS—Determined B. Lowy.

OTHER REFERENCES—Spegazzini 1887a, Lazo 1971, Lazo & al. 1977, Mujica & al. 1980, Lazo 1983, Lazo 1996a, Lazo 2016.

***Tremella vescicaria* Speg.**

FIRST CITATION—Spegazzini 1918.

TYPE SPECIMEN—CHILE (type LPS 27254).

DISTRIBUTION—Malleco

SUBSTRATE—On wood.

OTHER REFERENCES—Mujica & al. 1980.

***Tubulicrinopsis farinacea* (Boidin, Lanq. & Gilles) Kotir. & Hjortstam**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Osorno, Chiloé.

OTHER REFERENCES—Sweden's Virtual Herbarium 2020.

***Tulasnella violae* (Quél.) Bourdot & Galzin**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Uncobasidium roseocremeum* Gorjón, Gresl. & Rajchenb.**

FIRST CITATION—Gorjón & al. 2012b.

TYPE SPECIMEN—ARGENTINA (holotype BAFC S. P. Gorjón 2943, isotype SALA, HCFC).

SUBSTRATE—On bark of living *Saxegothaea conspicua*.

DISTRIBUTION—Palena.

***Xenasma pulverulentum* (H.S. Jacks.) Donk**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Xenasma tulasnelloideum* (Höhn. & Litsch.) Donk**

FIRST CITATION—*Phlebiella tulasnelloidea* (Höhn. & Litsch.) Ginns & M.N.L. Lefebvre (Gorjón & Hallenberg 2012b).

SUBSTRATE—On *Caldcluvia paniculata* and *Saxegothaea conspicua*.

DISTRIBUTION—Osorno, Chiloé, Palena.

***Xenasmatella fibrillosa* (Hallenb.) Stalpers**

FIRST CITATION—*Phlebiella fibrillosa* (Hallenb.) K.H. Larss. & Hjortstam (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Chiloé.

***Xylobolus subpileatus* (Berk. & M.A. Curtis) Boidin**

FIRST CITATION—Gorjón & Hallenberg 2012b.

DISTRIBUTION—Chiloé.

***Xylodon crassisporus* (Gresl. & Rajchenb.) Hjortstam & Ryvarden**

FIRST CITATION—*Hypodontia crassispora* Gresl. & Rajchenb. (Gorjón & Hallenberg 2012b).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 50035).

SUBSTRATE—On bark of *Fuchsia magellanica*.

DISTRIBUTION—Chiloé, Palena.

OTHER REFERENCES—Greslein & Rajchenberg 2000, Hjortstam & Ryvarden 2009, Riebesehl & al. 2019.

***Xylodon crustosoglobosus* (Hallenb. & Hjortstam) Hjortstam & Ryvarden**

FIRST CITATION—*Hypodontia crustosoglobosa* Hallenb. & Hjortstam (Gorjón & Hallenberg 2012b).

TYPE SPECIMEN—ARGENTINA (holotype GB N. Hallenberg 12738).

DISTRIBUTION—Osorno, Chiloé.

OTHER REFERENCES—Riebesehl & Langer 2017, Riebesehl & al. 2019.

***Xylodon gamundiae* (Gresl. & Rajchenb.) Riebesehl & Langer**

FIRST CITATION—*Hypodontia gamundiae* Gresl. & Rajchenb. (Gorjón 2012).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 50036).

DISTRIBUTION—Osorno.

OTHER REFERENCES—Gorjón & Hallenberg 2012b, Riebesehl & Langer 2017, Riebesehl & al. 2019.

***Xylodon hjortstamii* (Gresl. & Rajchenb.) Riebesehl & Langer**

FIRST CITATION—*Hypodontia hjortstamii* Gresl. & Rajchenb. (Gorjón 2012).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 50037).

SUBSTRATE—On bark of *Fuchsia magellanica*. On *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Chiloé, Palena.

OTHER REFERENCES—Gorjón & Hallenberg 2012b, Riebesehl & Langer 2017, Riebesehl & al. 2019.

Xylodon magallanesii J. Fernández-López, Tellería, M. Dueñas, M. Laguna & M.P. Martín

FIRST CITATION—Fernández-López & al. 2020.

TYPE SPECIMEN—CHILE (holotype MA-Fungi 90397 M. Tellería 20008Tell).

SUBSTRATE—On dead wood of *Amomyrtus luma*, *Drimys winteri*, *Nothofagus betuloides*, *N. dombeyi* and *N. pumilio*.

DISTRIBUTION—Ranco, Palena.

REMARKS—Previously reported as *Hyphodontia australis* (Berk.) Hjortstam (Gorjón & Hallenberg 2012b).

OTHER REFERENCES—Greslebin & al. 2000.

Xylodon magnificus (Gresl. & Rajchenb.) K.H. Larss.FIRST CITATION—*Hyphodontia magnifica* Gresl. & Rajchenb. (Gorjón & Hallenberg 2012b).

TYPE SPECIMEN—ARGENTINA (holotype BAFC 50038).

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Palena.

Xylodon nesporina (Hallenb. & Hjortstam) Hjortstam & RyvardenFIRST CITATION—*Hyphodontia nesporina* Hallenb. & Hjortstam (Gorjón & Hallenberg 2012b).

TYPE SPECIMEN—ARGENTINA (holotype GB N. Hallenberg 12745).

SUBSTRATE—On *Chusquea quila* and *Saxegothaea conspicua*.

DISTRIBUTION—Palena.

OTHER REFERENCES—Riebesehl & Langer 2017, Riebesehl & al. 2019.

Xylodon patagonicus J. Fernández-López, Tellería, M. Dueñas & M.P. Martín

FIRST CITATION—Fernández-López & al. 2019.

TYPE SPECIMEN—CHILE (holotype MA-Fungi 90707 M. Tellería 19684Tell).

SUBSTRATE—On *Amomyrtus luma*, *Nothofagus dombeyi* and *N. nitida*.

DISTRIBUTION—Palena.

Xylodon spathulatus (Schrad.) KuntzeFIRST CITATION—*Hyphodontia spathulata* (Schrad.) Parmasto (Gorjón & Hallenberg 2012b).

DISTRIBUTION—Chiloé.

OTHER REFERENCES—Riebesehl & Langer 2017, Riebesehl & al. 2019.

Uncertain taxa***Abortiporus biennis*** (Bull.) SingerFIRST CITATION—*Polyborus biennis* (Bull.) Fr. (Montagne 1850).

SUBSTRATE—On dead trees.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Gotschlich 1913, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Artomyces turgidus (Lév.) JülichFIRST CITATION—*Clavicorona turgida* (Lév.) Corner (Singer 1969).

SUBSTRATE—On decayed wood. On soil.

DISTRIBUTION—Ranco.

REMARKS—This species is known only from Australasia (Lickey & al. 2003). The record most probably corresponds to *Artomyces adrienneae* Lickey or *Artomyces nothofagi* R.J. Kneal & M.E. Sm. (see under these names above).

OTHER REFERENCES—Lazo 1972, Mujica & al. 1980, Barrera 1984, Lazo 1983, Lickey & al. 2003, Lazo 2016.

Auricularia auricula-judae (Bull.) Quél.FIRST CITATION—*Exidia auricula-judae* (Bull.) Fr. (Berkeley 1842).SUBSTRATE—On old trunks of *Nothofagus* sp.

DISTRIBUTION—Magallanes, Antártica Chilena.

REMARKS—Possibly *Aleurodiscus vitellinus*, based on its general habit and the lack of new findings along the years (note by the authors).

OTHER REFERENCES—Berkeley 1847, Montagne 1850, Philippi 1869, Mujica & al. 1980, Lazo 1996a.

***Auricularia sambucina* Mart.**

FIRST CITATION—Hariot & al. 1889.

DISTRIBUTION—Magallanes, Antártica Chilena.

REMARKS—Never recorded again after the original citation.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004.

***Bjerkandera fumosa* (Pers.) P. Karst.**

FIRST CITATION—Hennings 1900.

SUBSTRATE—On decayed trunks and branches.

DISTRIBUTION—Concepción.

REMARKS—This record needs confirmation (cfr. Motato-Vásquez & al. 2020).

OTHER REFERENCES—Spegazzini 1918, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020, Motato-Vásquez & al. 2020.

***Calocera glossooides* (Pers.) Fr.**

FIRST CITATION—*Dacryomitra pusilla* Tul. & C. Tul. (Romell 1928).

DISTRIBUTION—Valparaíso.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Calocera viscosa* (Pers.) Fr.**

FIRST CITATION—Lazo 1996a.

DISTRIBUTION—Location is not given.

***Ceriporia violacea* (Fr.) Melo & Ryvarden**

FIRST CITATION—*Polyporus violaceus* Fr. (Montagne 1850).

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago).

OTHER REFERENCES—Hemsley 1885, Johow 1896, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Cerioporus squamosus* (Huds.) Quél.**

FIRST CITATION—*Polyporus squamosus* (Huds.) Fr. (Espinosa 1917b).

DISTRIBUTION—Chiloé.

REMARKS—Probably *Neolentiporus maculatissimus*, based on its macroscopic features (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020, Farr & Rossman 2020.

***Cerioporus varius* (Pers.) Zmitr. & Kovalenko**

FIRST CITATION—*Polyporus picipes* Rostk. (Lazo 1983).

SUBSTRATE—On soil or wood.

DISTRIBUTION—Colchagua, Ranco.

OTHER REFERENCES—Lazo 2016, Acevedo & Naulin 2020, MyCoPortal 2020.

***Chaetocypha lacera* (Pers.) Kuntze**

FIRST CITATION—*Cyphella lacera* (Pers.) Fr. (Montagne 1850).

SUBSTRATE—On stems of *Rumex* sp.

DISTRIBUTION—Locality is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Clavulina coralloides* (L.) J. Schröt.**

FIRST CITATION—*Clavaria coralloides* L. (Montagne 1850).

DISTRIBUTION—Locality is not indicated.

OTHER REFERENCES—Philippi 1869, Mujica & al. 1980, Lazo 1996a.

***Clavulina rugosa* (Bull.) J. Schröt.**

FIRST CITATION—*Clavaria grossa* Pers. (Montagne 1850).
 OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Clavulinopsis helvola* (Pers.) Corner**

FIRST CITATION—*Clavaria helvola* Pers. var. *aurantia* Pers. (Bertero 1829).
 DISTRIBUTION—Locality is not indicated.
 OTHER REFERENCES—Corner 1950, Mujica & al. 1980, Lazo 1996a.

***Coltricia perennis* (L.) Murrill**

FIRST CITATION—Lazo 1991.
 DISTRIBUTION—Valparaíso.
 REMARKS—Probably *Hymenochaete microcycla* (Zipp. ex Lév.) Spirin & Miettinen, based on macromorphology (note by the authors).
 OTHER REFERENCES—Acevedo & Naulin 2020.

***Corticium lacteum* (Fr.) Fr.**

FIRST CITATION—*Thelephora lactea* Fr. (Bertero 1828).
 SUBSTRATE—On *Beilschmiedia miersii*, *Cryptocarya alba* and *Nothofagus antarctica*.
 DISTRIBUTION—Marga Marga, Magallanes.
 REMARKS—Probably *Efibula tuberculata* (P. Karst.) Zmitr. & Spirin, but specimens need to be studied (note by the authors).
 OTHER REFERENCES—Spegazzini 1887a, Spegazzini 1917b, Spegazzini 1921, Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004.

***Corticium tremellinum* Berk.**

FIRST CITATION—Berkeley 1847.
 TYPE SPECIMEN—CHILE.
 SUBSTRATE—On bark of *Nothofagus antarctica*.
 DISTRIBUTION—Antártica Chilena.
 REMARKS—Nomen illegitimum.
 OTHER REFERENCES—Hariot & al. 1889, Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004.

***Dacrymyces candidus* Mont.**

FIRST CITATION—*Dacrymyces candidus* Mont. (Montagne 1852).
 DISTRIBUTION—Location is not indicated.
 OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Dacrymyces stillatus* Nees**

FIRST CITATION—*Dacrymyces stillatus* Nees (Bertero 1829).
 DISTRIBUTION—Location is not indicated.
 SUBSTRATE—On wood.
 OTHER REFERENCES—Mujica & al. 1980.

***Dacryomyces albidus* Bertero**

FIRST CITATION—Bertero 1829.
 SUBSTRATE—On wood.
 DISTRIBUTION—Location is not indicated.
 REMARKS—This is not *Dacrymyces* Kobayashi.
 OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Dendrothele candida* (Schwein.) P.A. Lemke**

FIRST CITATION—*Thelephora candida* Schwein. (Bertero 1828).
 DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Echinoporia aculeifera* (Berk. & M.A. Curtis) Ryvarden**

FIRST CITATION—*Polystictus aculeifer* (Berk. & M.A. Curtis) Cooke (Spegazzini 1921).

SUBSTRATE—On dead trunks and branches of *Persea lingue*.

DISTRIBUTION—Marga Marga.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Acevedo & Naulin 2020.

***Exidia flammea* Berk.**

FIRST CITATION—Hooker 1844.

SUBSTRATE—On dead branches.

DISTRIBUTION—Antártica Chilena.

OTHER REFERENCES—Hariot & al. 1889, Mujica & al. 1980, Lazo 1996a.

***Fistulina hepatica* (Schaeff.) With.**

FIRST CITATION—Lloyd 1920.

SUBSTRATE—On *Nothofagus alpina*, *N. dombeyi*, *N. nitida*, *N. obliqua*, *N. pumilio*, *Podocarpus nubigenus* and *Weinmannia trichosperma*.

DISTRIBUTION—Valdivia, Osorno, Palena.

REMARKS—This is most likely *Fistulina antarctica* (Rajchenberg 2006). Substrates *P. nubigenus* and *W. trichosperma* require confirmation.

OTHER REFERENCES—Espinosa 1943, Mujica & al. 1980, Lazo 1983, Lazo 1996a, González & Opazo 2002, Lazo 2016, Acevedo & Naulin 2020.

***Flaviporus brownii* (Humb.) Donk**

FIRST CITATION—Romell 1928.

DISTRIBUTION—Valparaíso.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Fomes fasciatus* (Sw.) Cooke**

FIRST CITATION—*Polyporus marmoratus* Berk. & M.A. Curtis (Hariot & al. 1889).

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Lonquimay, Antártica Chilena.

REMARKS—Probably *Nothophellinus andinopatagonicus* (J.E. Wright & J.R. Deschamps) Rajchenb. & Pildain or *Ganoderma australe* (Fr.) Pat. (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Acevedo & Naulin 2020, MyCoPortal 2020.

***Fomes fomentarius* (L.) Fr.**

FIRST CITATION—*Boletus fomentarius* L. (Bertero 1829).

SUBSTRATE—On *Nothofagus antarctica* and *N. betuloides*. On *Malus domestica*.

DISTRIBUTION—Tierra del Fuego.

REMARKS—Probably *Nothophellinus andinopatagonicus* (J.E. Wright & J.R. Deschamps) Rajchenb. & Pildain (note by the authors).

OTHER REFERENCES—Philippi 1869, Spegazzini 1887b, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Fomitopsis betulina* (Bull.) B.K. Cui, M.L. Han & Y.C. Dai**

FIRST CITATION—*Polyporus betulinus* (Bull.) Fr. (Espinosa 1917b).

DISTRIBUTION—Locality is not indicated.

REMARKS—Probably *Laetiporus portentosus* (Berk.) Rajchenb. Due to its macromorphological similarity (Rajchenberg 2006).

OTHER REFERENCES—Mujica & al. 1980, Martínez & Valenzuela 2004.

***Fomitopsis officinalis* (Batsch) Bondartsev & Singer**

First citation—Acevedo & Naulin 2020.

DISTRIBUTION—Locality is not indicated.

***Ganoderma adspersum* (Schulzer) Donk**

FIRST CITATION—Gottlieb & al. 1998.

SUBSTRATE—On dead trunks.

DISTRIBUTION—Palena.

REMARKS—Probably *Ganoderma australe* (Fr.) Pat. (note by the authors).

OTHER REFERENCES—Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Ganoderma appланatum* (Pers.) Pat.**

FIRST CITATION—Patouillard 1889.

SUBSTRATE—On *Araucaria araucana*, *Laurelia sempervirens*, *Nothofagus dombeyi* and *N. nitida*. On *Acer negundo*, *Cornus mas*, *Quercus* sp., *Robinia pseudoacacia*, *Prunus persica*, *Populus nigra*, *Salix babylonica*.

DISTRIBUTION—Limarí, Valparaíso (Juan Fernández Archipelago), Santiago, Cachapoal, Curicó, Linares, Concepción, Cautín, Valdivia, Osorno, Llanquihue, Chiloé, Palena, Aysén, Magallanes.

REMARKS—Probably *Ganoderma australe* (Fr.) Pat. (Rajchenberg 2006).

OTHER REFERENCES—Lloyd 1917, Espinosa 1917b, Espinosa 1921, Espinosa 1943, Mujica & al. 1980, Peredo 1987, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Donoso & al. 2008, Tortella & al. 2008, Acevedo & Naulin 2020, The Field Museum 2020, MyCoPortal 2020.

***Ganoderma brownii* (Murrill) Gilb.**

FIRST CITATION—Gottlieb & al. 1998.

SUBSTRATE—On dead trees.

DISTRIBUTION—Valparaíso, Osorno.

OTHER REFERENCES—Acevedo & Naulin 2020.

***Ganoderma chilense* (Fr.) Pat.**

FIRST CITATION—*Fomes chilensis* (Fr.) Sacc. (Fries 1855).

TYPE SPECIMEN—CHILE (holotype S F15158).

SUBSTRATE—On living trunks.

DISTRIBUTION—Chiloé.

REMARKS—Nomen confusum according to Gottlieb (1997).

OTHER REFERENCES—Lloyd 1915, Espinosa 1921, Sydow 1928, Mujica & al. 1980, Lazo 1996a, Gottlieb 1997, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Ganoderma lobatum* (Schwein.) G.F. Atk.**

FIRST CITATION—Gottlieb & al. 1998.

SUBSTRATE—On fallen trunks.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Osorno.

OTHER REFERENCES—Acevedo & Naulin 2020, Sweden's Virtual Herbarium 2020.

***Grandinia polycocca* (Mont.) Mont.**

FIRST CITATION—*Thelephora polycocca* Mont. (Montagne 1837).

TYPE SPECIMEN—CHILE (type MNHN-PC-FUSION85689, isotype BPI 264830).

SUBSTRATE—On dead wood.

DISTRIBUTION—Cachapoal.

REMARKS—Nomen dubium according to Jülich (1983).

OTHER REFERENCES—Montagne 1850, Gay 1854, Mujica & al. 1980, Jülich 1983, Lazo 1996a, Martínez & Valenzuela 2004.

***Grifola frondosa* (Dicks.) Gray**

FIRST CITATION—*Polyporus frondosus* Fr. (Espinosa 1917b).

REMARKS—Probably *Grifola sordulenta* (Mont.) Sing. (Rajchenberg 2006).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Hymenochaete luteobadia* (Fr.) Höhn. & Litsch.**

FIRST CITATION—*Stereum luteobadium* (Fr.) Fr. (Montagne 1850).

DISTRIBUTION—Locality is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Hymenochaete villosa* (Lév.) Bres.**

FIRST CITATION—Espinosa 1917b.

DISTRIBUTION—Santiago, Concepción.

OTHER REFERENCES—Mujica & al. 1980, The New York Botanical Garden 2020, Farr & Rossman 2020.

***Hyphodontia barba-jovis* (Bull.) J. Erikss.**

FIRST CITATION—*Odontia barba-jovis* (Bull.) Fr. (Spegazzini 1887b).

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Magallanes.

REMARKS—Probably *Xylodon patagonicus patagonicus* J. Fernández-López, Tellería, M. Dueñas & M.P. Martín (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Hyphodontia granulosa* (Pers.) Bernicchia**

FIRST CITATION—*Thelephora granulosa* Pers. (Muñoz 1999).

SUBSTRATE—On bark.

DISTRIBUTION—Cachapoal.

***Hyphodontia stipata* (Fr.) Gilb.**

FIRST CITATION—*Hydnnum stipatum* Fr. (Romell 1928).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Inonotus patouillardii* (Rick) Imazeki**

FIRST CITATION—*Polyporus fuscobadius* Bres. (Spegazzini 1921).

SUBSTRATE—On living trunks of *Quillaja saponaria*.

DISTRIBUTION—Marga Marga.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004.

***Irpea lacteus* (Fr.) Fr.**

FIRST CITATION—Spegazzini 1887a.

SUBSTRATE—On debarked branches of *Nothofagus* sp.

DISTRIBUTION—Magallanes.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Acevedo & Naulin 2020.

***Ischnoderma benzoinum* (Wahlenb.) P. Karst.**

FIRST CITATION—*Polyborus resinosus* (Schrad.) Fr. (Romell 1928).

DISTRIBUTION—Valparaíso (Alejandro Selkirk Island).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Junguhnia nitida* (Pers.) Ryvarden**

FIRST CITATION—*Polyborus nitidus* (Pers.) Fr. (Romell 1928).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

REMARKS—Probably *Steccherinum meridionale* (Rajchenb.) Westph., Tomšovský & Rajchenb. (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Laetiporus sulphureus* (Bull.) Murrill**

FIRST CITATION—*Polyborus sulphureus* (Bull.) Fr. (Hariot & al. 1889).

DISTRIBUTION—Chiloé, Magallanes.

REMARKS—82% ITS sequence identity (Ortiz & al. 2014b). Probably *Laetiporus portentosus* (Berk.) Rajchenb. (note by the authors).

OTHER REFERENCES—Lloyd 1920, Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Donoso & al. 2008, Ortiz & al. 2014b, Acevedo & Naulin 2020.

***Meripilus giganteus* (Pers.) P. Karst.**

FIRST CITATION—*Polyporus giganteus* (Pers.) Fr. (Lloyd 1920).

DISTRIBUTION—Locality is not indicated.

REMARKS—Probably confused with *Bondarzewia guaitecasensis* Henn.) J.E. Wright) on account of its macromorphology (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Merismodes anomala* (Pers.) Singer**

FIRST CITATION—*Cyphellopsis anomala* (Pers.) Donk (Cooke 1961).

DISTRIBUTION—CHILE. Location is not indicated.

***Odontia cinnamomea* Mont.**

FIRST CITATION—Montagne 1850.

TYPE SPECIMEN—CHILE (possible type MNHN-PC-FUSION84346).

SUBSTRATE—On bark.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island), Valdivia.

OTHER REFERENCES—Hemsley 1885, Johow 1896, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Odontia fallax* (Fr.) Quél.**

FIRST CITATION—Spegazzini 1910.

SUBSTRATE—On debarked and decayed branches.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Phellinus adamantinus* (Berk.) Ryvarden**

FIRST CITATION—*Fomes adamantinus* (Berk.) Cooke (Spegazzini 1922).

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Magallanes.

REMARKS—Probably *Nothophellinus andinopatagonicus* (J.E. Wright & J.R. Deschamps) Rajchenb. & Pildain (Wright & Deschamps 1972).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Phellinus caryophylleus* (Cooke) Ryvarden**

FIRST CITATION—*Polyporus caryophylleus* (Cooke) Lloyd (Lloyd 1920).

DISTRIBUTION—Locality is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Phellinus igniarius* (L.) Quél.**

FIRST CITATION—*Boletus igniarius* L. (Bertero 1829).

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago).

OTHER REFERENCES—Berkeley 1839, Montagne 1850, Gotschlich 1913, Espinosa 1921, Mujica & al. 1980, Lazo 1996a, Acevedo & Naulin 2020.

***Phellinus rimosus* (Berk.) Pilát**

FIRST CITATION—*Fomes rimosus* (Berk.) Cooke (Espinosa 1921).

SUBSTRATE—On decayed trunks.

DISTRIBUTION—Marga Marga, Santiago, Cachapoal.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1983, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Phlebiopsis crassa* (Lév.) Floudas & Hibbett**

FIRST CITATION—*Stereum umbrinum* Fr. (Mujica & al. 1980).

DISTRIBUTION—Talca.

***Polyporus albus* (Huds.) Fr.**

FIRST CITATION—*Polyporus albus* (Huds.) Fr. (Spegazzini 1922).

SUBSTRATE—On *Nothofagus* sp.

DISTRIBUTION—Magallanes.

REMARKS—Probably *Postia pelicullosa* (Berk.) Rajchenb., base on Spegazzini (1922) description (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Polyporus enteroleucus* Fr.**

FIRST CITATION—*Polyporus enteroleucus* Fr. (Fries 1838).

TYPE SPECIMEN—CHILE.

DISTRIBUTION—Location is not indicated.

REMARKS—Probably *Ganoderma* sp. (Ryvarden 1991).

OTHER REFERENCES—Montagne 1850, Mujica & al. 1980, Ryvarden 1991, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Punctularia strigosozonata* (Schwein.) P.H.B. Talbot**

FIRST CITATION—*Phlebia reflexa* Berk (Espinosa 1917b).

DISTRIBUTION—Linares.

OTHER REFERENCES—Espinosa 1928, Mujica & al. 1980, Lazo 1996a.

***Radulomyces molaris* (Chaillet ex Fr.) M.P. Christ.**

FIRST CITATION—*Hydnus membranaceum* Bull. var. *dryinum* Mont. (Montagne 1835).

SUBSTRATE—On bark.

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Resinicium bicolor* (Alb. & Schwein.) Parmasto**

FIRST CITATION—*Hydnus bicolor* Alb. & Schwein. (Romell 1928).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Sidera vulgaris* (Fr.) Miettinen**

FIRST CITATION—*Polyporus vulgaris* Fr. (Montagne 1835).

SUBSTRATE—On wood.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Berkeley 1839, Montagne 1850, Johow 1896, Gotschlich 1913, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Steccherinum ochraceum* (Pers. ex J.F. Gmel.) Gray**

FIRST CITATION—*Hydnus ochraceum* Pers. ex J.F. Gmel. (Montagne 1835).

SUBSTRATE—On bark.

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Montagne 1850, Hemsley 1885, Johow 1896, Mujica & al. 1980, Lazo 1996a.

***Stereum desolationis* Speg.**

FIRST CITATION—Spegazzini 1887b.

TYPE SPECIMEN—CHILE (holotype LPS 4068).

SUBSTRATE—On decayed trunks.

DISTRIBUTION—Antártica Chilena.

REMARKS—Holotype sterile and indeterminable (Rajchenberg & Wright 1987).

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a.

***Stereum rugosum* Pers.**

FIRST CITATION—*Thelephora rugosa* (Pers.) Pers. (Montagne 1835).

SUBSTRATE—On dead branches. On *Nothofagus antarctica*, *N. pumilio* and *Nothofagus* sp.

DISTRIBUTION—Concepción, Malleco, Cautín, Valdivia, Magallanes.

REMARKS—Possibly *Stereum greslebiniae* (Gorjón & Hallenberg 2012a).

OTHER REFERENCES—Montagne 1850, Spegazzini 1887b, Bresadola 1900, Mujica & al. 1980, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Gorjón & Hallenberg 2012a.

***Stereum sanguinolentum* (Alb. & Schwein.) Fr.**

FIRST CITATION—Butin & Peredo 1986.

SUBSTRATE—On standing conifers.

DISTRIBUTION—Location is not given.

***Stereum vellereum* Berk.**

FIRST CITATION—*Stereum rigidulum* Speg. (Espinosa 1917b).

DISTRIBUTION—Santiago, Linares.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Farr & Rossman 2020.

***Stereum versicolor* (Sw.) Fr.**

FIRST CITATION—Spegazzini 1910.

SUBSTRATE—On wooden beams.

DISTRIBUTION—Valdivia.

OTHER REFERENCES—Mujica & al. 1980.

***Trametes ectypa* (Berk. & M.A. Curtis) Gilb. & Ryvarden**

FIRST CITATION—*Polystictus ectypus* (Berk. & M.A. Curtis) Cooke (Espinosa 1917b).

DISTRIBUTION—Santiago.

REMARKS—Probably *Trametes versicolor* (L.) Lloyd (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, MyCoPortal 2020.

***Trametes gibbosa* (Pers.) Fr.**

FIRST CITATION—Tortella & al. 2008.

DISTRIBUTION—Cautín.

REMARKS—Probably *Trametes betulina* (L.) Pilát (note by the ahuthors).

***Trametes hirsuta* (Wulfen) Lloyd**

FIRST CITATION—*Polyporus hirsutus* (Wulfen) Fr. (Léveillé 1846).

DISTRIBUTION—Valparaíso, Cautín.

REMARKS—Probably *Trametes versicolor* (L.)Lloyd (note by the authors).

OTHER REFERENCES—Berkeley 1877, Espinosa 1917b, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Tortella & al. 2008, Acevedo & Naulin 2020.

***Trametes leptaula* Speg.**

FIRST CITATION—Spegazzini 1918.

TYPE SPECIMEN—CHILE (holotype LPS 24962).

SUBSTRATE—On decayed wood. On *Cryptocarya alba*.

DISTRIBUTION—Marga Marga.

REMARKS—Probably *Postia pelliculosa* (Berk.) Rajchenb. (Rajchenberg & Wright 1987) but the host is unusual.

OTHER REFERENCES—Spegazzini 1921, Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Trametes ochracea* (Pers.) Gilb. & Ryvarden**

FIRST CITATION—*Polystictus zonatus* (Nees) Fr. (Espinosa 1917b).

DISTRIBUTION—Valparaíso (Alejandro Selkirk Island).

OTHER REFERENCES—Romell 1928, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Trametes polyzona* (Pers.) Justo**

FIRST CITATION—*Polystictus cyclodes* Fr. (Sydow 1928).

SUBSTRATE—On dead trunks.

DISTRIBUTION—Valparaíso. Chiloé.

REMARKS—Probably *Trametes versicolor* (L.) Lloyd (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Acevedo & Naulin 2020, The New York Botanical Garden 2020.

***Trametes pubescens* (Schumach.) Pilát**

FIRST CITATION—*Polystictus velutinus* (Pers.) Sacc. (Spegazzini 1917a).

OTHER REFERENCES—Mujica & al. 1980, Acevedo & Naulin 2020.

***Trametopsis cervina* (Schwein.) Tomsovský**

FIRST CITATION—*Boletus cervinus* Schwein. (Bertero 1828).

DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Acevedo & Naulin 2020.

***Trechispora mollusca* (Pers.) Liberta**

FIRST CITATION—*Boletus molluscus* Pers. (Bertero 1829).

SUBSTRATE—On branches.

DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Léveillé 1846, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Trechispora nivea* (Pers.) K.H. Larss.**

FIRST CITATION—*Hydnum niveum* (Pers.) Pers. (Montagne 1850).

DISTRIBUTION—Valparaíso (Robinson Crusoe Island).

OTHER REFERENCES—Hemsley 1885, Johow 1896, Mujica & al. 1980, Lazo 1996a.

***Tremella albida* Huds.**

FIRST CITATION—Montagne 1850.

DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Tremella fuciformis* Berk.**

FIRST CITATION—Espinosa 1917b.

DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

***Trichaptum sector* (Ehrenb.) Kreisel**

FIRST CITATION—*Polystictus fulvicolor* Speg. (Espinosa 1917b).

DISTRIBUTION—Location is not indicated.

OTHER REFERENCES—Lloyd 1920, Mujica & al. 1980, Lazo 1996a, Acevedo & Naulin 2020.

***Tyromyces pusillus* (Fr.) G. Cunn.**

FIRST CITATION—*Favolus pusillus* Fr. (Montagne 1835).

DISTRIBUTION—Valparaíso (Juan Fernández Archipelago), Cachapoal.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004.

***Xylodon paradoxus* (Schrad.) Chevall.**

FIRST CITATION—*Irpex obliquus* (Schrad.) Fr. (Bresadola 1900).

SUBSTRATE—On *Nothofagus* sp.. branches.

DISTRIBUTION—Lonquimay, Magallanes.

REMARKS—Recorded as *Poria medulla-panis* (Jacq.) Donk in Spegazzini (1921), according to Rajchenberg (1983). Probably *Xylodon patagonicus* J. Fernández-López, Tellería, M. Dueñas & M.P. Martín (note by the authors).

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg 1983, Lazo 1996a, González & Opazo 2002, Acevedo & Naulin 2020, MyCoPortal 2020.

***Xylodon raduloides* Riebesehl & Langer**

FIRST CITATION—*Schizopora radula* (Pers.) Hallenb. (Gorjón & Hallenberg 2012b).

SUBSTRATE—On *Drimys winteri* and *Nothofagus dombeyi*.

DISTRIBUTION—Osorno, Chiloé, Palena.

REMARKS—According to Fernández-López & al. (2019) *X. raduloides* is only known from Europe and Africa. Specimens from Patagonia determined as such are *Xylodon patagonicus* J. Fernández-López, Tellería, M. Dueñas & M.P. Martín.

OTHER REFERENCES—Ortiz & al. 2013, Riebesehl & Langer 2017, Fernández-López & al. 2019, Riebesehl & al. 2019.

Taxa inferred by molecular analysis only

***Amylocorticiellum molle* (Fr.) Spirin & Zmitr.**

FIRST CITATION—*Hypochniciellum molle* (Fr.) Hjortstam (Held & Blanchette 2017).

SUBSTRATE—On lumber.

DISTRIBUTION—Antártica Chilena.

REMARKS—99% LSU sequence identity (Held & Balchette 2017). Cfr. *Amylocorticiellum iaganicum* (Speg.) Gorjón, Gresl. & Rajchen..

***Aurantiopileus mayaensis* Ginns, D.L. Lindner & T.J. Baroni**

FIRST CITATION—*Aurantiporus mayaensis* (Ginns, D.L. Lindner & T.J. Baroni) Zmitr. (Ortiz & al. 2014b).

SUBSTRATE—On lumber.

DISTRIBUTION—Chiloé.

REMARKS—99% ITS sequence identity (Ortiz & al. 2014b). Probably *Aurantiporus albidus* Rajchenb. & Cwielong.

OTHER REFERENCES—Ginns & al. 2010.

***Gelatoporia subvermispora* (Pilát) Niemelä**

FIRST CITATION—*Ceriporiopsis subvermispora* (Pilát) Gilb. & Ryvarden (Ortiz & al. 2013).

SUBSTRATE—On *Drimys winteri*.

DISTRIBUTION—Chiloé.

REMARKS—The first report of *G. subvermispora* for Chile was from a culture strain (FP-105752-Sp) originally collected in the USA (Tello & al. 2001). The ITS sequence identity is 99% (Ortiz & al. 2013).

OTHER REFERENCES—Tello & al. 2001, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Hypodermella corrugata* (Fr.) J. Erikss. & Ryvarden**

FIRST CITATION—Ortiz & al. 2014b.

SUBSTRATE—On lumber.

DISTRIBUTION—Chiloé.

REMARKS—The ITS sequence identity is 93% (Ortiz & al. 2014b).

***Hypodontia setulosa* (Berk. & M.A. Curtis) Maas Geest.**

FIRST CITATION—*Phlebia setulosa* (Berk. & M.A. Curtis) Nakasone (Ortiz & al. 2013).

SUBSTRATE—On *Luma apiculata*.

DISTRIBUTION—Chiloé.

REMARKS—The LSU sequence identity is 97% (Ortiz & al. 2013).

***Laetiporus squalidus* R.M. Pires, Motato-Vásquez & A.M. Gugliotta**

FIRST CITATION—Schilling & al. 2020.

DISTRIBUTION—Location is not indicated.

REMARKS—The ITS sequence identity is 95% (Schilling & al. 2020). Probably *Laetiporus portentosus* (Berk.) Rajchenb. (note by the authors).

OTHER REFERENCES—Pires & al. 2016.

***Mycoacia fuscoatra* (Fr.) Donk**

FIRST CITATION—Ortiz & al. 2013.

SUBSTRATE—On *Nothofagus dombeyi*.

DISTRIBUTION—Chiloé.

REMARKS—The LSU sequence identity is 99% (Ortiz & al. 2013).

***Peniophora cinerea* (Pers.) Cooke**

FIRST CITATION—Ortiz & al. 2013.

SUBSTRATE—On *Eucryphia cordifolia*.

DISTRIBUTION—Chiloé.

REMARKS—The ITS sequence identity is 99% (Ortiz & al. 2013).

***Phanerochaete affinis* (Burt) Parmasto**

FIRST CITATION—Ortiz & al. 2013.

SUBSTRATE—On *Drimys winteri*.

DISTRIBUTION—Chiloé.

REMARKS—The LSU sequence identity is 97% (Ortiz & al. 2013).

***Phlebia radiata* Fr.**

FIRST CITATION—Ortiz & al. 2013.

DISTRIBUTION—Ranco, Chiloé.

REMARKS—The LSU sequence identity is 99% (Ortiz & al. 2013).

OTHER REFERENCES—MyCoPortal 2020.

***Sistotrema brinkmannii* (Bres.) J. Erikss.**

FIRST CITATION—Ortiz & al. 2014b.

SUBSTRATE—On lumber.

DISTRIBUTION—Chiloé, Antártica Chilena.

REMARKS—The ITS sequence identity has been reported as 99% (Ortiz & al. 2014b), 99% (Held & Blanchette 2017) and 95% (Schilling & al. 2020) in different studies.

OTHER REFERENCES—Held & Blanchette 2017, Schilling & al. 2020.

***Stereum gausapatum* (Fr.) Fr.**

FIRST CITATION—Ortiz & al. 2013.

SUBSTRATE—On *Drimys winteri*.

DISTRIBUTION—Chiloé.

REMARKS—The ITS sequence identity is 100% (Ortiz & al. 2013). Probably *Stereum greslebiniae* Gorjón & Hallenb..

Excluded Taxa

***Campanella agaricina* (Mont.) Lloyd**

FIRST CITATION—*Exidia agaricina* Mont. (Montagne 1850).

TYPE SPECIMEN—CHILE (possible type MNHN-PC-FUSION84214).

DISTRIBUTION—Location is not indicated.

SUBSTRATE—On branches.

OTHER REFERENCES—Gay 1854, Mujica & al. 1980, Lazo 1996a.

***Corticium majusculum* Speg.**

FIRST CITATION—Spegazzini 1887b.

TYPE SPECIMEN—ARGENTINA (holotype LPS 3727).

SUBSTRATE—On decayed wood of *Nothofagus*.

DISTRIBUTION—Location in Chile is not indicated.

REMARKS—Sterile and indeterminable (Rajchenberg & Wright 1987).

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg & Wright 1987, Lazo 1996a, González & Opazo 2002, Martínez & Valenzuela 2004.

Corticium microscopicum Speg.

FIRST CITATION—Spegazzini 1887b.

TYPE SPECIMEN—ARGENTINA (holotype LPS 3726).

SUBSTRATE—On *Nothofagus betuloides*.

DISTRIBUTION—Antártica Chilena.

REMARKS—Sterile and indeterminable (Rajchenberg & Wright 1987).

OTHER REFERENCES—Rajchenberg & Wright 1987.

Ganoderma philippii (Bres. & Henn. ex Sacc.) Bres.

FIRST CITATION—*Fomes philippii* Bres. & Henn. ex Sacc. (Bresadola 1932).

SUBSTRATE—On trunks.

REMARKS—According to Gottlieb (1997), Bresadola wrongly locates Mergui (Myanmar) in Chile.

OTHER REFERENCES—Saccardo 1891, Espinosa 1921, Gottlieb 1997.

Guepinia helotioidea Berk.

FIRST CITATION—Hariot & al. 1889.

SUBSTRATE—On decayed wood.

DISTRIBUTION—Antártica Chilena.

REMARKS—This species name is not cited either in IndexFungorum or Mycobank.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

Perenniporia medulla-panis (Jacq.) Donk

FIRST CITATION—*Poria medulla-panis* (Jacq.) Cooke (Spegazzini 1921).

DISTRIBUTION—Marga Marga.

REMARKS—Cited as *Poria medulla-panis* by Spegazzini (1921), it corresponds to *Xylodon patagonicus* J. Fernández-López, Tellería, M. Dueñas & M.P. Martín (Rajchenberg 1983).

OTHER REFERENCES—Mujica & al. 1980, Rajchenberg 1983, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Phaeolus schweinitzii (Fr.) Pat.

FIRST CITATION—Martínez & Valenzuela 2004.

REMARKS—The original source (INFOR-CONAF 1998) used by Martínez & Valenzuela (2004) does not mention its occurrence in Chile.

OTHER REFERENCES—INFOR-CONAF 1998.

Phanerodontia chrysosporium (Burds.) Hjortstam & Ryvarden

FIRST CITATION—*Phanerochaete chrysosporium* Burds. (Martínez & Valenzuela 2004).

REMARKS—A strain from a foreign commercial culture collection which was mistakenly considered as an isolated strain from Chile by Martínez & Valenzuela (2004).

OTHER REFERENCES—Galeno & Agosín 1990, Larrondo & al. 2003.

Polyporus arenarius Klotzsch

FIRST CITATION—Mujica & al. 1980.

REMARKS—Berkeley (1839) does not mention Chile as the locality for *P. arenarius* but rather, indicates the "East Indies". Mujica & al. (1980) based this record on Berkeley's work.

OTHER REFERENCES—Berkeley 1839, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Pycnoporus cinnabarinus (Jacq.) P. Karst.

FIRST CITATION—Espinosa 1917b.

SUBSTRATE—On dead wood.

DISTRIBUTION—Concepción, Malleco, Cautín, Valdivia, Chiloé.

OTHER REFERENCES—Nobles & Frew 1962, Mujica & al. 1980, Cifuentes & Martínez 1992, Lazo 1996a, Martínez & Valenzuela 2004, Donoso & al. 2008, Lazo 2016, Acevedo & Naulin 2020, MyCoPortal 2020.

***Rhodonia placenta* (Fr.) Niemelä, K.H. Larss. & Schigel**

FIRST CITATION—*Poria placenta* (Fr.) Cooke (Parada & al. 2000).

REMARKS—The record is known from a strain at the culture collection, Laboratorio de Patología Forestal, Universidad de La Frontera, Chile (Parada & al. 2000).

OTHER REFERENCES—Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Trametes albidorosea* E. Bommer & M. Rousseau**

FIRST CITATION—Bommer & Rousseau 1900.

TYPE SPECIMEN—ARGENTINA (n° 106).

SUBSTRATE—On *Nothofagus* sp.

REMARKS—Mujica & al. (1980) erroneously attributes the locality of Lapataia as Chilean territory.

OTHER REFERENCES—Bommer & Rousseau 1905, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

***Trametes modesta* (Kunze ex Fr.) Ryvarden**

FIRST CITATION—*Polyporus modestus* Kunze ex Fr. (Fries 1830).

REMARKS—According to Montagne (1850) the collection was received from Chile by Fries, however, the original reference (Fries 1830) indicates that it was collected on stumps in Suriname.

OTHER REFERENCES—Montagne 1850, Mujica & al. 1980, Lazo 1996a, Martínez & Valenzuela 2004, Acevedo & Naulin 2020.

Tremella mellea

FIRST CITATION—*Tremella mellea* (Espinosa 1917b).

Distribution—Locality is not indicated.

REMARKS—This taxon does not have an author of scientific name and is apparently nonexistent. Cfr. Index Fungorum and MycoBank.

OTHER REFERENCES—Mujica & al. 1980, Lazo 1996a.

Discussion

Checklists or species inventories are essential tools for the planning and execution of fungal conservation and survey programs (Moore & al. 2001). Recently, Hawksworth & Lucking (2017) estimated that total fungal diversity worldwide would reach 3.8 million species; currently the number of known species is *ca.* 120000. Knowledge regarding macrofungi generally and aphylophoroid fungi in particular, is far from its completion. The scarcity of both information and trained specialists hinders the possibility of finding an accurate quantification of the diversity of species within a specific location (Mueller & al. 2007).

According to Minter & Peredo (2006) Chilean mycobiota reaches 3537 species. Recent quantifications place this count at a higher 4683 (Centro de Análisis de Políticas Públicas 2016). 71 alien species of fungi have been reported (Fuentes & al. 2020). Most of these reports are from between the O'Higgins and Los Lagos regions and are mainly agaricoid fungi (Singer 1969, Garrido & al. 1985, Garrido 1988). This work shows similar distribution patterns for aphylophoroid fungi, with almost half of the records being concentrated between the provinces of Valdivia and Palena. Within the Subantarctic subregion a large number of collections have been made in the Valdivian Forest province, traditionally known as the Valdivian district, also treated as the Valdivian Temperate Forest ecoregion (Cabrera & Willink 1980, Olson & al. 2001, Morrone 2018).

To our experience, groups that require special attention and updated taxonomic treatment are the coraloid fungi (*Clavaria*, *Clavulina*, *Clavulinopsis*, *Multiclavula*, *Pistillaria*, *Ramaria*), the jelly fungi (*Calocera*, *Dacrymyces*, *Dacryopinax*, *Exidia*, *Exidiopsis*, *Guepiniopsis*, *Hirneola*, *Tremella*) and the hydnoid fungi (*Phellodon*).

Many factors can explain the exceptional biodiversity of Chile and Chilean fungi specifically the latitude and altitude gradients where the land is situated, the vast geological and evolutionary history that is associated with tectonic activity, as well as dispersion and vicariance events. Multiple separations of the Gondwana supercontinent

between 180 and 28 mya, the gradual rise of the Andes during the Miocene and the Last Glacial Maximum between 29,400- and 14,450-years BP shaped the distribution patterns of the currently dominating species (Moreira-Muñoz 2011). In present times, most of the Chilean territories are considered to hold a remarkable number of endemic species while experiencing a significant loss of those species' natural habitats at the same time, as is happening in the central Chile hotspot (Myers & al. 2000).

This checklist collected information on the most frequent hosts of aphyllophoroid fungi in Chile. The genera belonging to the Australasian floristic elements worth mentioning are *Aristotelia*, *Dicksonia*, *Eucryphia*, *Fuchsia*, and *Nothofagus*; Neotropical like *Chusquea*, *Drimys*, *Myrceugenia*, *Persea*, and *Quillaja*; Antitropical like *Weinmannia*; South Temperate like *Aextoxicum*, *Fitzroya*, *Laeureliopsis*, and *Saxegothaea*; Pantropical such as *Cryptocarya*; and Endemics like *Peumus* (Moreira-Muñoz 2011). The hosts with the most associated records are *Nothofagus* spp. with 110 and *Drimys winteri*, *Persea lingue*, and *Saxegothaea conspicua* each with 8 records.

The Juan Fernández Archipelago was the type location of 19 species of aphyllophoroid species. This may be explained by the scientific expeditions carried out on these islands. Although these territories are considered geologically recent (between 5.8 and 1 mya) similarity analysis linking the floristic composition of Juan Fernández Archipelago and other Chilean regions suggests a stronger link with the Magellanic flora (Moreira-Muñoz 2011).

Because fungi are often dependent and evolve with forest ecosystems, they are critical in forest conservation and are used as a biodiversity surrogate or indicator species (Lonsdale & al. 2008, Halme & al. 2017). Fungi offer a variety of ecosystemic services and form numerous mutualistic associations (Heilmann-Clausen & al. 2014). Threats against the conservation of fungi are essentially identical to those that are faced by other elements of the biota, including the degradation, fragmentation and loss of natural habitats, overexploitation, climate change, and the accumulation of contaminating substances (Dahlberg & al. 2010). Dahlberg & Mueller (2011) suggest multiple operational methods and a step-by-step process for successfully applying the IUCN Red List categories and criteria in a mycological context. Native forests occupy around 18% of the total surface of continental and insular Chile (Ministerio del Medio Ambiente 2018, Centro de Análisis de Políticas Públicas 2019). These forests extend between the regions of Valparaíso and Magallanes, with close to 70% existing from the Los Lagos regions and southwards (Centro de Análisis de Políticas Públicas 2016). In the last decade, the Chilean legislature endorsed the recommendation of including fungi and lichens in public environmental policies (Marín & al. 2018).

The conservation of aphyllophoroid fungi is closely linked to forest dynamics and its ecology (Gorjón & Bernicchia 2013). In general, this group of organisms has been somewhat relegated from the mycological species inventories, despite their importance in the ecosystems, due to the lack of specialists. With this contribution we intend to lay the foundations for the systematic study of aphyllophoroid fungi species from Chile and promote new conservation efforts.

Acknowledgments

The authors are grateful to Cony Decock (Curator Mycothèque de l'Université catholique de Louvain, Belgium), Heikki Kotiranta (Finnish Environment Institute, Finland), Panu Kunttu (Finland), Riet Schuerman (Plantentuin Meise, Belgium), Gregory Mueller (Chicago Botanic Garden, USA), Karen Nakasone (US Forest Service Research & Development, USA), Pedro Calandra (Sociedad Agronómica de Chile, Chile), Masoomeh Ghobad-Nejad (Iranian Research Organization for Science and Technology, Iran), Johnny Jönsson (Biologibiblioteket, Lunds Universitet, Sweden) and María Verónica Solari (Biblioteca Central, Facultad de Agronomía, Universidad de Buenos Aires, Argentina) for providing bibliographic material. We thank Fabián Riquelme (Universidad de Concepción, Chile) for improving the English of the manuscript. Sergio Pérez Gorjón (Universidad de Salamanca, Spain), Karen K. Nakasone (US Forest Service Research & Development, USA) and Genevieve Gates (University of Tasmania, Australia) kindly reviewed this manuscript in detail and made constructive commentaries. This work was funded by FONDECYT Regular 1190652 and the National Agency for Research and Development (ANID) Scholarship Program/Doctorado Nacional 21210058.

Literature cited

- Acevedo BM, Naulin, PI. 2020. Checklist of Poroid Wood Inhabiting Fungi of Chile. Version 1.7. Laboratorio Biología de Plantas - Universidad de Chile. <https://doi.org/10.15468/wtxrhr>
- Adaskaveg JE, Gilbertson RL, Blanchette RA. 1991. *Phellinus ralunensis* (Aphyllophorales: Hymenochaetaceae), a new white pocket rot species from Chile. *Mycological Research* 95(7): 769–775. [https://doi.org/10.1016/S0953-7562\(09\)80036-1](https://doi.org/10.1016/S0953-7562(09)80036-1)
- Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. 1990. Basic local alignment search tool. *Journal of Molecular Biology* 215: 403–410. [https://doi.org/10.1016/S0022-2836\(05\)80360-2](https://doi.org/10.1016/S0022-2836(05)80360-2)

- Aqueveque P, Anke T, Stern O. 2002. The himanimides, new bioactive compounds from *Serpula himantoides* (Fr.) Karst. Zeitschrift für Naturforschung C, 57(3-4): 257–262. <https://doi.org/10.1515/znc-2002-3-410>
- Auger J, Esterio M. 1982. Muerte rápida del manzano (*Malus pumila*), causada por *Pellicularia rolfsii* (Curzi) West., (*Sclerotium rolfsii* Sacc.). Simiente 52(3-4): 128–129.
- Barrasa JM, González AE, Martínez AT. 1992. Ultrastructural aspects of fungal delignification of Chilean woods by *Ganoderma australe* and *Phlebia chrysocrea*. A study of natural and in vitro degradation. Holzforschung 46: 1–8. <https://doi.org/10.1515/hfsg.1992.46.1.1>
- Barrera E. 1984. Catálogo de la colección de hongos de Rolf Singer. Publicación ocasional N.º 40. Museo Nacional de Historia Natural. Available from: http://publicaciones.mnhn.gob.cl/668/articles-71095_archivo_01.pdf (accessed: 14 November 2020).
- Barría-Díaz D, Salazar-Vidal V., Valenzuela E. 2019. Diversidad y ecología de macrohongos en la Reserva Llancahue: un sitio prioritario para la conservación. Boletín Micológico 34(1), 08–18. <https://doi.org/10.22370/bolmicol.2019.34.1.1741>
- Berkeley MJ. 1839. XLII.—Descriptions of exotic *Fungi* in the collection of Sir W. J. Hooker, from memoirs and notes of J. F. Klotzsch, with additions and corrections. Annals and Magazine of Natural History, Series 1, 3(19): 375–401. <http://dx.doi.org/10.1080/03745483909443251>
- Berkeley MJ. 1842. V. On an edible fungus from Tierra del Fuego, and an allied Chilian species. Transactions of the Linnean Society of London 19: 37–43. <https://doi.org/10.1111/j.1096-3642.1842.tb00073.x>
- Berkeley MJ. 1847. Liv. Fungi, L. In: Hooker, J. D. The botany of the voyage of H. M. discovery ships Erebus and Terror in the years 1839–1943. Flora Antarctica. Part II. Botany of Fuegia, The Falklands, Kerguelen's Land, Etc. Reeve Brothers, London, pp 447–542. <https://doi.org/10.5962/bhl.title.16029>
- Berkeley MJ. 1877. Contributions to the botany of H.M.S. 'Challenger.' XXXVIII. Enumeration of the *Fungi* collected during the expedition of H.M.S. 'Challenger.' 1874–75. Journal of the Linnean Society of London, Botany 16: 38–54. <https://doi.org/10.1111/j.1095-8339.1877.tb00170.x>
- Bertero C. 1828. Variedades, Ciencias Naturales, Botánica. El Mercurio Chileno 4: 194–195. Available from: <http://www.memoriachilena.gob.cl/602/w3-article-124306.html> (accessed: 23 December 2020).
- Bertero C. 1829. Variedades, Ciencias Naturales, Botánica. El Mercurio Chileno 14: 639–651. Available from: <http://www.memoriachilena.gob.cl/602/w3-article-124307.html> (accessed: 23 December 2020).
- Bodensteiner P, Binder M, Moncalvo JM, Agerer R, Hibbett DS. 2004. Phylogenetic relationships of cyphelloid homobasidiomycetes. Molecular Phylogenetics and Evolution 33(2): 501–515. <https://doi.org/10.1016/j.ympev.2004.06.007>
- Boidin J. 1960. Le genre *Stereum* Pers. s. l. au Congo belge. Bulletin du Jardin botanique de l'État à Bruxelles 30(1): 51–74. <https://doi.org/10.2307/3667119>
- Bommer E, Rousseau M. 1900. Note préliminaire sur les champignons recueillis par l'Expedition Antarctique Belge. Bulletin de l'Académie Royale des Sciences de Belgique Classe des Sciences 8:640-646.
- Bommer E, Rousseau M. 1900. Champignons, Botanique. Résultats du voyage du S.Y. Belgica en 1897-1898-1899: sous le commandement de A. de Gerlache de Gomery. Rapports scientifiques publiés aux frais du gouvernement belge, sous la direction de la Commission de la Belgica. p. 3–14. <https://www.biodiversitylibrary.org/item/18658>
- Bresadola G. 1900. Hymenomycetes fuegiani a cell. viris P. Dusén et O. Nordenskjöld lecti. Öfversigt af Kongl. Vetenskaps-akademiens forhandlingar Årg. 57 N.º 2: 311–316. Available from: <https://www.biodiversitylibrary.org/item/100623#page/2/mode/1up> (accessed: 22 October 2020).
- Bresadola G. 1932. Iconographia mycologica XXI: 1014, t. 1014. Società Botanica Italiana. Museo Civico di Storia Naturale di Trento, Mediolani. Available from: [https://www2.muse.it/bresadola/download/iconographia/Bresadola,%20G.%20\(1932\)%20-%20Iconographia%20Mycologica.%20Vol.%2021.pdf](https://www2.muse.it/bresadola/download/iconographia/Bresadola,%20G.%20(1932)%20-%20Iconographia%20Mycologica.%20Vol.%2021.pdf) (accessed: 6 November 2020).
- Buchanan PK. 2001. Aphyllorhiales in Australasia. Australian Systematic Botany 14(3), 417–437. <https://doi.org/10.1071/SB99033>
- Burgos JA, Ortiz SE. 1988. Nueva variedad chilena de *Pycnoporus cinnabarinus* (Jacq. Ex. Fr.) Karst. Estudio de sus características morfológicas y fisiológicas. Boletín Micológico 3(4): 227–235. <https://doi.org/10.22370/bolmicol.1988.3.4.1551>
- Butin H, Peredo HL. 1986. Hongos parásitos en coníferas de América del Sur con especial referencia a Chile. Biblioteca Mycologica 101, J. Cramer, Berlin, Stuttgart, 100 pp.
- Cabrera AL, Willink, A. 1980. Biogeografía de América Latina. Programa Regional de Desarrollo Científico y Tecnológico, Departamento de Asuntos Científicos, Secretaría General de la Organización de los Estados Americanos, Washington, DC, 122 pp.
- Carlsen T, Engh IB, Decock C, Rajchenberg M, Kauserud H. 2011. Multiple cryptic species with divergent substrate affinities in the *Serpula himantoides* species complex. Fungal Biology 115(1): 54–61. <https://doi.org/10.1016/j.funbio.2010.10.004>
- Centro de Análisis de Políticas Públicas. 2016. Informe país: Estado del medio ambiente en Chile: Comparación 1999-2015. Universidad de Chile, Chile, 605 pp. <https://doi.org/10.34720/tfcw-ej33>
- Centro de Análisis de Políticas Públicas. 2019. Informe país: Estado del medio ambiente en Chile 2018. Universidad de Chile, Chile, 600 pp.
- Cifuentes V, Martínez C. 1992. Análisis del genoma de *Pycnoporus cinnabarinus* mediante electroforesis de campo pulsado. Boletín Micológico 7:31–37. <https://doi.org/10.22370/bolmicol.1992.7.0.1192>
- Cloete M, Fischer M, Mostert L, Haldeen F. 2015. Hymenochaetales associated with esca-related wood rots on grapevine with a special emphasis on the status of esca in South African vineyards. Phytopathologia Mediterranea 54(2): 299–312. https://doi.org/10.14601/Phytopathol_Mediterr-16364
- Cooke WB. 1961. The Cyphellaceous Fungi. A study in the *Porotheleaceae*. Beihefte zur Sydowia 4: 1–144.

- Corner EJH. 1950. A monograph of *Clavaria* and allied genera. Annals of Botany Memoirs N.^o 1. Oxford University Press, London, 740 pp.
- Corner EJH. 1957. Some *Clavarias* from Argentina. Darwiniana 11(2): 193–206. Available from: <https://www.jstor.org/stable/23211950> (accessed: 26 November 2020).
- Crisci JV, Gamundí IJ, Cabello MN. 1988. A cladistic analysis of the genus *Cyttaria* (*Fungi-Ascomycotina*). Cladistics 4(3): 279–290.
- Crous P, Wingfield M, Guarro J, Cheewangkoon R, Van der Bank M, Swart W, Stchigel A, Cano-Lira J, Roux J, Madrid H, Damm U, Wood A, Shuttleworth L, Hodges C, Munster M, de Jesús Yáñez-Morales M, Zúñiga-Estrada L, Cruywagen E, De Hoog G, Silvera C, Najafzadeh J, Davison E, Davison P, Barrett M, Barrett R, Manamgoda D, Minnis A, Kleczewski N, Flory S, Castlebury L, Clay K, Hyde K, Mausse-Sitoe S, Chen S, Lechat C, Hairaud M, Lesage-Meessen L, Pawłowska J, Wilk M, Śliwińska-Wyrzychowska A, Mętrak M, Wrzosek M, Pavlic-Zupanč D, Maleme H, Slippers B, Mac Cormack W, Archuby D, Grünwald N, Tellería M, Dueñas M, Martín M, Marincowitz S, de Beer Z, Perez C, Gené J, Marin-Felix Y, Groenewald J. 2013. Fungal planet description sheets: 154–213. Persoonia - Molecular Phylogeny and Evolution of Fungi 31(1): 188–296. <https://doi.org/10.3767/003158513X675925>
- Dahlberg A, Genney DR, Heilmann-Clausen J. 2010. Developing a comprehensive strategy for fungal conservation in Europe: current status and future needs. Fungal Ecology 3: 50–64. <https://doi.org/10.1016/j.funeco.2009.10.004>
- Dahlberg A, Mueller, GM. 2011. Applying IUCN red-listing criteria for assessing and reporting on the conservation status of fungal species. Fungal Ecology 4(2): 147–162. <https://doi.org/10.1016/j.funeco.2010.11.001>
- Dai YC, Xue HJ, Vlasák J, Rajchenberg M, Wang B, Zhou LW. 2013. Phylogeny and global diversity of *Polyporus* group Melanopus (*Polyporales, Basidiomycota*). Fungal Diversity 64(1): 133–144. <https://doi.org/10.1007/s13225-013-0248-3>
- Diederich P, Lawrey JD. 2007. New lichenicolous, muscicolous, corticolous and lignicolous taxa of *Burgoa* s. l. and *Marchandiomyces* s. l. (anamorphic *Basidiomycota*), a new genus for *Omphalina foliacea*, and a catalogue and a key to the non-lichenized, bulbilliferous basidiomycetes. Mycological Progress 6: 61–80. <https://doi.org/10.1007/s11557-007-0523-3>
- Diederich P, Zimmermann E, Sikaroodi M, Ghobad-Nejjad M, Lawrey JD. 2018. A first lichenicolous *Corticium* species (*Corticiaceae, Corticiales*), described from *Thamnolia* in Switzerland. Bulletin de la Société des Naturalistes Luxembourgeois 120: 49–56.
- Donk MA. 1964. A conspectus of the families of Aphyllophorales. Persoonia 3(2): 199–324.
- Donoso Zegers C. 2013. Las especies arbóreas de los bosques templados de Chile y Argentina. Autoecología. Segunda edición. Marisa Cuneo Ediciones, Valdivia, Chile, 688 pp.
- Donoso C, Becerra J, Martínez M, Garrido N, Silva M. 2008. Degradative ability of 2, 4, 6-tribromophenol by saprophytic fungi *Trametes versicolor* and *Agaricus augustus* isolated from chilean forestry. World Journal of Microbiology and Biotechnology 24(7): 961–968. <https://doi.org/10.1007/s11274-007-9559-4>
- Espinosa M. 1917a. Los alerzales de Piuché. Boletín del Museo Nacional de Historia Natural 10: 36–93. Available from: http://publicaciones.mnhn.gob.cl/668/articles-63407_archivo_01.pdf (accessed: 11 November 2020).
- Espinosa M. 1917b. Informe del encargado de la sección de plantas criptógamas. Boletín del Museo Nacional de Historia Natural 10: 186–197. Available from: http://publicaciones.mnhn.gob.cl/668/articles-63414_archivo_01.pdf (accessed: 11 November 2020).
- Espinosa M. 1921. Sobre las especies chilenas del género *Fomes*. Revista Chilena de Historia Natural 25(1): 321–343. Available from: http://rchn.biologichile.cl/pdfs/1921/1/Espinosa_1921.pdf (accessed: 11 November 2020).
- Espinosa M. 1928. Algunas criptógamas de Linares. Revista Chilena de Historia Natural 32(1): 159. Available from: http://rchn.biologichile.cl/pdfs/1928/1/Espinosa_1928a.pdf (accessed: 26 December 2020).
- Espinosa M. 1943. Estudios botánicos. Observaciones sobre la vegetación en Yelcho (Chiloé) y en la parte superior del valle del río Palena (Aysén). (I-III de 1940). Boletín del Museo Nacional de Historia Natural 21: 13–35. Available from: http://publicaciones.mnhn.gob.cl/668/articles-63557_archivo_01.pdf (accessed: 11 November 2020).
- ESRI Inc. 2016. ArcGIS Desktop (Version 10.5). Environmental Systems Research Institute, Redlands.
- Farr DF, Rossman AY. 2020. Fungal Databases, U.S. National Fungus Collections, ARS, USDA. Available from: <https://nt.ars-grin.gov/fungaldatabases/> (accessed: 18 November 2020).
- Fernández-López J, Tellería MT, Dueñas M, Wilson AW, Padamsee M, Buchanan PK, Mueller GM, Martín MP. 2019. Addressing the diversity of *Xylodon raduloides* complex through integrative taxonomy. IMA fungus 10(9). <https://doi.org/10.1186/s43008-019-0010-x>
- Fernández-López J, Tellería MT, Dueñas M, Laguna-Castro M, Schliep K, Martín MP. 2020. Linking morphological and molecular sources to disentangle the case of *Xylodon australis*. Scientific Reports 10, 22004. <https://doi.org/10.1038/s41598-020-78399-8>
- Fries E. 1830. Eclogae fungorum, praecipue ex herbarus germanorum de scriptorum. Linnaea: Ein Journal für die Botanik in ihrem ganzen Umfange 5: 497–553. Available from: <https://www.biodiversitylibrary.org/page/96645#page/640/mode/1up> (accessed: 19 November 2020).
- Fries E. 1838. Epicrisis systematis mycologici, seu synopsis Hymenomycetum. Typographia Academica, Upsaliae, 610 pp. Available from: <https://bibdigital.rjb.csic.es/idurl/1/12103> (accessed: 24 November 2020).
- Fries E. 1855. Novae symbolae mycologicae in peregrinis terris a botanicis danicis collectae. Nova Acta Regiae Societatis Scientiarum Upsaliensis Ser. 3, 1: 17–136. Available from: <https://www.biodiversitylibrary.org/item/151325#page/11/mode/1up> (accessed: 19 November 2020).
- Fuentes N, Martícorena A, Saldaña A, Jerez V, Ortiz JC, Victoriano P, Moreno RA, Larraín J, Villaseñor-Parada C, Palfner G, Sánchez P, Pauchard A. 2020. Multi-taxa inventory of naturalized species in Chile. NeoBiota 60: 25–41. [http://doi.org/10.3897/neobiota.61.55366](https://doi.org/10.3897/neobiota.61.55366)
- Galeno D, Agosín E. 1990. Screening of white-rot fungi for efficient decolorization of bleach pulp effluents. Biotechnology Letters 12: 869–872. <https://doi.org/10.1007/BF01022613>

- Gamundí I, Horak E. 1993. Hongos de los bosques Andino Patagónicos. Guía para el reconocimiento de las especies más comunes y atractivas. Vásquez Mazzini Editores, Buenos Aires, 141 pp.
- Garrido N. 1988. Agaricales s.l. und ihre Mykorrhizen in den Nothofagus-Wäldern Mittelchiles. Bibliotheca Mycologica 120. J. Cramer, Berlin, Stuttgart, 528 pp.
- Garrido N, Bresinsky A, Marticorena C. 1985. Index Agaricalium Chilensem. Bibliotheca Mycologica 99. J. Cramer, Vaduz, 339 pp.
- Gay C. 1854. Atlas de la Historia física y política de Chile. Tomo primero. E. Thunot y Ca, 102 pp. <https://doi.org/10.5962/bhl.title.16172>
- Ghobad-Nejhad M, Nilsson RH, Hallenberg N. 2010. Phylogeny and taxonomy of the genus *Vulleminia* (Basidiomycota) based on molecular and morphological evidence, with new insights into *Corticiales*. Taxon 59(5): 1519–1534. <https://doi.org/10.1002/tax.595016>
- Ghobad-Nejhad M, Langer E, Nakasone K, Diederich P, Nilsson RH, Rajchenberg M, Ginns J. 2021. Digging up the roots: taxonomic and phylogenetic disentanglements in Corticiaceae s.s. (Corticales, Basidiomycota) and evolution of nutritional modes. Frontiers in Microbiology. <https://doi:10.3389/fmicb.2021.704802>
- Giachini A, Castellano M. 2011. A new taxonomic classification for species in *Gomphus* sensu lato. Mycotaxon 115: 183–201. <https://doi.org/10.5248/115.183>
- Ginns J. 1982. A monograph of the genus *Coniophora* (*Aphyllophorales*, *Basidiomycetes*). Opera botanica 61. Council for Nordic Publications in Botany, 61 pp.
- Ginns J, Lindner DL, Baroni TJ, Ryvarden L. 2010. *Aurantiopileus mayanensis* a new genus and species of polypore (*Polyporales*, *Basidiomycota*) from Belize with connections to existing Asian species. North American Fungi 5: 1–10. <http://dx.doi.org/10.2509/naf2010.005.004>
- González G, Opazo A. 2002. Enfermedades fungosas y otras. In: Baldini A, Pancel L. (Eds). Agentes de daño en el bosque nativo. Editorial Universitaria, Santiago, Chile, pp 89–199.
- González-Ramírez M, Gavilán J, Silva-Grechti T, Cajas-Madriaga D, Triviño S, Becerra J, Sáez-Orellana F, Pérez C, Fuentealba J. 2018. A natural benzofuran from the patagonic *Aleurodiscus vitellinus* fungus has potent neuroprotective properties on a cellular model of amyloid- β peptide toxicity. Journal of Alzheimer's Disease 61(4): 1463–1475. <https://www.doi.org/10.3233/JAD-170958>
- Gorjón SP. 2012. Some species of *Hyphodontia* s.l. with encrusted cystidial elements. Mycosphere 3(4): 464–474. <http://dx.doi.org/10.5943/mycosphere/3/4/10>
- Gorjón SP, Bernicchia A. 2013. Threats and state of conservation of aphyllophoroid fungi in the Mediterranean. Acta Mycologica 48(2): 247–255. <https://dx.doi.org/10.5586/am.2013.026>
- Gorjón SP, Greslebin AG, Rajchenberg M. 2011a. Notes on *Amylocorticiellum* (*Amylocorticiales*, *Basidiomycota*), with some new combinations. Mycotaxon 116(4): 283–293. <https://doi.org/10.5248/116.283>
- Gorjón SP, Greslebin AG, Rajchenberg M. 2011b. *Subulicystidium curvisporum* sp. nov. (*Hymenochaetales*, *Basidiomycota*) from the Patagonian Andes. Mycotaxon 118(1): 47–52. <https://doi.org/10.5248/118.47>
- Gorjón SP, Greslebin AG, Rajchenberg M. 2012. *Uncobasidium roseocremeum* sp. nov. and other corticioid basidiomycetes from the Patagonian Andes of Argentina. Mycotaxon 121(7): 349–364. <http://dx.doi.org/10.5248/121.349>
- Gorjón SP, Hallenberg N. 2012a. [2013] Some new species and a first checklist of corticioid fungi (Basidiomycota) from Chile. Mycological Progress 12(2): 185–192. <https://doi.org/10.1007/s11557-012-0824-z>
- Gorjón SP, Hallenberg N. 2012b. A checklist of corticioid fungi from Chile. Available from: https://www.researchgate.net/publication/353703413_GorjonHallenberg2012_A_checklist_of_corticioid_fungi_from_Chilepdf (accessed: 5 August 2021).
- Gotschlich B. 1913. Llanquihue i Valdivia. Boletín del Museo Nacional de Historia Natural 6: 222–393. Available from: http://publicaciones.mnhn.gob.cl/668/articles-63663_archivo_01.pdf (accessed: 27 November 2020).
- Gottlieb AM. 1997. Estudio sistemático de las especies sudamericanas del género *Ganoderma* (*Aphyllophorales*): Un enfoque multidisciplinario. Doctoral thesis. Facultad de Ciencias Exactas y Naturales. Universidad de Buenos Aires, 133 pp. Available from: http://digital.bl.fcen.uba.ar/Download/Tesis/Tesis_2959_Gottlieb.pdf (accessed: 23 October 2020).
- Gottlieb AM, Saidman BO, Wright JE. 1998. Isoenzymes of *Ganoderma* species from Southern South America. Mycological Research 102 (4): 415–426. <https://doi.org/10.1017/S0953756297005352>
- Gottlieb AM, Wright JE, Moncalvo JM. 2002. *Inonotus* sl in Argentina—morphology, cultural characters and molecular analyses. Mycological Progress 1(3): 299–313. <https://doi.org/10.1007/s11557-006-0028-5>
- Greslebin A. 2002. Flora criptogámica de Tierra del Fuego. Tomo XI, fascículo 4. Orden *Aphyllophorales*. Familia *Corticiaceae* sensu lato. Orden *Tullasnellales*. Fundación para la Educación, la Ciencia y la Cultura, Buenos Aires, 212 pp.
- Greslebin A, Nakasone KK, Rajchenberg M. 2004. *Rhizochaete*, a new genus of phanerochaetoid fungi. Mycologia, 96(2): 260–271. <https://doi.org/10.1080/15572536.2005.11832976>
- Greslebin A, Rajchenberg M. 1998. Corticioid *Aphyllophorales* (*Basidiomycota*) from the Patagonian Andes forests of Argentina. 3. The genus *Dendrothele*. Mycotaxon 67: 469–486.
- Greslebin A, Rajchenberg M. 1999. Corticioid *Aphyllophorales* (*Basidiomycota*) from the Patagonian Andes forests of Argentina. 4. *Nothocorticium patagonicum* gen. et sp. nov. Mycotaxon. 70: 371–376.
- Greslebin A, Rajchenberg M. 2000. The genus *Hyphodontia* in the Patagonian Andes forests of Argentina. Mycologia 92(6): 1155–1165. <https://doi.org/10.1080/00275514.2000.12061263>

- Greslebin A, Rajchenberg M. 2003. Diversity of *Corticiaceae* sens. lat. in Patagonia, Southern Argentina, New Zealand Journal of Botany 41(3): 437–446. <https://doi.org/10.1080/0028825X.2003.9512861>
- Greslebin A, Rajchenberg M, Bianchinotti MV. 2000. On *Hyphodontia australis* (*Corticiaceae*, *Basidiomycota*). Mycotaxon 74(1): 37–43.
- Greslebin A, Nakasone KK, Rajchenberg M. 2004. *Rhizochaete*, a new genus of phanerochaetoid fungi. Mycologia, 96(2): 260–271. <https://doi.org/10.1080/15572536.2005.11832976>
- Guillén Y, Palfner G, Machuca A. 2011. Screening for lignocellulolytic enzymes and metal tolerance in isolates of wood-rot fungi from Chile. Interciencia 36(11): 860–868.
- Hallenber N. 2012. *Leptocorticium tenellum* (*Agaricomycetes*) encontrado en Chile. Kurtziana 37(1): 109–112.
- Halme P, Holec J, Heilmann-Clausen J. 2017. The history and future of fungi as biodiversity surrogates in forests. Fungal Ecology 27: 193–201. <https://doi.org/10.1016/j.funeco.2016.10.005>
- Han ML, Chen YY, Shen LL, Song J, Vlasák J, Dai YC, Cui BK. 2016. Taxonomy and phylogeny of the brown-rot fungi: *Fomitopsis* and its related genera. Fungal Diversity 80(1): 343–373. <https://doi.org/10.1007/s13225-016-0364-y>
- Harada E, Kawade M, Matsuda Y, Meguro S. 2010. Morphological and molecular characterization of *Grifola gargasal* Singer, an edible mushroom from Chile. Nippon Kingakukai Kaiho 51(2): 71–76.
- Hariot P, Petit P, Müller d'Argovie J, Bescherelle E, Massalongo CB, Franchet A. 1889. Mission scientifique du cap Horn, 1882–1883. Tome V, Botanique. Gauthier-Villars, Paris, 400 pp. <https://doi.org/10.5962/bhl.title.2480>
- Hawksworth DL, Lücking R. 2017. Fungal diversity revisited: 2.2 to 3.8 million species. Microbiology Spectrum 5(4): FUNK-0052-2016. <https://doi.org/10.1128/microbiolspec.FUNK-0052-2016>
- Heilmann-Clausen J, Barron ES, Boddy L, Dahlberg A, Griffith GW, Nordén J, Halme P. 2014. A fungal perspective on conservation biology. Conservation Biology 29(1): 61–68. <https://doi.org/10.1111/cobi.12388>
- Held BW, Blanchette RA. 2017. Deception island, Antarctica, harbors a diverse assemblage of wood decay fungi. Fungal biology 121(2): 145–157. <https://doi.org/10.1016/j.funbio.2016.11.009>
- Hemsley WB. 1885. Report on the scientific results of the voyage of H.M.S Challenger during the years 1873–76. Botany-Vol. 1. Neill, Edinburgh, 333 pp. <https://doi.org/10.5962/bhl.title.6513>
- Henning P. 1900. Fungi austro-americani a P. Dusén collecti. Nordenskjöld lecti. Öfversigt af Kongl. Vetenskaps-akademiens forhandlingar Årg. 57(2): 317–330. Available from: <https://www.biodiversitylibrary.org/item/100623#page/2/mode/1up> (accessed: 26 October 2020).
- Hibbett DS, Bauer R, Binder M, Giachini AJ, Hosaka K, Justo A, Larsson E, Larsson KH, Lawrey JD, Miettinen O, Nagy LG, Nilsson RH, Weiss M, Thorn RG. 2014. *Agaricomycetes*. In: McLaughlin DJ, Spatafora JW. (Eds). The Mycota VII. Systematics and evolution Part A. 2nd edition. Springer-Verlag, Berlin, Heidelberg, pp. 373–429.
- Hjortstam K, Ryvarden L. 1993. Two new South American species of *Corticiaceae* (*Basidiomycetes*) with amyloid spores. Mycotaxon 47: 81–85.
- Hjortstam K, Ryvarden L. 2007. Checklist of corticioid fungi (*Basidiomycotina*) from the tropics, subtropics, and the southern hemisphere. Synopsis Fungorum 22: 27–146. Available from: <https://www.fungiflora.no/synopsis-22> (accessed: 21 November 2020).
- Hjortstam K, Ryvarden L. 2009. A checklist of names in *Hyphodontia* sensu stricto - sensu lato and *Schizophora* with new combinations in *Lagarobasidium*, *Lyomyces*, *Kneiffiella*, *Schizophora*, and *Xylodon*. Synopsis Fungorum 26: 33–55. Available from: <https://www.fungiflora.no/synopsis-26> (accessed: 5 March 2021).
- Holubová-Jechován V. 1980. *Botryobasidium chilense* sp.nov., a teleomorph of *Haplotrichum chilense*. Mycotaxon 12(1): 117–121.
- Hooker JD. 1844. The botany of the antarctic voyage of H.M. discovery ships Erebus and Terror in the years 1839–1843. Reeve Brothers, London, 574 pp. <https://doi.org/10.5962/bhl.title.16029>
- Index Fungorum. 2020. Index Fungorum. Royal Botanic Gardens Kew, Landcare Research-NZ and Institute of Microbiology, Chinese Academy of Science. Available from: <http://www.indexfungorum.org/Names/Names.asp> (accessed: 15 December 2020)
- INFOR-CONAF. 1998. Monografía de pino oregón *Pseudotsuga menziesii*. Potencialidad de especies y sitios para una diversificación silvícola nacional. Neuenschwander & Cruz, Santiago, Chile, 77 pp.
- IPNI. 2020. International Plant Names Index. The Royal Botanic Gardens, Kew, Harvard University Herbaria & Libraries and Australian National Botanic Gardens. Available from: <http://www.ipni.org> (accessed: 16 September 2020).
- Johow F. 1896. Estudios sobre la flora de las islas de Juan Fernandez. Imprenta Cervantes, Santiago, 287 pp. <https://doi.org/10.5962/bhl.title.95341>
- Jülich W. 1983. (706)–(707) Proposals to emend entries under *Tomentella*, nom. cons., and to add nomina rejicienda to *Craterellus*, nom. cons. with discussions of other old generic names for *Aphyllophorales* (*Basidiomycetes*). Taxon, 32(3): 480–484. <http://dx.doi.org/10.2307/1221521>
- Justo A, Hibbett DS. 2011. Phylogenetic classification of *Trametes* (*Basidiomycota*, *Polyporales*) based on a five-marker dataset. Taxon 60(6): 1567–1583. <https://doi.org/10.1002/tax.606003>
- Justo A, Miettinen O, Floudas D, Ortiz-Santana B, Sjökvist E, Lindner D, Nakasone K, Niemelä T, Larsson KH, Ryvarden L, Hibbett DS. 2017. A revised family-level classification of the *Polyporales* (*Basidiomycota*). Fungal Biology 121(9): 798–824. <https://doi.org/10.1016/j.funbio.2017.05.010>
- Keissler K. 1928. Nachtrag zur Pilzflora von Juan Fernandez. In: Skottsberg C. The Natural history of Juan Fernandez and Easter Island. Volume 2. Almqvist & Wiksell Boktryckeri, Uppsala, pp 549–550. <https://doi.org/10.5962/bhl.title.41367>

- Kneal R, Smith ME. 2015. *Artomyces nothofagi* sp. nov., a clavarioid fungus from a Chilean *Nothofagus* forest. Mycotaxon 130(3): 653–660. <http://dx.doi.org/10.5248/130.653>
- Kotiranta H, Saarenoksa R, Kytovuori I. 2009. Aphylophoroid Fungi of Finland. Luomus, Luonnon tieteiden Keskuskäytävä, Helsinki, 223 pp.
- Landcare Research. 2020. Systematics collection data. New Zealand Fungarium - Te Kohinga Hekaheka o Aotearoa (PDD). Available from: <http://scd.landcareresearch.co.nz> (accessed 17 November 2020).
- Langer G. 1994. Die Gattung *Botryobasidium* Donk (Corticiaceae, Basidiomycetes). Bibliotheca Mycologica 158. J. Cramer, Berlin, 459 pp.
- Larrondo LF, Salas L, Melo F, Vicuña R, Cullen D. 2003. A novel extracellular multicopper oxidase from *Phanerochaete chrysosporium* with ferroxidase activity. Applied and Environmental Microbiology 69(10): 6257–6263. <http://doi.org/10.1128/aem.69.10.6257-6263.2003>
- Larsson KH. 2007. Re-thinking the classification of corticioid fungi. Mycological Research 111(9): 1040–1063. <https://doi.org/10.1016/j.mycres.2007.08.001>
- Lazo W. 1971. Contribution à l'étude des macromycètes du Chili 1. Les champignons de Pumanque 2. Espèces nouvelles pour le Chili. Lejeunia – Revue de Botanique Nouvelle 61: 1–30. Available from: <http://repositorio.uchile.cl/handle/2250/134343> (accessed: 14 November 2020).
- Lazo W. 1972. Some *Clavariaceae* from Chile. Mycologia 64(1): 73–80. <https://doi.org/10.1080/00275514.1972.12019236>
- Lazo W. 1983. Introducción al estudio de los hongos superiores II. Boletín Micológico 1: 77–119. <https://doi.org/10.22370/bolmicol.1983.1.2.1445>
- Lazo W. 1991. Notas micológicas y bacteriológicas. *Basidiomycetes* y *Streptomyces* de Chile. Boletín Micológico 6(1–2): 41–42. <https://doi.org/10.22370/bolmicol.1991.6.1-2.1606>
- Lazo W. 1996a. Especies fúngicas de Chile: índice alfabetico. Boletín Micológico 11(1–2): 103–126.
- Lazo W. 1996b. Algunos *Ascomycetes* y *Basidiomycetes* interesantes de Chile. Boletín Micológico 11(1–2): 99–102. <https://doi.org/10.22370/bolmicol.1996.11.0.1012>
- Lazo W. 1998. Introducción al estudio de los hongos superiores IV. Boletín Micológico 13(1–2): 71–75. <https://doi.org/10.22370/bolmicol.1998.13.0.962>
- Lazo W. 2000. Introducción al estudio de los hongos superiores V. Boletín Micológico 15: 113–117. <https://doi.org/10.22370/bolmicol.2000.15.0.637>
- Lazo W. 2016. Hongos de Chile. Atlas micológico. 2.a edición. Departamento de Ciencias Ecológicas. Facultad de Ciencias. Universidad de Chile, Santiago, 316 pp.
- Lazo W, Gutiérrez P, Montecinos M, Torrico J. 1977. Los hongos más comunes del Jardín Botánico de Viña de Mar y de los bosques de Peñuelas y El Tabo. Boletín técnico N.º 38. Facultad de Ciencias Forestales. Universidad de Chile.
- Leal-Dutra CA, Griffith GW, Neves MA, McLaughlin DJ, McLaughlin EG, Clasen LA, Dentinger BT. 2020. Reclassification of *Pterulaceae* Corner (*Basidiomycota: Agaricales*) introducing the ant-associated genus *Myrmecopterula* gen. nov., *Phaeopterula* Henn. and the corticioid *Radulomycetaceae* fam. nov. IMA Fungus 11(2). <https://doi.org/10.1186/s43008-019-0022-6>
- Léger JC. 1998. Le genre *Hymenochaete* Léveillé. Bibliotheca Mycologica 171. J. Cramer, Berlin, 319 pp.
- Léveillé JH. 1844. Champignons exotiques. Annales des Sciences Naturelles, Botanique 3(2): 167–221. Available from: <https://www.biodiversitylibrary.org/item/129741#page/7/mode/1up> (accessed: 12 November 2020).
- Léveillé JH. 1846. Descriptions des champignons de l'Herbier du Muséum de Paris. Annales des Sciences Naturelles Botanique 3 (5): 111–167. Available from: <https://www.biodiversitylibrary.org/item/129766#page/117/mode/1up> (accessed: 23 December 2020).
- Liberta AE. 1973. The genus *Trechispora* (*Basidiomycetes*, *Corticiaceae*). Canadian Journal of Botany 51(10): 1871–1892. <https://doi.org/10.1139/b73-240>
- Lickey EB, Hughes KW, Petersen RH. 2003. Phylogenetic and taxonomic studies in *Artomyces* and *Clavicorona* (*Homobasidiomycetes: Auriscalpiaceae*). Sydowia 55(2): 181–254.
- Lindner DL, Banik MT. 2008. Molecular phylogeny of *Laetiporus* and other brown rot polypore genera in North America. Mycologia, 100(3): 417–430. <https://doi.org/10.3852/07-124R2>
- Lloyd CG. 1910. Synopsis of the sections microporus, tabacinus and funales of the genus *Polystictus*. Index of the Mycological Writings Vol. III, pp 47–70. <https://doi.org/10.5962/bhl.title.19766>
- Lloyd CG. 1915. Synopsis of the genus *Fomes*. Index of the Mycological Writings Vol. IV, pp 45–288. <https://doi.org/10.5962/bhl.title.19766>
- Lloyd CG. 1917. Mycological Notes 51, Vol. V, pp 717–732. <https://doi.org/10.5962/bhl.title.19766>
- Lloyd CG. 1920. Mycological Notes 64, Vol. VI, pp 985–1065. <https://doi.org/10.5962/bhl.title.19766>
- Lonsdale D, Pautasso M, Holdenrieder O. 2008. Wood-decaying fungi in the forest: conservation needs and management options. European Journal of Forest Research 127(1): 1–22. <https://doi.org/10.1007/s10342-007-0182-6>
- Maas Geesteranus RA. 1974. Studies in the genera *Irpea* and *Steccherinum*. Persoonia 7(4): 443–581.
- Madrid H. 2005. Notas sobre macromicetes de la zona central de Chile. Boletín Micológico 20: 29–33. <https://doi.org/10.22370/bolmicol.2005.20.0.267>
- Marín C, Torres D, Furci G, Godoy R, Palfner G. 2018. Estado del arte de la conservación del reino Fungi en Chile. Biodiversidata 7: 98–115.
- Martinez AT, Barrasa JM, Prieto A, Blanco MN. 1991. Fatty acid composition and taxonomic status of *Ganoderma australe* from southern Chile. Mycological Research 95(7): 782–784. [https://doi.org/10.1016/S0953-7562\(09\)80038-5](https://doi.org/10.1016/S0953-7562(09)80038-5)

- Martínez O, Valenzuela E. 2004. Aphylophorales citados para Chile. Boletín Micológico 19: 103–110. <https://doi.org/10.22370/bolmicol.2004.19.0.371>
- Miettinen O, Larsson KH, Spirin V. 2019. *Hydnoporia*, an older name for *Pseudochaete* and *Hymenochaetopsis*, and typification of the genus *Hymenochaete* (*Hymenochaetales*, *Basidiomycota*). Fungal Systematics and Evolution 4: 77–96. <https://www.doi.org/10.3114/fuse.2019.04.07>
- Miettinen O, Rajchenberg M. 2012. *Obba* and *Sebipora*, new polypore genera related to *Cinereomyces* and *Gelatoporia* (*Polyporales*, *Basidiomycota*). Mycological Progress 11(1): 131–147. <https://doi.org/10.1007/s11557-010-0736-8>
- Miettinen O, Spirin V, Vlasák J, Rivoire B, Stenroos S, Hibbett DS. 2016. Polypores and genus concepts in Phanerochaetaceae (*Polyporales*, *Basidiomycota*). Mycokeys 17: 1–46. <https://doi.org/10.3897/mycokeys.1710153>
- Ministerio del Medio Ambiente. 2018. Biodiversidad de Chile. Patrimonio y desafíos. Tercera Edición. Tomo I. Santiago, Chile, 430 pp.
- Minter DW, Peredo H. 2006. *Fungi* of Chile. Available from: <http://www.cybertruffle.org.uk/chifung/eng/index.htm> (accessed: 25 November 2020).
- Moncalvo JM. 2000. Systematics of *Ganoderma*. In: Flood J, Bridge PD, Holderness M. *Ganoderma* Diseases of Perennial Crops. CABI Publishing, Wallingford, 275 pp.
- Moncalvo JM, Buchanan PK. 2008. Molecular evidence for long distance dispersal across the Southern Hemisphere in the *Ganoderma applanatum-australe* species complex (*Basidiomycota*). Mycological Research 112(4): 425–436. <https://doi.org/10.1016/j.mycres.2007.12.001>
- Montagne C. 1835. Prodromus florae fernandesiana. Pars prima sistens enumerationem plantarum cellularium quas in insula Juan Fernandez a Cl. Bertero collectas describi edique curavit C. Montagne. Annales des Sciences Naturelles, Botanique 2(3): 347–356. Available from: <https://www.biodiversitylibrary.org/item/111694#page/351/mode/1up> (accessed: 22 October 2020).
- Montagne C. 1837. Centurie de plantes cellulaires exotiques nouvelles. Annales des Sciences Naturelles, Botanique 2(8): 345–370. Available from: <https://www.biodiversitylibrary.org/item/111689#page/9/mode/1up> (accessed: 22 October 2020).
- Montagne C. 1843. Quatrième centurie de plantes cellulaires exotiques nouvelles. Annales des Sciences Naturelles, Botanique 2(20): 352–379. Available from: <https://www.biodiversitylibrary.org/page/41546149#page/370/mode/1up> (accessed: 22 October 2020).
- Montagne C. 1850. III Hongos. In: Gay C. Historia física y política de Chile. Botánica. Tomo Séptimo. E. Thunot y Ca, Paris, 515 pp. Available from: <http://www.memoriachilena.gob.cl/602/w3-article-8988.html> (accessed: 14 September 2020).
- Montagne C. 1852. III Hongos. In: Gay C. Historia física y política de Chile. Botánica. Tomo Octavo. E. Thunot y Ca, Paris, 515 pp. Available from: <http://www.memoriachilena.gob.cl/602/w3-article-8989.html> (accessed: 16 September 2020).
- Moore D, Nauta M, Evans S, Rotheroe M. (Eds). 2001. Fungal conservation. Issues and solutions. A special volume of the British Mycological Society. Cambridge University Press.
- Moreira-Muñoz A. 2007. The Austral floristic realm revisited. Journal of Biogeography 34: 1649–1660. <https://doi.org/10.1111/j.1365-2699.2007.01757.x>
- Moreira-Muñoz A. 2011. Plant Geography of Chile. Plant and Vegetation 5. Springer Netherlands, 346 pp. <https://doi.org/10.1007/978-90-481-8748-5>
- Morrone JJ. 2015. Biogeographical regionalisation of the Andean region. Zootaxa 3936: 207–236. <https://doi.org/10.11646/zootaxa.3936.2.3>
- Morrone JJ. 2018. Evolutionary biogeography of the Andean region. CRC Biogeography Series. Taylor & Francis, Boca Raton, FL, 250 pp.
- Mosella L, Verdugo G. 1984. Pudrición algodonosa del clavel causada por *Sclerotium rolfsii* Sacc., nueva enfermedad en la región central de Chile. Simiente 54(1–2): 19.
- Motato-Vásquez V, Gugliotta AM, Rajchenberg M, Catania M, Urcelay C, Robledo G. 2020. New insights on *Bjerkandera* (*Phanerochaetaceae*, *Polyporales*) in the Neotropics with description of *Bjerkandera albocinerea* based on morphological and molecular evidence. Plant Ecology and Evolution 153(2): 229–245. <https://doi.org/10.5091/plecevo.2020.1667>
- Mueller GM, Schmit JP, Leacock PR, Buyck B, Cifuentes J, Desjardin DE, Halling RE, Hjortstam K, Iturriaga T, Larsson K, Jean Lodge D, May TW, Minter D, Rajchenberg M, Redhead SA, Ryvarden L, Trappe JM, Watling R, Wu Q. 2007. Global diversity and distribution of macrofungi. Biodiversity and Conservation 16(1): 37–48. <https://doi.org/10.1007/s10531-006-9108-8>
- Mujica F, Vergara C, Oehrens E. 1980. Flora fungosa chilena. 2.a edición. Ciencias Agrícolas n.º 5. Facultad de Agronomía. Universidad de Chile. Editorial Universitaria, Santiago, 308 pp.
- Muñoz M. 1999. La colección de Carlos José Bertero depositada en el Herbario del Museo Nacional de Historia Natural. Publicación ocasional N.º 53. Museo Nacional de Historia Natural. Available from: http://publicaciones.mnhn.gob.cl/668/articles-71108_archivo_01.pdf (accessed: 26 October 2020).
- Muséum National d'Histoire Naturelle. 2020. Collection: Cryptogams (PC). Available from: <https://science.mnhn.fr/institution/mnhn/collection/pc/item/search> (accessed: 18 November 2020).
- MyCoPortal. 2020. MyCoPortal. Available from: <http://mycoportal.org/portal/index.php>. (accessed: 18 November 2020).
- Myers N, Mittermeier RA, Mittermeier CG, Da Fonseca GA, Kent J. 2000. Biodiversity hotspots for conservation priorities. Nature 403(6772): 853–858. <https://doi.org/10.1038/35002501>
- Nakasone KK. 1996. Morphological and molecular studies on *Auriculariopsis albomellea* and *Phlebia albida* and a reassessment of *A. ampla*. Mycologia 88(5): 762–775. <https://doi.org/10.1080/00275514.1996.12026714>

- Nakasone KK. 2008. Type studies of corticioid *Hymenomycetes* described by Bresadola. Cryptogamie, Mycologie. 29(3): 231–257.
- Nakasone KK. 2012. Type studies of corticioid *Hymenomycetes* (*Basidiomycota*) with aculei - Part II. Czech Mycology 64(1): 23–42.
- Natural History Museum, University of Oslo. 2020. Mycology herbarium, Oslo (O). Version 1.1323. <https://doi.org/10.15468/6xjrdn>
- Nees von Esenbeck C, Montagne C. 1836. Jungermanniarum Herbarii Montagneani species. Annales des Sciences Naturelles, Botanique 2(5): 52–72, 1836. Available from: <https://www.biodiversitylibrary.org/page/36218992#page/74/mode/1up> (accessed: 22 October 2020).
- Nobles MK, Frew BP. 1962. Studies in wood-inhabiting *Hymenomycetes*. V. The genus *Pycnoporus* Karst. Canadian Journal of Botany 40(7): 987–1016. <https://doi.org/10.1139/b62-092>
- Núñez M, Ryvarden L. 1997. The Genus *Aleurodiscus* (*Basidiomycotina*). Synopsis Fungorum 12. Fungiflora, Oslo, 164 pp.
- Olson DM, Dinerstein E, Wikramanayake ED, Burgess ND, Powell GVN, Underwood EC, D'Amico JA, Itoua I, Strand HE, Morrison JC, Loucks CJ, Allnutt TF, Ricketts TH, Kura Y, Lamoreux JF, Wettengel WW, Hedao P, Kassem KR. 2001. Terrestrial ecoregions of the world: a new map of life on Earth. Bioscience 51(11): 933–938. [https://doi.org/10.1641/0006-3568\(2001\)051\[0933:TEOTWA\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2001)051[0933:TEOTWA]2.0.CO;2)
- Ortiz-Santana B, Lindner DL, Miettinen O, Justo A, Hibbett DS. 2013. A phylogenetic overview of the antrodia clade (*Basidiomycota*, *Polyporales*). Mycologia 105(6): 1391–1411. <https://doi.org/10.3852/13-051>
- Ortiz R, Navarrete H, Navarrete J, Párraga M, Carrasco I, De la Vega E, Ortiz M, Herrera P, Blanchette RA. 2014a. Deterioration, decay and identification of fungi isolated from wooden structures at the Humberstone and Santa Laura Saltpeter Works: A World Heritage Site in Chile. International Biodeterioration & Biodegradation 86: 309–316. <https://doi.org/10.1016/j.ibiod.2013.10.002>
- Ortiz R, Párraga M, Navarrete J, Carrasco I, De la Vega E, Ortiz M, Herrera P, Jurgens JE, Held BW, Blanchette RA. 2014b. Investigations of biodeterioration by fungi in historic wooden churches of Chiloé, Chile. Microbial ecology 67(3): 568–575. <https://doi.org/10.1007/s00248-013-0358-1>
- Palacio M, Robledo GL, Reck MA, Grassi E, Góes-Neto A, Drechsler-Santos ER. 2017. Decrypting the *Polyporus dictyopus* complex: Recovery of *Atroporus* Ryvarden and segregation of *Neodictyopus* gen. nov. (*Polyporales*, *Basidiomycota*). PloS One 12(10): e0186183. <https://doi.org/10.1371/journal.pone.0186183>
- Palfner G, Marticorena A, Medina M. 2010. *Laetisaria fuciformis* (*Basidiomycota*, *Corticiaceae*), new record of a fungal grass parasite from southern Chile. Gayana Botánica 67(2): 249–251. <https://dx.doi.org/10.4067/S0717-66432010000200013>
- Palma MA, Valenzuela E, Parra P, Gutierrez M, Silva LT. 2005. *Cerrena unicolor* (Bull.) Murr (*Basidiomycota*) aislado de micangio de *Tremex fuscicornis* Fabr. (*Hymenoptera*, *Siricidae*) asociado a decaimiento y pudrición del álamo (*Populus* sp.) en Chile. Boletín Micológico 20: 57–61. <https://doi.org/10.22370/bolmicol.2005.20.0.277>
- Parada M, Arias H, Vidal G. 2000. Aislamiento y selección de basidiomicetes nativos con capacidad ligninolítica. Boletín Micológico 15: 23–29. <https://doi.org/10.22370/bolmicol.2000.15.0.620>
- Parmasto E. 2010. *Clavariachaetaceae*, a family of neotropical *Hymenochaetales* (*Basidiomycota*) including clavaroid, pileate and resupinate species. Folia Cryptogamica Estonica 47: 51–57.
- Parmasto E, Saar I, Larsson E, Rummo S. 2014. Phylogenetic taxonomy of *Hymenochaete* and related genera (*Hymenochaetales*). Mycological Progress 13(1): 55–64. <https://doi.org/10.1007/s11557-013-0891-9>
- Patouillard NT. 1889. Le genre *Ganoderma*. Bulletin de la Société Mycologique de France 5: 64–80. Available from: <https://www.biodiversitylibrary.org/item/106525#page/201/mode/1up> (accessed: 30 November 2020).
- Peredo H. 1987. Fitoparásitos en *Nothofagus* chilenos. Bosque 8(2): 105–107. <https://dx.doi.org/10.4206/bosque.1987.v8n2-05>
- Peterson KR, Pfister DH, Bell CD. 2010. Coevolution and biogeography of the fungal parasite *Cytaria* and its host *Nothofagus*, southern beech. Mycologia 102: 1417–1425. <https://doi.org/10.3852/10-048>
- Philippi RA. 1869. Elementos de Botánica para el uso de los estudiantes de Medicina i Farmacia en Chile. Imprenta Nacional, Santiago, 582 pp. Available from: <https://archive.org/details/elementosdebotn00philgoog/page/n7/mode/2up> (accessed: 6 October 2020).
- Philippi F. 1893. Die Pilze Chiles, soweit dieselben als Nahrungsmittel gebraucht werden. Hedwigia 32: 115–118. Available from: <https://www.biodiversitylibrary.org/page/476327> (accessed: 25 august 2021).
- Phookamsak R, Hyde KD, Jeewon R, Bhat DJ, Jones EBG, Maharachchikumbura SSN, Raspé O, Karunarathna SC, Wanasinghe DN, Hongsanan S, Doilom M, Tennakoon DS, Machado AR, Firmino AL, Ghosh A, Karunarathna A, Mešić A, Dutta AK, Thongbai B, Devadatha B, Norphanphoun C, Senwanna C, Wei DP, Pem D, Achah FK, Wang GN, Jiang HB, Madrid H, Lee HB, Goonasekara ID, Manawasinghe IS, Kusan I, Cano J, Gene J, Li JF, Das K, Acharya K, Raj KNA, Latha KPD, Chethana KWT, He MQ, Dueñas M, Jadan M, Martin MP, Samarakoon MC, Dayaratne MC, Raza M, Park MS, Tellería MT, Chaiwan N, Matoec N, de Silva NI, Pereira OL, Singh SK, Vadhanarat S, Oh SY, Huang SK, Rana S, Konta S, Paloi S, Jayasiri SC, Jeon SJ, Mahmood T, Gibertoni TB, Nguyenem TTT, Singhe U, Thiagaraja V, Sharma VV, Dong W, Yu XD, Lu YZ, Lim YW, Chen Y, Tkalcic Z, Zhang JF, Luo ZL, Daranagama DA, Thambugala KM, Tibpromma S, Camporesi E, Bulgakov TB, Dissanayake AJ, Senanayake IC, Dai DQ, Tang LZ, Khan S, Zhang H, Promputta I, Cai L, Chomnuti P, Zhao RL, Lumyong S, Boonmee S, Wen TC, Mortimer PE, Xu JC. 2019. Fungal diversity notes 929–1035: taxonomic and phylogenetic contributions on genera and species of fungal taxa. Fungal Diversity 95: 1–273. <https://doi.org/10.1007/s13225-019-00421-w>
- Pildain MB, Pérez GA, Robledo G, Pappano DB, Rajchenberg M. 2017. Arambarria the pathogen involved in canker rot of *Eucalyptus*, native trees wood rots and grapevine diseases in the Southern Hemisphere. Forest Pathology 47(6): e12397. <https://doi.org/10.1111/efp.12397>
- Pildain MB, Rajchenberg M. 2013. The phylogenetic position of *Postia* s.l. (*Polyporales*, *Basidiomycota*) from Patagonia, Argentina. Mycologia 105(2): 357–367. <https://doi.org/10.3852/12-088>

- Pildain MB, Reinoso Cendoya R, Ortiz-Santana B, Becerra J, Rajchenberg M. 2018. A discussion on the genus *Fomitiporella* (*Hymenochaetaceae*, *Hymenochaetales*) and first record of *F. americana* from southern South America. MycoKeys (38): 77–91. <https://dx.doi.org/10.3897%2Fmycokeys.38.27310>
- Pincheira G, Burgos JA, Ortiz S. 1990. Compatibilidad sexual entre *Pycnoporus cinnabarinus* var. *osorninus* y *Pycnoporus sanguineus*. Boletín Micológico 5(1–2): 912. <https://doi.org/10.22370/bolmicol.1990.5.1-2.1584>
- Pires RM, Motato-Vásquez V, de Mello Gugliotta A. 2016. A new species of *Laetiporus* (*Basidiomycota*) and occurrence of *L. gilbertsonii* Burds. in Brazil. Nova Hedwigia 102(3–4): 477–490. https://doi.org/10.1127/nova_hedwigia/2016/0320
- Porter DM. 1987. Darwin's notes on Beagle plants. Bulletin of the British Museum (Natural History), Historical Series 14(2).
- Porter DM. 1999. Charles Darwin's Chilean plant collections. Revista Chilena de Historia Natural 72: 181–200.
- POWO. 2020. Plants of the World Online. Royal Botanic Gardens Kew. Available from: <http://powo.science.kew.org> (accessed: 24 september 2020).
- Rajchenberg M. 1982a. El género *Poria* Pers. en la República Argentina. Doctoral thesis. Facultad de Ciencias Exactas y Naturales. Universidad de Buenos Aires, 244 pp. Available from: http://digital.bl.fcen.uba.ar/Download/Tesis/Tesis_1729_Rajchenberg.pdf (accessed: 8 November 2020).
- Rajchenberg M. 1982b. El género *Coriolus* (*Polyporaceae*) en la República Argentina. Boletín de la Sociedad Argentina de Botánica 21(1–4): 17–57.
- Rajchenberg M. 1983. Basidiomicetos xilófilos de los bosques Andinopatagónicos adiciones y correcciones: I. Boletín de la Sociedad Argentina de Botánica 22(1–4): 41–56.
- Rajchenberg M. 1987. Xylophilous *Aphyllophorales* (*Basidiomycetes*) from the southern Andean forests. Additions and corrections II. Sydowia 40: 235–249. Available from: https://www.zobodat.at/pdf/Sydowia_40_0235-0249.pdf (accessed: 10 September 2020).
- Rajchenberg M. 1989. *Polyporaceae* (*Aphyllophorales*, *Basidiomycetes*) from southern South America: a mycogeographical view. Sydowia 41: 277–291.
- Rajchenberg M. 1992. Notas de *Polyporaceae* de Nueva Zelanda. 1. Acerca de *Tyromyces catervatus* y *Poria hyalina*. Boletín de la Sociedad Argentina de Botánica 28: 165–168.
- Rajchenberg M. 1993. Basidiomicetos xilófilos de los bosques andinopatagónicos. Adiciones y correcciones III. Boletín de la Sociedad Argentina de Botánica 29 (1–2): 115–121.
- Rajchenberg M. 1995a. A taxonomic study of the subantarctic *Piptoporus* (*Polyporaceae*, *Basidiomycetes*) II. Nordic Journal of Botany 15(1): 105–119. <https://doi.org/10.1111/j.1756-1051.1995.tb00127.x>
- Rajchenberg M. 1995b. New polypores from the *Nothofagus* forests of Argentina. Mycotaxon 54: 427–453.
- Rajchenberg M. 1995c. Basidiomicetos xilófilos (*Aphyllophorales*) de los bosques Andinopatagónicos. Adiciones y correcciones IV. Boletín de la Sociedad Argentina de Botánica 30(3–4): 153–161.
- Rajchenberg M. 2002. The genus *Grifola* (*Aphyllophorales*, *Basidiomycota*) in Argentina revisited. Boletín de la Sociedad Argentina de Botánica 37: 19–27.
- Rajchenberg M. 2003. Taxonomic studies on selected Austral polypores. Australian Systematic Botany 16(4): 473–485. <https://doi.org/10.1071/SB02027>
- Rajchenberg M. 2006. Los políporos (*Basidiomycetes*) de los bosques Andino Patagónicos de Argentina. Bibliotheca Mycologica. 201, J. Cramer, Berlin, Stuttgart, 300 pp.
- Rajchenberg M, Buchanan PK. 1996. Two newly described polypores from Australasia and southern South America. Australian Systematic Botany 9(6): 877–885. <https://doi.org/10.1071/SB9960877>
- Rajchenberg M, Gorjón SP, Pildain MB. 2011. The phylogenetic disposition of *Antrodia* sl (*Polyporales*, *Basidiomycota*) from Patagonia, Argentina. Australian Systematic Botany 24(2): 111–120. <https://doi.org/10.1071/SB11003>
- Rajchenberg M, Pildain MB. 2012. Molecular studies reveal a speciation process within *Ryvardenia cretacea* (*Polyporales*, *Basidiomycota*). Kurtziana 37(1): 7–13.
- Rajchenberg M, Pildain MB, Bianchinotti MV, Barroetaveña C. 2015. The phylogenetic position of poroid *Hymenochaetaceae* (*Hymenochaetales*, *Basidiomycota*) from Patagonia, Argentina. Mycologia 107(4): 754–767. <https://doi.org/10.3852/14-170>
- Rajchenberg M, Pildain MB, Cajas Madriaga, D, de Errasti A, Riquelme C, Becerra J. 2019. New poroid *Hymenochaetaceae* (*Basidiomycota*, *Hymenochaetales*) from Chile. Mycological Progress 18(6): 865–877. <https://doi.org/10.1007/s11557-019-01495-1>
- Rajchenberg M, Robledo G. 2013. Pathogenic polypores in Argentina. Forest Pathology 43(3): 171–184. <https://doi.org/10.1111/efp.12032>
- Rajchenberg M, Wright JE. 1987. Type studies of *Corticaceae* and *Polyporaceae* (*Aphyllophorales*) described by C. Spegazzini. Mycologia 79(2): 246–264. <https://doi.org/10.1080/00275514.1987.12025704>
- Riebesehl J, Langer E. 2017. *Hyphodontia* sl (*Hymenochaetales*, *Basidiomycota*): 35 new combinations and new keys to all 120 current species. Mycological Progress 16(6): 637–666. <https://doi.org/10.1007/s11557-017-1299-8>
- Riebesehl J, Yurchenko E, Nakasone KK, Langer E. 2019. Phylogenetic and morphological studies in *Xylodon* (*Hymenochaetales*, *Basidiomycota*) with the addition of four new species. MycoKeys 47: 97–137. <https://dx.doi.org/10.3897%2Fmycokeys.47.31130>

- Riquelme C, Candia B, Ruiz D, Herrera M, Becerra J, Pérez C, Rajchenberg M, Cabrera-Pardo JR. 2020. The de novo production of halogenated hydroquinone metabolites by the Andean Patagonian white-rot fungus *Phylloporia boldo*. Current Research in Environmental & Applied Mycology (Journal of Fungal Biology) 10(1): 198–205. <https://dx.doi.org/10.5943/cream/10/1/20>
- Robert V, Vu D, Amor AB, van de Wiele N, Brouwer C, Jabas B, Szoke S, Dridi A, Triki M, Ben Daoud S, Chouchen O, Vaas L, de Cock A, Stalpers JA, Stalpers D, Verkley GJ, Groenewald M, Dos Santos FB, Steghuis G, Li W, Wu L, Zhang R, Ma J, Zhou M, Gorjón SP, Eurwilaichitr L, Ingsriswang S, Hansen K, Schoch C, Robbertse B, Irinyi L, Meyer W, Cardinali G, Hawksworth DL, Taylor JW, Crous PW. 2013. MycoBank gearing up for new horizons. IMA fungus 4(2): 371–379. <https://doi.org/10.5598/imafungus.2013.04.02.16>
- Rodríguez R, Marticorena C, Alarcón D, Baeza C, Cavieres L, Finot VL, Fuentes N, Kiessling A, Mihoč M, Pauchard A, Ruiz E, Sánchez P, Marticorena A. 2018. Catálogo de las plantas vasculares de Chile. Gayana Botánica 75(1): 1–430. <http://dx.doi.org/10.4067/S0717-66432018000100001>
- Romano GM. 2017. A high resolution shapefile of the Andean biogeographical region. Data in brief 13: 230–231. <http://dx.doi.org/10.1016/j.dib.2017.05.039>
- Romell L. 1928. *Basidiomycetes* from Juan Fernandez collected by C. Skottsberg. In: Skottsberg, C. The Natural history of Juan Fernandez and Easter Island. Almqvist & Wiksell Boktryckeri, Uppsala, pp 465–471. <https://doi.org/10.5962/bhl.title.41367>
- Royal Botanic Gardens, Kew. 2020. Kew Mycology Collection - online database. Available from: <https://herbtrack.science.kew.org/search> (accessed 18 November 2020).
- Ryvarden L. 1982. Type studies in the *Polyporaceae* 11. Species described by JFC Montagne, either alone or with other authors. Nordic Journal of Botany 2(1): 75–84. <https://doi.org/10.1111/j.1756-1051.1982.tb01437.x>
- Ryvarden L. 1991. Genera of Polypores: Nomenclature and Taxonomy. Synopsis Fungorum 5. Fungiflora, Oslo, 363 pp.
- Saccardo PA. 1891. Supplementum Universale, Pars I. Agaricaceae-Laboulbeniaceae. Sylloge Fungorum IX. Patavii, R. Friedländer & Sohn, Berlin, 1141 pp. <https://doi.org/10.5962/bhl.title.5371>
- Salvador-Montoya CA, Popoff OF, Góes-Neto A, Drechsler-Santos ER. 2020. Global phylogenetic and morphological reassessment of *Fomitiporella* s.l. (*Hymenochaetales, Basidiomycota*): taxonomic delimitation of *Fomitiporella* s.s. and segregation of *Rajchenbergia*, gen. nov. Plant Systematics and Evolution 306(2): 1–27. <https://doi.org/10.1007/s00606-020-01648-w>
- Sandoval-Leiva P. 2014. *Inonotus crustosus* (*Basidiomycota, Polyporales*), first record for the chilean mycobiota. Gayana Botánica 71: 273–275. <http://dx.doi.org/10.4067/S0717-66432014000200011>
- Sandoval P, Rajchenberg M. 2011. *Fomitopsis minutispora* Rajchenb., a new record of *Polyporales* for the Chilean mycobiota. Gayana Botánica 68(2): 319–322. <http://dx.doi.org/10.4067/S0717-66432011000200021>
- Schilling JS, Kaffenberger JT, Held BW, Ortiz R, Blanchette RA. 2020. Using Wood Rot Phenotypes to Illuminate the “Gray” Among Decomposer Fungi. Frontiers in Microbiology 11: 1288. <https://doi.org/10.3389/fmicb.2020.01288>
- Sepúlveda G. 1993. Presencia de *Sclerotium rolfsii* Saac. En la primera región de Chile. Idesia (Chile) 12: 13–17.
- Sepúlveda G, Huanca W, Cárdenas S, Belmonte E, Torres T, Latorre BA. 2016. First report of *Inonotus rickii* causing decay and death in *Schinus molle* in Chile. Plant Disease 100(11): 2320. <https://doi.org/10.1094/PDIS-01-16-0010-PDN>
- Shen LL, Wang M, Zhou JL, Xing JH, Cui BK, Dai YC. 2019. Taxonomy and phylogeny of *Postia*. Multi-gene phylogeny and taxonomy of the brown-rot fungi: *Postia* (*Polyporales, Basidiomycota*) and related genera. Persoonia: Molecular Phylogeny and Evolution of Fungi 42: 101–126. <https://doi.org/10.3767/persoonia.2019.42.05>
- SIIT. 2021. División Política-Administrativa. Sistema Integrado de Información Territorial (SIIT). Biblioteca del Congreso Nacional de Chile (BCN). Available from: https://www.bcn.cl/siit/nuestropais/nuestropais/div_pol-adm.htm (accessed: 27 February 2021).
- Singer R. 1953. Four Years of Mycological Work in Southern South America. Mycologia 45: 865–891. <https://doi.org/10.1080/00275514.1953.12024322>
- Singer R. 1964. New genera of fungi - XII: *Hybogaster*. Sydowia 17: 12–16.
- Singer R. 1961. Diagnoses fungorum novorum Agaricalium II. Sydowia 15(1-6): 45–83.
- Singer R. 1968. Nuevos hongos descubiertos en Chile. Biologica. Trab. Inst. Biol. Juan Noe Fac. Medicina, Univ. Chile 41: 69–71.
- Singer R. 1969. Mycoflora australis. Beihefte zur Nova Hedwigia. 29, J. Cramer, Stuttgart, 405 pp.
- Singer R, Moser M, Gamundi I, Ellas R, Sarmiento G. 1965. Forest mycology and forest communities in South America. Mycopathologia et mycologia applicata 26(2-3): 129–191. <https://doi.org/10.1007/BF02049773>
- Spagazzini C. 1887a. *Fungi Patagonici*. Boletín de la Academia Nacional de Ciencias de Córdoba 11(1): 5–64. <https://doi.org/10.5962/bhl.title.4071>
- Spagazzini C. 1887b. *Fungi Fuegiani*. Boletín de la Academia Nacional de Ciencias de Córdoba 11(2): 135–311. <https://doi.org/10.5962/bhl.title.4055>
- Spagazzini C. 1910. *Fungi Chilenses*. Ramillete de Hongos Chilenos. Available from: <http://revista.agro.unlp.edu.ar/index.php/revagro/article/view/1336> (accessed: 26 October 2020).
- Spagazzini C. 1917a. Sobre algunos hongos chilenos coleccionados por el Prof. J. A. Campo. Revista Chilena de Historia Natural 21(3): 79–81. Available from: http://rchn.biologichile.cl/pdfs/1917/3/Spagazzini_1917.03.pdf (accessed: 26 October 2020).
- Spagazzini C. 1917b. Algunos hongos chilenos. Revista Chilena de Historia Natural 21(4–5): 117–126. Available from: http://rchn.biologichile.cl/pdfs/1917/4-5/Spagazzini_1917.04-05.pdf (accessed: 26 October 2020).

- Spagazzini C. 1918. Tercera contribución a la micología Chilena. Revista Chilena de Historia Natural 22(1):30–46. Available from: http://rchn.biologichile.cl/pdfs/1918/1/Spagazzini_1918.pdf (accessed: 26 October 2020).
- Spagazzini C. 1921. Mycetes Chilenses. Boletín de la Academia Nacional de Ciencias en Córdoba 25: 1–124. Available from: <https://www.biodiversitylibrary.org/item/84852#page/9/mode/1up> (accessed: 26 October 2020).
- Spagazzini C. 1922. Criptogamae non nullae Fuegianae. Anales de la Sociedad Científica Argentina 94(1-2): 59–85. Available from: <https://www.biodiversitylibrary.org/item/26211#page/368/mode/1up> (accessed: 27 April 2021).
- Spagazzini C. 1924. Sexta contribución a la micología Chilena. Revista Chilena de Historia Natural 28(1): 26–30. Available from: http://rchn.biologichile.cl/pdfs/1924/1/Spagazzini_1924.pdf (accessed: 26 October 2020).
- Spirin V, Volobuev S, Viner I, Miettinen O, Vlasák J, Schouteten N, Motato-Vásquez V, Kotiranta H, Hernawati, Larsson KH. 2021. On *Sistotremastrum* and similar-looking taxa (Tremellales, Basidiomycota). Mycological Progress 20: 453–476. <https://doi.org/10.1007/s11557-021-01682-z>
- Stalpers JA. 1978. Identification of wood-inhabiting *Aphyllophorales* in pure culture. Studies in Mycology 16. Available from: <https://www.studiesinmycology.org/sim/Sim16/fulltext.htm> (accessed: 17 December 2020).
- Sweden's Virtual Herbarium. 2020. Sweden's Virtual Herbarium. Available from: http://herbarium.emg.umu.se/standard_search.html (accessed 18 November 2020).
- Sydow H. 1928. *Fungi Chilenses* a cl. E. Werdermann lecti. Pars prima. Annales Mycologici 26 (1–2): 100–126.
- Sydow H. 1932. *Fungi Chilenses* a cl. E. Werdermann lecti. Annales Mycologici 30 (1–2): 81–117.
- Tchotet Tchoumi JM, Coetze MPA, Rajchenberg M, Roux J. 2019. Taxonomy and species diversity of *Ganoderma* species in the Garden Route National Park of South Africa inferred from morphology and multilocus phylogenies. Mycologia 111(5): 730–747. <https://doi.org/10.1080/00275514.2019.1635387>
- Tellería MT, Dueñas M, Martín MP. 2014. *Sistotremastrum chilensis* (Tremellales, Basidiomycota), a new species from Chilean Patagonia. Phytotaxa 158 (1): 93–98. <http://dx.doi.org/10.11646/phytotaxa.158.1.7>
- Tello M, Seelenfreund D, Lobos S, Gaskell J, Cullen D, Vicuña R. 2001. Isolation and characterization of homokaryotic strains from the ligninolytic basidiomycete *Ceriporiopsis subvermispora*. FEMS Microbiology Letters 199(1): 91–96. <https://doi.org/10.1111/j.1574-6968.2001.tb10656.x>
- The Field Museum. 2020. Collections Data - Lichens and Fungi. Available from: https://collections-botany.fieldmuseum.org/list?f%5B0%5D=ss_CatCatalogSubset%3A%22Fungi%22 (accessed 18 November 2020).
- The GIMP team. 2019. GIMP: The free & open source image editor. Version 2.10.12. Available from: <https://www.gimp.org/>
- The Inkscape Project. 2020. Inkscape: Open source scalable vector graphics editor. Version 1.01. Available from: <http://www.inkscape.org/>
- The New York Botanical Garden. 2020. C. V. Starr Virtual Herbarium. Available from: <http://sweetgum.nybg.org/science/vh/> (accessed 17 November 2020).
- Torres S, González-Ramírez M, Gavilán J, Paz C, Palfner G, Arnold N, Fuentealba J, Becerra J, Perez C, Cabrera-Pardo JR. 2019. Exposure to UV-B radiation leads to increased deposition of cell wall-associated xerocomic acid in cultures of *Serpula himantoides*. Applied and Environmental Microbiology 85: e00870-19. <https://dx.doi.org/10.1128/AEM.00870-19>
- Tortella GR, Rubilar O, Gianfreda L, Valenzuela E, Diez MC. 2008. Enzymatic characterization of Chilean native wood-rotting fungi for potential use in the bioremediation of polluted environments with chlorophenols. World Journal of Microbiology and Biotechnology 24(12): 2805–2818. <https://doi.org/10.1007/s11274-008-9810-7>
- Valdebenito RM, Pinto A. 1971. Identificación y patogenicidad de hongos aislados de pudriciones de peras Winter Nelis y Packam's Triumph almacenadas en “Bins” en cámaras frigoríficas. Agricultura Técnica (Chile) 31(1): 49–51.
- Valenzuela E. 2003. Hongos comestibles silvestres colectados en la X región de Chile. Boletín Micológico 18:1–14. <https://doi.org/10.22370/bolmicol.2003.18.0.374>
- Westphalen MC, Rajchenberg M, Tomšovský M, Gugliotta AM. 2018. A re-evaluation of Neotropical *Junghuhnia* s. lat. (*Polyporales*, Basidiomycota) based on morphological and multigene analyses. Persoonia: Molecular Phylogeny and Evolution of Fungi 41: 130–141. <https://doi.org/10.3767/persoonia.2018.41.07>
- Wright JE, Deschamps JR. 1972. *Basidiomycetes* xilófagos de los bosques andinopatagónicos. Revista Trimestral de Investigaciones Agropecuarias de la Región Centro Occidental 9(3):111–204.
- Zhou JL, Zhu L, Chen H, Cui BK. 2016. Taxonomy and phylogeny of *Polyporus* group Melanopus (*Polyporales*, Basidiomycota) from China. PLoS One 11(8): e0159495. <https://doi.org/10.1371/journal.pone.0159495>
- Zhou LW, Dai YC. 2013. Taxonomy and phylogeny of wood-inhabiting hydnoid species in *Russulales*: two new genera, three new species and two new combinations. Mycologia 105(3): 636–649. <https://doi.org/10.3852/12-011>

Appendix

TABLE 1. Top 10 host species associated with Chilean aphyllophoroid fungi.

HOST	#	% OF TOTAL	FLORISTIC ELEMENT (MOREIRA-MUÑOZ 2011)
<i>Nothofagus dombeyi</i>	44	16.99	Australasian
<i>Nothofagus</i> sp.	24	9.27	Australasian
<i>Nothofagus antarctica</i>	14	5.41	Australasian
<i>Nothofagus obliqua</i>	10	3.86	Australasian
<i>Drimys winteri</i>	8	3.09	Neotropical
<i>Persea lingue</i>	8	3.09	Antitropical
<i>Saxegothaea conspicua</i>	8	3.09	South Temperate
<i>Nothofagus pumilio</i>	7	2.70	Australasian
<i>Eucryphia cordifolia</i>	6	2.32	Australasian
<i>Chusquea uliginosa</i>	5	1.93	Neotropical
<i>Cryptocarya alba</i>	5	1.93	Pantropical

TABLE 2. Distributional quantitative overview of Chilean aphyllophoroid fungi as recorded from north to south.

BIOGEOGRAPHICAL PROVINCE	PROVINCE	#	TOTAL BY BIOGEOGRAPHICAL PROVINCE
Puna	Arica	1	1
Atacama	Tamarugal	2	2
Coquimban	Limarí	3	48
	San Felipe de Aconcagua	1	
	Marga Marga	10	
	Valparaíso	29	
	San Antonio	5	
Santiagan	Los Andes	1	68
	Santiago	10	
	Melipilla	1	
	Maipo	2	
	Cachapoal	6	
	Colchagua	12	
	Talca	3	
	Cauquenes	3	
	Diguillín	5	
	Concepción	18	
	Biobío	7	
Maule	Arauco	5	41
	Malleco	26	
	Cautín	10	
Valdivian Forest	Valdivia	30	254
	Ranco	20	
	Osorno	62	
	Llanquihue	15	
	Chiloé	57	
	Palena	52	
	Aysén	15	
	Coyhaique	3	
Magellanic Forest	Magallanes	16	16
Magellanic Moorland	Última Esperanza	3	12
	Antártica Chilena	9	
Patagonia	Tierra del Fuego	9	9