

Sheep

Caerkeillon 11.10.96

53/96

NT 234 667

ENTERED

16.10

V. eximius f. funicola

21.10

A. cobitius immersus 70.5 x 32

27.10

C. stercorarius

A. immersus

P. albivorus 9.5 x 5 crystallinus pale.

30.10

C. stercorarius

V. funicola

Small incosp. Imbricate Sarcobolus apo ca 275

3+3+2 I black purple cracked / verrucose 45 x 16

Asci 120 x 32 versicolor

4.11

I. carneus

Asci 270 x 42. Spores 25.5 x 13

C. stercorarius

V. funicola

P. decipiens s. spred

13.11

V. funicola

I. carneus

Schizothecium s. spred 22.5 x 11.2 versicolor

Sarcobolus versicolor 48 x 16

20.11

C. strobiliferus

A. caninus

P. decipiens

Coprinus cardisporus
2-sporid

11 x 10 x 6.

Schizothecium

8-sporid Simple

20.7 - 29 x 14.5

pathy 2-seriate

Common

20.11

Small white Coprinus ca 100 diam.

Asci 50 x 20 spores ellipsoid biseriate 10-11 x 7
tapers gently from just below apex

cf Lactaria ?

14.12.

Brown / foxy red large Coprinus

well cells perfectly

Smooth

Schizothecium

8-sporid

19.5 x 11

± no scales

vesticaria

spores 9.5 x 9.5 x 6.5

cardisporus

20.12

Phanerochaete coprophila

30.12

Large, superficial Dyosporium Prasinum

< 700 diam

immature

8-sporid

ly apothecia - clavate immature spores

ca 35.5 x 16

covered

long long flexuose

hairs

Clavate (cylindrical) asci ca 30 x 225

13.1

Sp. St. 100000

C. "Liron" form

Large heavy post-cum Metall x 825 Gram

Prospira

S. Spaced

ly apped age 37

tapered to rounded apex

ca 30 x 6.5 → 11
22

Sp. ⁶⁵ 514 v ^{22.5} 257-27
-57.5

24 apped age faint, 20 Gram at base,
tapering, no obvious structure ca 1/2 long
apex easily seen, basal less obvious?

Intestine-co



Dried 13.1