

30.10 Ascobars abundant up to 6 in down furrows
asymmetric fel, distal cracks Spores 21 x 11

Sporomuller 4 ER 57 x 12 intermedia

Lasiosporus ellipsoid Spores 24 x 12.5
biserial, asci up to 38 down
setae up to 320 unicolor

Vismothiza fumosa ✓ Schizothecium tetrasporum

3.11 Sp. curvata 45 x 8 Sacc. versicolor ✓

A. furfuraceus ✓ Sch. tetrasporum good scales
Spores up to 24

Ascobars albus ✓ Piloborus mychallinus

L. unicolor

7.11 4 5 V. fumosa Sacc. versicolor Pycnostictus

imm setae Podopne? L. unicolor
Sch. 4 Sp. 11.5-13 x 6-6.5 nanum ✓
Asci inflated in middle fairly early on
poor scales

Podopne decipies ✓ Sp 38.5-45 x 21-22.5

Setae polygonal Arnivora? junior leprina?

- 11.11 Cop. stercoraria ✓ Sp. intermedia ✓ 4ER 55x11
Sch. peritremis - Arum leprum
Sch. vestigiosa Lasidus corneli
Sch. tetrapom 21x12.5
Sporomella 4T Urena g.p. 48x11 ✓
 15.11 P. ~~crystallina~~ ✓ P. kalbini Sch. tetrapom ✓
Sacc. versicolor
 20.11 Cop. sterc ✓ Ascatolus imm furtracis? 19.5x11.2
Sch. vestigiosa
 22.11 Cop. sterc ✓ Sp. intermedia ✓ Sch. vestigiosa
Ascobora 19.5-21 x 11 ✓ furtracis
 24.11 Cop. sterc ✓ Asc. furtracis
 28.11 Asc. furtracis < 3mm dia Cop. stercoraria
Sch. tetrapom Polysporid st. Sabre (flexors hypal neck-
 ampullate (cudlen asc; with rounded top.
 small spored imm. Arum leprum ✓

Relict from same site collected 29.11 with

Cheilymenia present in field road

Deep orange red apothecium.

Setae to 500 long, 30-32 wide at base
rooting. No stellates present. Wall at base

Spores 21-22.5 x 10.5

3-6 thick. (10)

Asci 180-190 x 19-20

oblongely 1-seriate

funicular

30.11

Arminium leprosum

4.12

Cheilymenia funicular

Sch. tetrasporium

Pod decipiens

Ascob. furtraceous

Arminium leprosum

Dried 4.12