

13.3. Ascobars large sunfy apothecia in field,
drying brownish. Spores clear purple, smooth
or minutely cracked or verrucose.
22.5-24 x 11 - 10.5
Asci ca 210 x ca 16. Scutigera ✓

Sporomniella minima ✓ spores present - halved
16-17 x 5-6

Cercophora abundant. gregarious on a white
'lichen'.
Mature spore heads 19-20 x 9.5, frequently
with an asymmetric transverse septum - nearer
the base than apex.
Asci apical globose ca 5 diam, ± smooth?
immature spores not visible in early rehydrating
material ✓

Dusky orange apothecia Coprs / lodophans?
Spores ellipsoid 19-19.5 x 11-11.5 - large pores,
with smaller tips, granular contents
Spores appear smooth? Strongly KI positive blue
Canova ✓

24.3 Coprs Schleri. Sclerites short, acute < 25 long
4. spored. Spores small ellipsoid 8 x 4.5
no fecid cystidia Pellvados ✓

Phaeospora minutissima ✓ Spores ellipsoid,

oblongly uniseriate 4.5-5 x 3

14.4 Cop. codispore ~~privada~~ ? Cop. stercoraria Sp ca 7 x 4


Cercophora ✓ with good schizothecoid scales

Phaeospora minutissima ✓ NB perithecia

have uniformly pignated ~~from~~ P. coprophila, which
has a translucent basal part

Podospore 35-39 x 21-22 4 24 apical
Sp 38-39 -41 appendages
14 ca 20 x 5

8 spores



globose lateral body,
dark pignate,
no scales or scales

21.4 Cop. codispore ✓ Spores ok.

P. communis ✓ Commonis

Cercophora Schizothecoid

15.5-17.5 wide spore body

apical glabrous in rows

~~microblasts~~ / anisora ✓

dark cell appendage 20-30
residual appendage 60-65

not necessarily short. microblasts
may up to 60

Cercophora, covered with silvery white hyphae.

verruiform spores 45-48 long

appendages equal,
32-50 long. ✓

no apical glabrous

Coprophila

29.4 Cerc. microblasts ✓

Dated 29.4