

Sheep/goat. TF326 W of Chasna, Tenerife, Spain.
W16.50, N28.35. 925 m. Incubated 15.11.02.

12.11.02.

61/02

15.11 -
19.11

Pilaira

sp. pale ellipsoid

9-10 x 6-7
-11.5

24.11

lunche

gutteria

Ascomus ?

moreaui ✓

Pilobus

Crystrakins

pale yellow

7-8 x 4.5-5.5
-9

Sordaria

broad ellipsoid
- rounded

21-22.5 x 14.5-16

thin gel

Silvery sheen to feathered wall



humana ✓

3.12

Green

Ascomus



16-19 x 9-9.5

not very closely lined

perisperm, not capitate.

Ascomus < 2mm diam

cf. cerinus ? ✓

Coprinus

Sclerites

→ brown

sphaerocytes

Spores 10-15 x 6.

Sclerites tapered

leptomeris ✓

Saccobius

Smooth

grey

Spores

3+3+2

14.5-16 x 6

Sm.

32 x 12.5

depauperatus ✓

Coprinus

Sclerite

no

sphaerocytes seen.

clear fresh

material.

sp.

9.5 x 5

ellipsoid

4. sp.

no found

cystidia

bellwetheri ✓

8.12 Small Cop. echloni G. sp. no faded cystid.
Spores ellipsoid $11-11.5 \times 6$ St. eccentric g.p.
No Sphaerocyst?

Podoporus Symmetrically flattened lobes, poly spored
Sp. $18-20 \times 12-12.5$ 6 or spored? possibly more?

Asci no apical structure ca 270×50

immature spores in 'spindle' arrangement:-



(4 app ca 9×3)



Setosa

Green large Aschmuss ✓ spores $16.5-17.5 \times 9.5$

Coprinus red-sphaerocysts Spores 
check for setules? $7-9.5 \times 5-6.2$

Gymnascus yellow when young → orange with
maturity Asci globose & diam. spores $3-3.5$
diam

reesii ✓

17.12 G. reesii ✓

Coprinus reddish brown Sphaerocysts, capitate
setules < 10 at head,
primordium checked. No spores marked with it.
Curbs ✓

Podoporus carverii ✓ $(9.5-21 \times 11.2-12.2)$


26.12 Coprus 4-sp 12 fused mycelia
 expanded Corp 3 mm St. hairy on stipe, not
 not proper scales sp ellipsoid 9.5-10 x 6.5-7

abundant G. neesii ✓, 1 carnos ✓
Sci. ~~verticillata~~ lehrmann ✓
 v-sp 14.5-20 x 11

Coprus reddish-sphaerulose & capitate scales curvis ✓

Saccobolus 3+3+2 Spores moderately verrucose
 S.m. 24-32 x 14 spores 12.5-13 x 6.5

Podospore polyspered, asymmetric sacc, sacc lifted



(cf 8.12)

16-17.5 x 9.5-10


asci saccate

curvicolla ✓

Podospore Rhizophila very polyspered
 sp. 29-32 x 16 flexuous hairs on neck.
 64 spored? myriospore ✓

Podospore symmetrically sacc polyspered 64?
 not lifted

Sp 17.5-18 x 10



Setosa ?

1.1 1. carnos ✓ G. neesii ✓

Podospore strongly asymmetrically spiky lifted. Polyspered
 16-17 x 10 by sp slightly spatulate curvicolla ✓



Exp. Pod setosa 64 spred, highly setae,

hot spiky Spars 19-19.5 x 11-12.5

immaculate spars a 'spindle'

setosa ✓

9.1 Pod. 8-sp. decipiens ✓

sp 38.5 - 41.5 x 21-22.5

"I. carneri"

spars apparently smooth? - minty
so with KI

Atelura all typical of I. carneri 19.5-21-22.5
x 11-11.5

23.2 G. neesii ✓

P. setosa ✓

Podospira

sp. 27 29 x 16-17.5
-30.5

32-spred?

Rhipophila-type tubercles at neck
14 spp ca 8-9 x 3-5 24 spp w/ clear - could be

P. decipiens ✓ 8-sp 41-42 x 22

decipiens-type

P. decipiens-type 16-sp 38.5 x 22-23

plerospira

3.3 abundant G. neesii ✓

Succ depauperata ✓

P. plerospira ✓ 16-sp

Thred 3.3
with G. neesii +
P. plerospira