

Rabbit. Keen of Hamar NNR, Unst, Shetland 8.8.05.  
N60.77; W1.82. HP643099. Incubated 23.8.05.

64/05

24.8 Sp. 4ER 56-58 x 10 intermedia ✓

29.8 Sp. intermedia 55-64 x 10

Telekia sp. microspores X Sordaria immature

5.9 Podospora decipiens X 8 sp ① (clock) 38-41 x 2,

T. polyphores Ascobolus immersus X

Hypocrea ✓ novellae strands, immature - no asc yet

Sp. intermedia Sch. sp. good scales 25.5-26 x 13  
1-2 seriate Conicum ✓

12.9 Iodophorus conicus sp 21 x 11 Sch. conicum ✓

Sp. 4ER intermedia 54.5-58 x 10.5

Pod. decipiens ✓ 8-sp Asc. immersus -

Hypocrea ✓ bright blue pre. in kt

Second cell visible in immature spores

Ascs 22.5 x 20

23 x 12.5-13

brefeldii? see below

12.9 I. conicus / Hypocrea / ost-de surrounded by  
'waxy' flange. Spores 22.5 x 11-12.5-13  
sr. asymmetrical bean-shaped. 25.5 no sign of

2nd cell in mature spores. 9 slt. 12.5-13.

fits antactea better ss. K+e + Dyeri


Sp. intermedia ✓ Telekia microspores ✓

Pod. decipiens Ssp. Sch. westrica X poor scales f-sp  
(9-20 + 11-11.5)

- 26.9 I. canescens / Asc. hawaiiensis / Sch. ~~restriction~~  
Ascobolus hawaiiensis X  19-20 x 9
- Coprinus semdecompositus X Small white apothecia  
 - Ca 200-250 diam x 180 mg L Sp 12.5-13 x 7  
 Ascii 110-115 x 29 
- P. decipiens ✓ Sp uer intermedia ✓  
Volvella ciliata X sp 4-5-5 x 2 hyphae  
 Setae hyaline, septate
- Old Coprinus sp Cordisporus misera sps
- 2.10 I. canescens / Asc. hawaiiensis / A. imversa -  
P. decipiens ✓ Sp 4-7 sps relatively wide  
 45-51.5 x 10.5-12.5  
 cells rounded, ante deeply septate, transverse. f  
grubisporus X
- (0.10) Coprinus misera ✓ I. canescens ✓ Cp 16-sps  
 (previous - see 26.9) Sch. restriction Sch. comix -  
Asc. hawaiiensis / Sp. 21 x 9.3-9.5   
 Gel < 3 mil in thd
- Large splenoid, immersed, translucent thca.  
 short blunt headed asc. 1 mm. S. sp. Podospira  
 immature spore body ca 35 long. + pedicel. Branched  
 long sinuous stalk to ascus intestinella (see of  
 (11))

15.11 Large semi-immersed Podostemaceae sp.  
biserrate 48-58 x 22-24  
x 10-11 at base -26 pedicel up to 22

No hairs or setae



appendages dotted,

WT wt apparently  
expanding in H<sub>2</sub>O, otherwise &IC

for

intt strinacea

(H)

Sp. inter media

Sch.-restricida

I. carnea

Cop. Sexdecimspora

~~Dried~~

Described

15.11

in poor condition