

E12.5; N62.7. 17.8.06. coll. Ann Britt Stornes/Bo Eriksson. Incubated 27 Nov.

29.11 Sp. ochromata ✓ 8. sp. 4.5 x 6.5 = 12.48°E
62.740 N
third cell largest. Ascii clavate to tapered foot
170 x 17-18 Sordaria thick wall

Sordaria imatris

Conochaeta 8 sp. Ascii 12-13 x 8.5-9 x 4.5-5

4.12 Delitschia Spore cells rounded, transverse spk Gymnaria ✓

42-48-51 x 19-19.5
ovoid



Sordaria sp 21-22.5 x 12.5 patagonica ?
good set.

Asci 175 x 13

limicola ✓

Podospira appedrolata ✓

Sp. 4 T 35-32 x 6 subtilis ? ✓

15.12 Theloharpha setacea ✓
2 Spore clusters on lid
apothecia present.

Podospira / Hypocypre

single thick cover
slit 26-29 x 14-15

asci 255-270 x 22-24
-300
spores load, full length/gain
ochitrophila (H)

Sordaria spessa ✓
sp 26 x 16-15.5
-29

P. appedrolata ✓

Sordaria pair gel, br. ellipsoid 22-25 x 15.5-16
-25 16.5

S. fimicola ✓ 19-20 x 9.5-10 good gel.
Asci 14-15 wide

humane ✓

30.12 Telephora Stereocora ✓ P. appendiculata ✓

Some Bombardiera - like characteristic pseudo?

Sordaria superba ✓ S. fimicola ✓

sp UER 44 x 7-8 Asci 130 x 20
unstable ✓

Anopodium ampullaceum ✓ petiole less dark

below ca 550 high x 400 diam. Neck dark, opaque, with a few ampillate hairs and some Rhyssula-type tubercular hairs

Young spores globose with apically directed pedicel

Mature spores 29 x 19-19.5

9.1.07 P. appendiculata

Hypocrepia / Podospora ✓ Asci 265 x 23-26

sp uniseriate sp. 25-26 x 12.5-13, st. pedicel, germ set full length

Sordaria superba

Deutsche Sp. (d + 6.5, oblong Septa
-17
offer cells  uniseriate

Asci 8-9 wide
pseudostoma with long neck Chydrella?

Bombardacea - like Crinoides producing acicular

'Pycnospori'? 20-24 x 0.5-1

15.2 P. appendiculata ✓ S. humana ✓

Hypocopa / Pycnospora ✓ sp. with full length g. SWB
23-24 x 12.5-14.5 long-pointed

Bombardal - Spodochel similar as before, with acicular base,
yellowish with darker base to "stripe"

Schwartzkorn, clear scales, 8-sp uniseriate
22-23 x 11.5 pattern not at all hairy.
Spines pedicels short - only ca 6-8 long.

Deutsche ✓ Sp. oblongly Septate, uniseriate 19-19.5 x 7-8
pseudostoma ca 275 diam x 300 high with
neck ca 80 high x 70 wide. Chydrella ✓

Sp. 4 ER sp. 55-58 x 12-12.5 Draped from splits
-64 -67 individa

Convolvulus f. sp. distend 9.5-11 x 8.9 x 5-6
Setae ≤ 10 , over most of upper surface
lognans ✓

28.2 Pod. appendicula ✓ Sch. vesicula ✓

• S. superba ✓ Con lognans ✓

Dried 28.2 with cc FBI data