

Deer [roe?]. Tulach Hill, Blair Atholl, Perthshire. 450m. 5.7.08.
NN862639. N56.755; W3.868. Coll. M. Clarkson.

19/08

7.7 - 9.7 -

21.7 Cop. sternocervis

Ascobolus albus ✓

sp linear ornament

25 x 11

Sordaria sp 25-26 x 16 thin gel humana

Coprinus Smt Schles sp ellipsoid 11 x 5.5-6.5
+ a few sphaerysts Schles 30 deg. acute-obtuse, not capitate
no falcate cystides 4-spored Leptinella ✓
white sp. 12.5-13 x 6.5 asymmetric g.p.

28.7 Cop. sternocervis ✓

Cop. Leptinella ✓

Ascobolus immersus ✓ 4-8-sp. not ring. 61-65 x 35-40

Sch. 8-sp good scales 25.5-26 x 12.5-13
1-2 sterile Conium ✓

Sch. vesticula ✓ 8-sp poor scales uniseriate
19-19.5 + 10

Mellow

Gymnosporus weissii

Asci globose

Pilobolus

sp 7-8 x 4.5 felopsis 11 diam
crystalline pole adnate

4.8

Cop. stercoreusCop. leptocerusSchizotrichum

large crown of scales S-sp

sp + minute

27-27.5 x 15-16

Simple appendages

ConicumSch. vesticola


9.8

Cop. stercoreusC. leptocerusG. reessiiSch. conicumSch. vesticolaSetae poly spined
asciPodosporaein
intake spores

22 x 14

by appendages clavate

13-10 x 6 at tip



Setae simple < 65 long.

no frontothelial

of appendages or pedicels

Lg ad asc 350 x 95

Setosa or possiblytarsina, given large spines

18.8

Cop. leptocerusCop. stercoreusSch. conicumSch. vesticolaPodosporae

setae hairy - poly spined

spines

17.5-8 x 11

different for 9.8? some

clavate pedicel

20.8 Lepisorus (var.) Canarii Spores ellipsoid

9.5 - 10 × 6 - 6.5

mean Spore Size ca 9.5 × 6

which keys out to Cinereus in FANG

Sch. 8 sp 29 × 16 1-2 seriate

distinct scales, abundant in some peatbogs.

conicum ✓

29.8 Pec leptose ✓ sp 17.5 - 19.5 × ~~7.5~~ 11

Sch. conicum ✓

Dried 29.8 with Pedicularis leptose
+ Chizotoma can.
+ resticulae