

Cow Hampshire

12.12.96

ENTERED

65/96

NT 106614

14.12

Chelymenia

stellate + simple rooted hairs

apothecia with peripheral flange. ca 80
hairs of rounded cells 19.3 x 11.2

stercorea

Sporomixella

UER

57.8 x 11

intermedia

17.12

Schizothecium 8-spored

19.3-20.7 x 9.5

simple asexual

vesticaria

Asciurus ~~glaber~~

albidus

27.3 x 12.8

20.2

Schizothecium 8-spored

good amount of asexual hairs.

27.3 25.7 x 12.8-14.4

conicum

Schizothecium

22.5-17.7 x 11.2

8-spored

poor scales

vesticaria

30.12

Schizo. 8-spored

21 x 11

vesticaria

poor scales

Schizo 8-spored

26-24 x 13

conicum

good scales

Schizo 8-spored

21 x 9.5

simple asexual

1y app. ca 5x2

?

Small, but clear scales, and long filamentous hairs

13.1 Sch. 8-spored 22.5 x 12.5 reticulata

8-spored 20.5 x 15 Common

P. decipies or pleurospora? Spore 10?
8 spored match on 24.1

24.1

White Cephus ca 400 diam

12.5-13 x 8 ellipsoid. biserial

asci cyl. clavate, broadening above at
velocity 21 dia up to 55-70 long

Paraphyses hyaline 2 Capitate to 4-5
granuliformis

Coprinus (Schlosseri?) spores

Cerosporus type? 10 x 9 x 6.5 clear apical gp.
need to find young specimens

Schizothecium 8 spored good seeds 24 x 14
Common

Coniochaeta? good crown of setae up to 70. Perith 27.5 diam x 340

Asci 8-spored. Spores ± ellipsoid, with slit
(look var Hypozopis-like) 9.5-10 x 5-6.5

Asci cylindrical uniseriate ca 140 x 10 x 10
Simple Pale blue in 101
nearest is Leucoplaca

30.1

Coprinus white graminiformis
 ♂ spored, asci ✓ 6×6.5 broad clavate,
 obviously restricted to stalk
 h-sterete 14.5×8 pairs hyaline clavate

Conoschaeta ♂-spored $9.5 \times 8 \times 6$
 setae < 55 (80) lignaria?
 spores real disc-like than earlier specimen (24.1)

Schizo ♂-spored, poor setae ✓ 27.3×13
Conicum

Schizo ♂-spored poor setae $19.5-21 \times 11.2$
~~reticulata~~

5.2

(returned to await return for P.12. in March)

16.3

discarded - totally fragmented by larvae