

Costa Rica Low Sample
San Luis Valley 13.2.97 NJR

84° 47' W
10° 17' N

2/97

16.3.

Coprobica

spores 14.5 x 6.5

old material

check fresh for perithecia

up to 10? colour?

granulate

26.3

Ascaros immatures developing ✓

31.3

Podospira

appetulate type

perithecia 550 high

immature.

hairs 65 long.

x 450 dia

≡ Lincolna

2.4

still immature.

5.4

9.4

Coprinus section developing

Ascaros immatures

Podospira still immature. looks like it might be

lincolna? 2 appedages very short & short.

✓ mature spores 57-64 x 25-26

14 appedages very clear, clavate up to 30 long.

old, small fruit body spores ellipsoid 8 x 4 apical g.p.

16.5

lincolna

spores 56-67 (slightly

pellucidus
fingers

low broad ~~perithecia~~ distal end).

Schizothecium ~~Ascaros~~ multi-spored, rodimentary

ca. 200 diam.

21 x 11

swollen/egg laid
at neck, few filaments
over below

32 or 64? spored

14 appedage 6-mp 10 x 2

dakotense

?

Cercophora with Schiz-type scales

imm spores 48 long

Microstis ✓

Small hr elongated white apothecia

Neottia?


Asus (imm?) 290 x 48

Peris white 3m
Septate, not swollen.

32-spored

spores hyaline 26-29 x 14.5,
K+


Area of :-



Pellekieri

25.5 620 tall x 480 diam

Asus 350 x 58



Same free spores with 3- several ribbed

Spores 32 x 16 thick walled, smooth no gel

27.5 Yellow Saccobolus

Spre voss 51 x 19

Spre 4 x 2

Spre 21-22.5 x 9-9.5

Others gelatinous sheath v. minutely verrucose, ^{Spre} cracked
Aeci 145 x 38 pores deep yellow, v. cepitate

glaber

Cecophora minutis

Schizotheca delicatula

Dried 27.5