

Yow Le Caylar FR 7.10.97

114/97

30° 18' 0" E 43° 52' 0" N

75%

20.10

iwm

Ascobolus

immers.

23.10

A. immers.

hydry

26.10

Coprinus

stevenii

7x4

31.10

Abundant A. immers.

Sporangia

4cm

27.5 x 5

Lining / fragmatis

5.11

Sp. minima

A. immers.

minima

12.11

Sporangia

4cm

41-45 x 39.5 analis

A. immers.

61x32

Sp. minima

18.11

Saccobolus

hydne
st. vr. racers

3+3+2

smooth

Sm UK x16

Spores

19.3 x 8

meridolar?

Coprinus seedecem spors

16 spored

asci 70x25

Small 175 diam

Spores 12.6 x 8

Pedospora decipiens

S. sp. 41 x 21

Sp. minima

24.11

A. immers.

Cop. seedecem spors

Septo. conicum

P. decipiens

Coprinus stevenii

8x4

S. versicolor

27.11

Coprinus 16-sporesSp. variabilisA. imerseSacc. regularSch. compon.Sp. minor

4.12

Cop. filamentiferA. imerseSch. compon.- 14 maturing + 4 abutting spores
26-27.5 x 13 good scalesCop. 16-sporesSacc. regular 3+3+2
✓ hyphal velvaceouslot of very tiny apothecia,
not the usual S. regular size, but otherwise ok.
Spores ± smooth 19.5-20 x 8 Sm. 4.5 x 1.6.

5.12

- no other difference when mounted side-
by-side with larger, more typical S. r.

13.12

lots of C. 16-spores (± 2med) nothing more
else seems new

16.12

Cop. filamentiferS. regularCop. stercoreusYoung Cop. stercoreus

18.12

S. regularSch. compon.Cop. 16-spores20.12 Reticular

rhizomorph base at neck under C. parer

Gg. unisporic, long stalked Spores bluish, 12.5 x 8

ellipsoid - no appendages?

- 13.5 i.c.

ca 160 x 11

14 - occurs tip - no structure visible (?)

21.12

Dentheon 650 bush x 480 down
Smy hairs at outside

Sp. 13 x 7.5 - 28
14.5

asci 12-13 down.

in IT very narrow gel sheath.

shows up better when compared with PNL
3-4 mm.

(Sent to Lund)

23.12

Cop. ster. conica

Hairs at neck pale brown, from short,
with rounded apex, 16 long to larger ad
one flexuous. penicillal wall of brown
~~to~~ var opaque shell polygonal cells.

Fimbrularia microspora
det. N. W. Scott

29.12

Sch. conica

C. steyermarki

1.1 Sch. conica

Sporormiella

australis

6.1. Cop. ster. Larger with smaller refl. Sch. conica

~~Hypocre~~ brown dec, two stalks - orangey
and one darker, with 3 ocrea

Sp. minima
Sacc. versicolor

Selma Spores fusiform, hyphae 59-64 x 22.5-24
bisporate.

Asci clavate ca 260 x 58

Selma pulchra

13.1

Cop. schizoxi (spored, var. part) 5×6
peltigerous
Sch. conicum

Sordaria good gel 12.8×8.5 unsente
 asc $200-160 \times 16-19$, in stalk, tapered ca 80 μ
 (as recorded earlier) = Fimotrichia microspora.

Dactylosporangiothecium

cells $\phi - 42 \times 26 \times 13$

first sheet of



ca
10 cells long
 $\times 5-6$ rows

19.1

Cop. ster. Cop. peltigerous

Sel. pulchra

Iodophorus corners

Sch. conicum

26.1

C. peltigerous I. corners

30.1

Phaeotropae

Spores oblongly 1-septate 5×3

[Voids differ from my P. coprophila]
Ascii ca. 95×5

P. coprophila

P. deutziae

OIC for P. hyalina / mimillissina

Spores ellipsoid, var cylindrical.

(Slide kept)

16.3

Absent

Phenostroma minissimum

very hairy perithecium immature

Deltotrichia

spores 57.5 - 64 X
24 - 25.5

winter-

Dried 17/3