

6.4 -
11-4

Vismotida frumida ✓

Lasrobans ellipsoid spora 16 x 10

Setae sparse. Ascii biseriate 22.5 diam
Pores not clavate / complete at tip

Young coniculi ✓

Ascobans albans ✓ 27 x 12.5

Schizo vesticula ✓ 8-sp 20 x 11

Schizo tetraperon ✓ 4-sp 19.5 x 10

Sporomella 4 pointed 49-50 x 10.5
-55

Grandispora ✓ parallel g. set, tapered ascii

15.4 Sp. grandispora ✓

Sch. tetraperon ✓ V. frumida ✓

Sp. intermedia ✓ 4 ER-oblong 52 x 10

Sp. 4 tapered 38.5 x 8 Legoniiformis ✓

Sch. reticulata ✓

L. coniculi ✓

21.4 Sch. vesticula ✓

Pod. decipias ✓ 8-sp. 35.5

Sp. legoniiformis ✓

Sp. grandispora ✓

25.4 Skilbella erythrocephala ✓

P. decipias ✓

Lasrobans spores clearly ellipsoid 16 x 11.5 Ascii 24 diam
broad to 200 coniculi ✓ biseriate

Sporomilla 4 T. 40-35 x 8 lageniformis ✓

Sch. vestitior ✓ Asc. albivis ✓

28.4 Sp. lageniformis ✓ Saccobolus 3+3+2 ✓
42 x 14 versicolor ✓
Sch. vestitior ✓ L. curviali ✓

Coprinus decorens ✓

1.5 L. curviali ✓ Sp. lageniformis ✓

Sp 4 ER 60 x 10 intermedia ✓

Sp 4 T 58 x 10 grandispora ✓

Reussia? Asci clavate ca 48 x 16
Metastictis Spores 4 celled easily fragmenting

Smaller ca 275 diam blade

overall 65-70 long, stalk -75
broad above long stalked
ca 30 long -40

like 27/96 smaller Spores than described

✓ Lophosium canens? large Sclerotium pink but ICI -
+ Spores not removed? Spores 21 x 14.
pores similar clavate to 16. P. fomiculata

4.5 Sp lageniformis ✓ Sch. vestitior ✓

9.5 Sp. utapered non-degraded gemit 48 x 11 lageniformis ✓

Sp. intermedia ✓

<u>Prevalence</u>	Asci	(inc) spalls
	70	35
	80	29
	90	38
	77	20

Spores 4-seeded, readily fruited 26⁻²⁷ x 5

lodo canores ✓ K+

formulate ✓

15.5 l. canores ✓ Cep. strobiliger

Sch. veslicora

Sporangium 4T 52-48 x 11

Grandspora ✓

Podospira decipiens 38-5 x 19 E-sp

20.5 Sp. intermedia ✓ 4ER 56 x 10

Sp. grandspora ✓ 4T 45-51.5 x 11

Dried 70. day