

Inc 1.7. lun/old Lasobans

8.7 Lasobans ellipsoid biseriate 24 x 13.5
asci 35 diam. Seke up to 200
comituli ✓

champ of Mycorrhizans ✓ spores on a seke
ca 52-58 long

Ascobans albans ✓ 26 x 11-11.5

mostly cracks, but occasional spores
smooth, often Stichodermis like structure
associated with l. apothecium

Ascobans Schizo resticida ✓

Telebans asci 70 x 41 nanus ✓

9.7 Pilobans pale 8-10 x 5 crystallinus ✓

Asc albans ✓ Schiz resticida ✓

Pibotax orange 9.5-13 x 6 levis L. concolor ✓


Asc. immersus ✓ T. nanus ✓

Mycorrhizans spores ca 57-65 no perithecia seen

14.7 Protopia f. sp ✓ Decipiens
Sch. vesticida ✓ Sch. canum ✓ f. sp. 29x13

18.7 Cap. cordisporus ✓ Cap. unise ✓ Sch. vesticida ✓
Asc. albidus ✓ P. decipiens ✓

26.7 Cap. cordisporus ✓ Staph. ? 12.5-13 x 8 purple
-13.5 -8.5
Sch. canum ✓ 4 sp w focal cystide
w ring

marginal cystide w nucleus
filamentous gelatinous article  <20 long

Spores ellipsoid-ang. -ret angled Psilocybe ✓ Coprophila

1.8 Cap. cordisporus ✓

10.8 Cap. cord ✓ Psi. cap ✓

Pal Arum cond. translucent greyish body. 1 um thick
a few sparse hairs ret. agg

Comochade Scorigera ✓ Sp. australe ✓ VER 41x8

14.8 Cap. cordisporus ER. Sp. 4 sp 51.5 x 11 intermedia

Pod Arum still in

24.8 f. sp. 14 app firm (cf firmata?). 26-22 x 6
24 app firm, seta (reticulated?) tapered to tip

spine body

48-51.5 x 24-27

basinate.

(occurred spm with 14
app directed apically.)

Asci

clavate

long stalked

50-600

x 50-60

24 apps

ca. 100

long,

tapered,

curved

structureless

difficult

to see,

even in IT

IT

intestinales ✓

Wormy.

Discarded

24.8