

grey Two Peoples Bay, 34°58'26"S; 118°10'2"E 1.10.99 45/99  
kangaroo Albany, WA inc. 2.11

3.11 Lasiosphaera Setae up to 260. Spores ellipsoid 19-19.5 x 11-11.5  
Asci 135-140 x 25-26, biseriate above  
unicari ✓

Sporomucella 4ER. Spores intensely black ✓ 70 x 13

cf Megalospora ? coll/tereti ?

7.11 Lasiosphaera biseriate. ellipsoid 19-19.5 x 12.5  
Setae ~~175~~ 180 asc 220 190 x 32 unicari ✓

Sporomucella 4ER, latching ✓ 58 x 9.5-10  
intermedia ✓

11.11 Lasiosphaera Asci 29-38 diam ✓  
Spores 19.5 x 12 Setae < 160, not inflated  
at base ca 12 diam

17.11 Podospira anthracis ✓  
4-sp. 61-70 x 29-32  
Silent short hairs at outside

Sporomucella 4ER ✓ teretispora ✓  
oblique g. slit Overcell-basal? - tending to be so pointed Asci 210 x 25  
< 5 thick, invaginated at papilla

Sordaria Good gel 21-22.5 x 11.2-10  
-25.7  
relatively narrow  
cf deira ✓ ellipsoid to parallel sided in  
longer spore

29.11 Podospira Silvery hairs above anthracis ✓  
4-sp. < 80 at outside/neck


61-70 x 29-32

**PACKET**

Podospira ④ non inflated, con agg. hairs at

neck < 200. 8 sp, basinate clavate asci  
no apical stroke ca 200 x 50  
perithecia globose ± immersed -220

sp. 2



no Zys seen ~~on~~ (no released spores) - seems  
simple in ascus


perithecial wall translucent grey, ca 10  
parenchymatous cells. brown flexuous hairs  
below

8.12 Pod astrata ✓ 4. sp. 61<sup>-64</sup> x 26<sup>-29</sup> small brown ly  
short red hairs at neck

⑦ Podospira as ④ more asymmetrical in some views,  
up to 23 wide x 29-32  
Some agglutination of hairs & ostioles when  
abundant. Asci necklace, broadest in middle  
ca 270 x 55 basinate  
ly ca 30 x 3 dark in ascus (after II added?)

⑦ Podospira another, with similar perithecia, st. smaller,  
hr spores not so asymmetrical 29-34 x 16,  
with broad ly 16 x 4.5-5

excentrica



Sporomielia UER 58-64 x 12.5  
tenetispora ✓

16.12 Coprinus - small 1-2 um.

Spore brown, narrow but inflated neck, with clamp  
Stripe smooth.  $< 8-10 \mu m$   
Spores black ellipsoid 4 sp. to cystidia  
7-8 x 5-6 (Sp. 2)

① Numerous silvery bearded perithecia +

② excentric fascicled setae type.  
③ less fascicled, more regularly disposed setae?

① Silvery hairs

1) ca 950 x 500-600  
900-

4 spored 64 x 32 small 14 apothecia papillate  
-67.5 Podospore annalis ✓

1) OLC 245 up to 225

③ 1) 550-700 x 350-420 h-seriate

Podospore S. sp Spores asymmetric in cone view (cf 29.11)  
29-32 x 22.5-22 apical secondaries often  
Spiral & twisting with others

sp. 2



② 1) 300-750 x 350-550

22.12

✓ Cop. melleo 6.5-7 x 6.5-7 x 4  
4 sp

Podospore annalis ✓  
= P. fackiiformis det. A. Bell 24.8.05

Podospore ③ as above

asymmetric spore

Podospore excentrica

32-35 x 17.5-19.5  
245 OLC.

Podcat

P. australis

61-66 - 67.5 x 25-26

P. excentrica

Podospore

with ~~asymetric~~ spores - setae

sp. 2

I uniform oval veils, not clumped or spiky. hairs larger flexous below

2.1.00

3 Podospores as above

Slide

Nothing new for some time.

Good Podospore material

Dried 2.1.00

- Lasiobolus cuniculi
- Podospora australis [sp]
- Podospora excentrica [sp]
- Podospora sp. 2 [sp]
- Sordaria alcina
- Sporormiella intermedia
- Sporormiella teretispora
- Coprinus miser [p]
- Coprinus sp. 2