

grey Mt Cannibal, 38°3'15"S; 145°40'54"E 21.10.99 70/99
kangaroo Garfield, Vic

inc 1.12
2.12

Asymmetrically Spiky Podospore 38.5-35 x 17.5-18
st. bean shaped
♂ sp. bisetate by app inserted @ angle 16-17
x 5
2ys not apparent - internal only
excentrica?

7.12

Schizothecium imm P. excentrica ✓

Sporomella 4 ER asci ca 190 x 30
Spores 70 ✓ x 12.5
-74 Cylindrospora ✓

Podospore sparse brown flexuous hairs.* S-sp. (7)
sp. broad ellipsoid, small simply by app
35-38 x 19.5-22.5 2y app not clear - base?
* Some sparse inflected, egg cells at red. unresolved

Delitschia 21-22-23 x 8.5-9.5 only v. st.
carinated at Sephon, or not at all

Let seen again
no details of asci
or pseudocarpium

Sp. 1.




White Cephalos

Apic ca 250 diam
-400

Asci

95-100 x 24-25 Sp. 1
Spores broad ellipsoid hyaline
13-14.5 x 8 bisetate




Pores uncinete, non-capitate ca 2 wide,
brownish by contents & external material

18.12 (large immed) perithecia. No red setae. Some brown flexuous hairs below. S. spred, biserial.

Podospira broad ly app, [constricted at junction with spore, 20 x 6 x 9

Spore body 39-51 x 25-22

Cells around neck v. bl. projecting/elongated to give papillate surface. sp. 3.



Cephalosporium S. sp white

Sp. 1


cf 74/99 Schizothecium 'bifid' apical zy, small ly.

Spores 51-54 x 22-24 45- S. sp.

Corvularia

Sp. cylindrospora ? fragments

and 21 x 14 inside. 19 x 17.5 (i.e ca 80 x 17.5 total)




approximation of 24 app of group of discharged spore

24.12 Large Comanthri Cornutus sp. 13 x 8
radiata


White Cornutus ✓ C250 flat disc Sp. 1

Asci 80 x 25 sp. 13 x 8
biseriate uncinata v slight capitate pores
to 3-4

Schizotheca cornuoides ✓  45-48 x 22-23
poorly developed 'scales' of agg cells

Cop. straussi X cornuoides — not seen later See 14.1

Pod. excentrica ✓ asymetric setal tips. Sp. 1



3.1.00 Besoldia cellular at base sp. 11-11.5 x 6-6.5
no facial cystide
no ring, but stem splitting downward from just
below cap cap < 1 cm diam campanulate
brown hyaline. margin - white crenate

Psathyrella ? ✓

Sch. annuloides —

Cornutus —

Pod. excentrica ✓

8.1 Pod. excentrica —

Sch. annuloides ✓

14.1 Cornutus sp. 16 x 10 x 8 large white micardium with
obovate white. Sphaerocyst scales. ✓ hivers

Sch curvuloides ✓

Coniochaeta

G. sp.

21-22 x 16 x 9

asci 150 x 19

setae < 100

Scat-gene

21.1

Hypocrea

Sarlitony, no stroma, waxy white

'flaps' at ostiole. Asc ca 240 x 20 uniseriate

spores fusoid, st. asymmetrical. 29-32 x 13.5-13⁻¹⁴

g. slit on 'flat' side of spore, 23-25 long

i.e. spore is symmetrical when g. slit is in
center



festuacea?

SLIDE

only sign of seed cell is st. refringence

at base of hyaline spores in asc. + just visible
just about limit of my resolution after some time
only visible part is waxy ostiole region

Pore blown in KI

phy ca 14 x 7

(not as champagne-corky as e.g. sp. 1 & 2)



Cop. niveus ✓

Stropharia ? ✓



11-11.5 x 6

cream hatched. no ring.

Cap 2.5 mm diam, capanulate,

paler at margin.

Stipe silky 3.5 mm x 1

PACKET

Trichodelitschia

19-19.5 x 6-7

munkii ?

SLIDE

26.1

Hyp. festuacea

perithecia removed from

PACKET

Coprotus sp. 1

Coniochaeta scatigena

Delitschia sp. 1

Hypocrea festuacea

Podospora excentrica ✓

Podospora sp. 3

Schizothecium curvuloides

Sporormiella cylindrospora

Trichodelitschia munkii

Coprinus niveus

Coprinus radiatus

Psathyrella sp.

Stropharia sp.

+ AB:- Pellet

Con. leucophaea

P. intestinale a h. f. f.

sp. minima

sp. brevis

Dried

26.1