

Rabbit, Teno Alto, Tenerife, Spain 22.11.99

inc 28.11 $28^{\circ} 20' 29'' N$ $16^{\circ} 52' 8'' W$

28.11

29.11

3.12

6.12 Sp. VER intermedia DI. check

13.12 Sp VER $51-55 \times 10$ intermedia ✓

21.12 Cop ver $8 \times$ $8-10 \times 9-10 \times 6$ check

Sphaerodes fusiforme ✓ 16×9.5

Sp. intermedia ✓ Melanogaster fusiforme ✓

30.12 Cop ver ✓

7.1.00 Cop ver ✓

long wrinkled Pseudoteciin - Sporangia 4T

parallel g. sit spores not distinctly tapered - some slightly so $29 \times 5-6$ leptina ✓

(check)

Chetomium ✓ spiral grey rough hair

spores fusoid hairy $14.5-16 \times 7-9$

Sch. Tetrapsporium ✓ good scales 19.5×12.5

13.1 Sch. Tetrapsporium ✓

Coc higino? $8-10 \times 7-8 \times 6-5$?

too small? to setee scar
cxi ca 100 + 13

19.1 Sch. vesticola ✓ poor scales, unisporous at first

Trichobolitichia 21-22.5 x 8 bipartita Sch.

Cornucoprea S. sp. immixta naturg

asci 9-7-6 + 6-7 x 4 ro Selze. See

asci ca 80-90 x 10 f Lecyphora ?

24.1 Coprinus minor

Trichobolitichia 21-22.5 x 8

Dried 24.1

new sp. 24.1

new sp. 24.1

T2. alluvium - moisture below ground

24.2 - single pleurotoid low age 10-20 mm. thick

young 2-2 x 36 mm. white

(dead)

mat - grey pink large mineral

P-T x 11-211 pink grey grey

Dried 24.1 white grey mineral grey

new sp. 24.1

Dried 24.1 white grey mineral grey

new sp. 24.1 white grey

new sp. 24.1 white grey

new sp. 24.1 white grey mineral grey