

Donkey Troat Morocco 8°41' 51" W 30°23' 19" N 13.600 33/00  
Inc 26.6. 450 m

30.6 7.7 Sordaria broad oval, v. thin gel  
19-19.5 x 16 humana ⊗ ✓  
-21

10.7 Sp. minima ⊗ ✓ hairy 29-30 x 5 4ER.

Chaetomium grey lineariform spores 12.5-13 x 8  
long grey unbranched hairs asci clavate

Sordaria long ellipsoid 22-24 x 11.2-12.5  
good gel. fumida ⊗

S. humana ✓

15.7 S. humana ✓ with whitish rosette to perithecium

Sp. minima ✓

17.7 S. minima ✓ Sord. humana ✓

20.7 Sp. australis 4ER 40-42 x 8

Pod. Panseta 4. sp. 33-34 x 19-20 good setae.

Chaetomium ✓ verrucate terminals to hairs  
asci clavate sp 11-11.5 x 8 murorum

24.7 Chaetomium verrucate ✓. Sord. humana ✓

Sp. minima ✓ Sord. fumida ✓ Sord. humana ✓

31.7 Chaetomium murorum ✓ 12.5-14 x 7-8

Sp. minima ✓ Sord. humana ✓

4.8 ✓ Coprinus artus (x) imm. Sordaria fumicola ✓

Sp. minima ✓

10.8 Cop artus ✓ Symmeris reesei (x) ✓ Sp. minima ✓

Sord humana ✓ Ustilago Ustilago

Chesterium murorum ✓

14.8 Cop artus ✓ S. humana ✓ Ch. murorum ✓

Zopfiella estrata (x)



12.5-13 x 7

Black sparse hairs to 1100  $\mu$ m. Septate 3 don  
excipulum of polygland cells 6-10.


Sp. minima ✓

21.8 Zopfiella ✓ ok Sp. minima ✓ Sord humana ✓

26.8 Cop. artus ✓ Sp. minima ✓

Podospora Communi ✓

8-sp biseriate small apical gp  
asci ca 200 x 40  
clavate



after curved.

Zopfiella ✓ Ch. murorum ✓ Sp. minima ✓

29 P. communis ✓

White Coprows A ✓  
asci 80-85 x 19-20 f-sp  
basinate 10.5 x 7

Zopfella ✓ imm asci 70 x 13  
naked basinate . hairs separate  
at 40-60 intervals, 3 diam.

11.9 Cop. curvis ✓ P. communis ✓ Zopfella erstrate  
Sp. minima ✓ hairs to 1500µm

Dated 11.9

Plenty of Zopfella  
present