

Asc 26.6 Sidi Rbat, Swiss-Massa NP. Morocco 17.6.00 37/00
9°39'58"W 30°4'38" N

26.6. Sporonella 4 ER minima (x) 29-32 x 6.5
unspor asci 110-115 x 20

g. str 2-agonal pseudococci 120-150 diam

30.6 Sordaria worked gel 21-22.5 x 11.5
invaginated at base funicata (x) ✓ ellipsoid

7.7 Reddish Setulae Coprinus with sphaerocysts
4. spored no basal cystidia
Setae capitate Sphaerocysts thick walled, golden brown
Spores large dark ellipsoid, offset sp.
12.5-14 x 8 cf curtus (x) ? ✓

Sordaria long-ellipsoid - parallel cord in middle
22 x 12 gel funicata ✓

10.7 Ser. funicata ✓
Immature wickaceous Saccobolus

13.7 Coprinus lanatulus small unexpanded. 4 spored
spores ellipsoid 12-12.5 x 6.5 radicata (x) ✓

17.7 Cop. cf curtus ✓ Sord. funicata ✓ Sp. minima ✓

Oedocera

20.7, 24.7. Sp. minima ✓

Small hyaline Saccobolus (x) ✓ grey smooth spores,
only loosely associated or free at maturity etc

Ascus 12.5-13 x 6.5
 Spores 1 3+3+2
 asc ca 50 x 16

32-35 x 13-14
 brown KI

odd form of depauperates?

does not fit any of the normal 'Crose-sprad' spp.

31.7 Black Spherical clavate. 220-250 dia

Asci clavate 65 x 15 Spores grey,
 brown form with g.p. at one end, hyaline
 apical age. 5-6 x 2 other 12-11 x 6.5-7



Thick wall of angular polygonal cells < 20,
 with scattered dark - thick walled Septate hairs
 up to 350 long x 4, swollen to 10 at base
 and pale at obtuse apex. Triptenssora?

immature Spores clavate, with broader apical
 than when mature



Zopfella
erubescens

Cap. arbus ✓ Sp. minima ✓

4.8 Cap. arbus ✓ Sord. fimbriata ✓ Zopfella ✓ - hairs
 up to 800

9.8 Cap. arbus ✓ Zopfella ✓
Sp. minima ✓
 Poking to under top.

4.8 Zopfella ✓ hairs relatively sparse + short.
 abundant. Asc ca 55 x 12, clavate sp. hyaline
 11-12 x 6.5

21.8

Zepfella plentiful

Sad finch ✓

Very heavy on old ones

Dried 21.8 - nothing new since 31.7