

BAR, KB. 25.74°E, 35.26°N

incubated 16.5

16.5 Sporomniella 4 ER 46 x 8 antraks ✓
~~Coniochaeta~~ Tarbadelatechna sp. immature 22-23
basipila ✓

notes present in
46 - 54 x 8

22.5 T. basipila ✓

Sp. 4 ER 46 x 9
-51 Asci 145 x 22

Small Pale Coprinus ca 200 diam. Asc: 120 x 16⁻¹⁴⁰ 8. spore
 Spores hyaline, partially cylindrical operculate
 basinate 10-10.5 x 7-7.5 ✓

excipulum of polygonal cells. Fr. yellowish in mass

Peras dense, hyaline v.v. slightly swollen at tip

27.5 Coprinus as above, with some larger apothecia new,
 < 500 diam

Sp. 4 ER 53 x 9 intermedia ✓

T. basipila ✓

Sp. 4 ER 52-67 x 10-11.5 intermedia

3.6 Trichodel.

20 x 8

brspora ✓

Copula

White disc < 400 diam



excupula

sp. ochracea

Spores

9.5 - 12.5 x 7.5

asci

ca 110 x 19

Trichopore



3 equal arms tapering to

point 40-45-45, x 2 → 1

+ basal stalk, broader

base

30-35 x 3

1-2

septa

Sporobochia ?

Sp. intermedia ✓ 17-61 x 11.5

Sarcobolus

mycelia,

small

3+3+2 spores rough

sm. 42 x 16

19 x 8

Asci

120 x 35

versicolor

but not as described for hedini

9.6 T. brspora ✓

Sp. intermedia ✓

14.6 T. brspora ✓

Sp. intermedia ✓

Copula

sp. 11 x 6.5

circinate paraphyses

excupula

polygonal cells ca 10 diam

asci

ca 110 x 16-19, operculate

1-2 septate

20.6 Coprinus ✓ as above

T. bispore ✓

Sp. 4 ER 4.5 x 2

antraks ✓

Sp. 4 ER 5.5 x 9

intermedia ✓

24.6 Leucodermate unispore ✓

Coprinus ✓ small pale. Broad ellipsoid hyaline

spores 11 x 8, biseriate. Ascii 110 x 19

Tricho. bispore ✓ pseudoteria with brown

flexure lower below, strongly setae at base.

Sp. 19.5-21 x 8

Immature perithecia, hatched body. S.sp. ?

4.7 Schizotelia S.sp. Poor scales

21-22.5 x 12.5-13

1-2 setae

vesticula ✓

Sp. intermedia ✓

T. bispore -

Dried 4.7