


21.7 present or collection:-

Armium 8. sp. symmetrical.

immbr. 42 x 24 no setae habre. 42 x 24

merax

Podospira apiculata



Arpodium ampullaceum

ampullate setae at

neck. 32-35 x 17.5 apically divaricate, typical

inserted by app. basal sp.

Cheilymenia

~~sterile~~

Asci in hymenium

ca 40 below tips of pores - < 8 at tip.

Spores fibrously misshapen, ellipsoid 22-23 x 11-11.5

Asci 190-200 x 19-20

Hairs with bifurcate st. rooting base, septate, up to

400 long, wall ca 2-3 thick.

finicula

Lasiosphaeria

Pala optimum Setae ca 500-600

Spores narrow truncate 25-27-28 x 9.5
/ellipsoid

Spores biserte. asci ca 30 diam.

inset

inflated to 30 at base
wall ca 5-thick.

Sporangiella

4T spore.

83 x 20, very castrated at

Septa

267 A. ampullaceum ✓

Arminium nudex ✓

Coprinus, v. small, brownish sphaerocyst veil
to scales, but some elongated elements



$7-8 \times 7-8 \times 5$

Cordisporus

Trochoderma

25 x 9.5

307 Pod appedulata ✓

A. nudex ✓

brispore

T. brispore ✓

Sporomella UER 96-93 x 16

Sl. diagonal, straight g.s.

basidios ?

Cenochalka

v. small

Spores ± ellipsoid 7-6 x 3

Setae

< 65

8 spored, uniseriate

asci

ca 50 x 6

sp. ?

7.8 Arminium nudex ✓

Pod. appedulata ✓

T. brispore ✓

12.8 T. brispore ✓

A. appedulata ✓

Coprinus uniser ✓

A. nudex ✓

Cenochalka scitigera ✓

14.5-22.5 x 16-19 v8

Sp. UER

96 x 19-20

basidios ✓

Coprinus ✓

4-sp

sphaerocyst

Sp. as above.

Cordisporus

A. ampullaceum ✓

18.8

P. appadmalata ✓

Amedae ✓

24.9

Sp 4 ER

93.109 x 17.5-19.5

hneeb ✓

P. appadmalata ✓

Dated 24.9