

20 Aug. 2001. Incubated 27 Sep. Coll. R. Watling.

27.9 -

2.10 Piptocetrans erect, stoloniferous?, wet
 andri chloans large floral head,
 distal de gant tips. brown short
 spores 4-8 x 3 Chaws a 5 spread
lepas

Pod. deepses s.sp 35-38.5 x 19-20

8.10

Coprinus stercorarius

Pod 16.sp. pleospora ✓ 32-38.5 x 19-21

Coprinus leptoneurus ✓ pruvodier

not seen until later? not recorded

Pilobans spores colorless, ellipsoid 7-9 x 5
crystalline ? ✓

16.10 Coprinus niger ✓

Cop. stercorarius ✓

Pod pleospora -

Scl. tetrasporium ✓

23.10

Cop. stercorarius -

Pod pleospora -

Pod deepses -

Succinans su 38-41 x 16 Spore smooth

3+3+2 ascus 125-130 x 30-32

vesicular ✓

Scl. tetrasporium ✓

Sp 19-20 x 10-10.5

Cheekman Spiral hairs Spine gray, ellipsoid
to str. lineariform 6-7 x 4.5-5
body chases

21.10

Cp. stercoraria ✓

Cp. branched caps no setae

Immature pattern - group of 3-4 semi-mixed
no setae. Strong hyaline on exposed body. ?

P. decipies ✓

Sch. tetraspinum ✓

11.11 Cp. stercoraria ✓

Pod pleosporum ✓

Sch. tetraspinum ✓

Schise pentheca
ampullate asci,

polyspored
round headed

12.11 6c - spored ?

Armon leporinum

Setae radiating from neck, not-organized
up to 300 long. sp 19.5-21 x 11.2-12.2.

Sch. tetraspinum ✓

20.11

Armon leporinum ✓

Sch. tetraspinum ✓

P. decipies ✓

Pod pleosporum ✓

Cp. stercoraria

Dried 20.11