

10.5.03. E26.92, N37.00. Under pines.

21.5 -
26.5 -

Laschobius small up to 200 diam

Setae 110-130 x 10 at base.

Spores 1-2 seriate 19-19.5 x 11-12

asci ca 20 x 150 (only seriate)

Laschoboides? ✓

check later. not seen again

2.6

Aserbicus immersed ✓ ascus 690 x 100

Sp. 57-61 x 35-36 4 & 8 spored

Ascom I fly immersed ~~obscure~~ perithecia

ca 580 diam. with a few more < 65 hairs at neck, greyish.

Immature asci long stalked 240-310 x 30, broad

immature spores in ascus 10 diam. "solid"

Ascus is apical
Structure of stalked
of birch-like thickenings:



All completely 4-spored but

spores in some of aborting initial of
additional spores? < 8 in total.

See Lund ~~work~~ - A. hirtum, but apperage in setical &
ascus apex do not agree. cf A. crizense -
wait for name material cf hirtum ✓

10-6

Overgrown with Podospira Wesnei

Coprinus flauvifolius

as other samples of this group

Podospira "hypophila"

♂ sp. 40-41.5 - 48 x

irregularly basate

21-22

typical neck papilla

too large - decipies (but 3µm) "macrodecipies"?

Reddish overlapping 40-42 long.

19.6 Podospira "hypophila"

♂ sp. 35-38.5 x 19.3-21

ok for decipies

After ~~beaten~~

with some variable spurs

some up to

45 x 19.3

others 35.3 x 19.

from some beaten.

28.6 Pod. ♂ sp. 35.5-39 x 17.5-19.5

-21

decipies ✓

Ammon

no setae or hairs

sp. 45-48 x 24-23

no rows apical stroke

mostly 4-spined, setae 3+1 abraded or less distinct or 2 celled,

solid apertures, asymmetrically inserted

dark - thick walled cells of neck.

still uncertain, not near for cf. hirtum sp. ✓


A. arizonae (no teeth) or A. hirtum (no setae)

7.7. Podospira f. sp. decipiens ✓ 42×21

Schizotheca f. sp. reticulata 18-19.5 x 10

vesticula ✓

21.7 hairy Podospira sp 25-28.5 x 17.5
↳ no apical setae -30.5 -19.5



pedicel 24-29 x 7
or
widest,

apophyses simple apparently solid? 5.5-6 at base
up to 50 long. Obviously bisetate

Aseis mostly 4 spores, but some with more, ≤ 8
↳ some with aborted spores. No apical
structure. ca 320-350 x 50-60

keys + apices ± with mexicana in
Rizka + Cail

Podospira f. sp. Rhyppophila 39-41.5-48 x 21-19
'macrodecipiens'

Dried 21.7

All P. rhyppophila casted to
be decipiens not wide enough
of other macrodecipiens