

W3.17, N55.85.

8.12 - 

10.12 ~~Crown~~ of white candidiasis on dead animal.

Ballocephala, candidiasis 200 tall, emptying from x6-7
all over animal.

Spores splashed, v sh rough? 6-7 diam

host is x Tardigrade verrucae spores ✓

see TBMS 55: 307-309. 1970

~~Verruca~~ ~~fumosa~~ ✓

Pilaira pale
ellipsoid 10-13 x 7-8

~~Thelobius~~ ~~stereus~~ ✓

~~Ascozoum~~ ~~rotundum~~ ✓

Worm ✓

Sp. frsod 12.5-13 x 3-3.5

Thelobius Large ovoid-saccate ~~spores~~, several/apr
12.8 x 5.5
spores ellipsoid 7-8 x 4
2-300 spores, of one?

12.12 A. rotundum ✓ invertebrate ~~spores~~ Ascozoum ~~rotundum~~ ✓


Pipilocephala long beaded 4-chlorans

longest-de-gant brown, oval, spotted sporophores

sp cylindrical 5-6 x 3 3-4 / chain


head cells  Presencia ✓

16.12 V. fimicola - Telebans name ✓

Asc. brassicae ✓ spores 12 diam, lightly pigmented
evenly verrucate
apothecial cells parenchymatous
spores alternately uniseriate :- 

Ascospora woolhousii ✓ spore mass 55 x 29

Sch. Schwarzspann ✓ Pip. Reseniana ✓

Pilobolus sp. ellipsoid  ± colourless
11.2-13 x 4.8-5 crystalline ✓

31.12 P. crystallinus - Cap. stercorarius ✓ V. fimicola

Pip. Reseniana - Asc. brassicae - Sch. Schwarzspann -

Saccobolus 3+3+2 v. dark spores smooth to rough
41-45 x 15-16
Asci 45 x 32 versicolor ✓

Ascospora immixta abdos? Asc. woolhousii -

Telebans ✓ as or 10.12 asc: 45 x 40
spore mass rounded 55-60 x 32

Volutella ciliata

10.1 Cap. stercorarius ✓ Sch. Schwarzspann ✓ Volutella ✓



17.1 as star, 24.1 Discarded 10.1 / Discarded 24.1