

Sheep. among crops, Mamiku Valley, Praslin, St Lucia
W60.91. N13.86. coll. 2.3.04, incubated 6.3.04.

6/04

- 8.3. Pilobahns Spores ellipsoid yellow-orange
4.5-11 x 6.5-7.5 Kleini ✓
- 11.3 Coprinus primula very capitate setules w/
brownish Sphaerocystis heptenensis ✓ -55
Pilobahns Spores small ellipsoid hyaline 7-6x3
? unbonatus ✓
- ~ 14.3 P. Kleini ✓ orange brownish, ellipsoid 4.5-11 x 6.5
Cop. heptenensis / abundant sp. 
10.5-12.2 x 5
- 17.3 Sporangia w/e fronting sp. 30-32 x 4-5
± parallel g. slits minima ✓
- Saccobahns 3+3+2 hyaline - v. rough spores
sim 32 x 16 spores 12.5-13.5 x 7
Asci up to 100 x 38, with retrorse
wavy stalks minima (see 27.3 over)
- 27.3 Cop. heptenensis / Cop. corticorum? primula
Saccobahns yellow 250µm Asci broad 65 x 30
not sim 40-42 x 18
Sp. con 16 x 8 before P. tritidea. Smooth w/o rugae.
not truncat. - rhomboid
ellipsoid.
cf. troncatus sp. ✓

Saccobium hyaline aps 200-210 diam.

Aci 80 x 30 broad above. Part
hyaline. st. wider at tip

Spores not firmly held together when ripe &
Slide powdered. Individually 12.5-13 x 7-8
deeply rough, rounded 

Sp. mass in class rounded 29-32 x 16-17
Minutus ✓

30.3 Coprinus cardisporus? - Some indication of
post rug remnant on some (e.g. of ephemerader)
(1. spored) cardisporous 5-sided
8 x 8 x 4. 

Saccobium yellow 4 x 2 spores smooth

s. less 35 x 19 Sp 17 x 8-9.5
-19.5

Sordaria Sp 18.5-16 x 12 thin gel.

5.4 Lep. cardisporus ✓

(Lappe)funicola ✓
not seen again

White Lepidots 300 diam. 8-sp. acic,

aci broad clavate 80 x 22. Spores biserrate

broad ellipt. 9.5-11.2 x 8

Perioles slightly conitate + curvate. luteo sp. ✓

Yellow Saccobium sm 40-42 x 17 Sp. smooth,
rot truncate 17-18 x 7.

11.4 Cop. cardspars

Sp. 4 ER 32 x 6

Cop. sternocar.

minima

Podospora

white spores, Selze.

Sp. (b x 11.5)
-17.5



Selze uninfused, unaggregated < 150 long.

Ascs with rounded top w apical structure
cf. Sclerosa

Ceroplate clear apical mag.

rem form spores (35? long.
no scales - 50-55) per st. hairy -
Schizotrichia

some inflated - cell scales

Sordariaceae?
unratable

Coprotrichia white apothecia sp. 11-11.5 x 6.5

b-senile hymen ellipsoid ca 250 diam.
asci 100 x 22

Paras non-capitate.

dark

17.5 Cop. cardspars ✓ Cop. sternocar. ✓

Coprinus ✓ as above

Asc 95-
112 x 19

Sp. 11.2-12.2 x 7-7.5 (H)

27.4 Cop. sternocar.


Sp. minima ✓

Ceroplate


rem form spores
ca 40 not many clearly
visible

Podospora comm.

Sp. 30.5-32 x 19
reduced 29 x 4.5



P. monosporus uniseriate ✓ spores hyaline ellipsoid
c. 6 x 3 obliquely uniseriate Reittera small,
immersed except for papillate ostiole, ca 130-150
diam



4.5 Coprinus stercoreus ✓ Coprinus ✓ 11-11.5 x ~~4.5~~ 8
P. communis ✓ Asci 110 x 19

Cecropora ✓

Phanerochaete mixta

Dried 8/4 with P. communis
Cecropora ✓
Phanerochaete