

E2.25. N42.69.

27.4 Imature CanochaeetaSordaria 19.5-22 x 14-15 no fine spurs

thin gel seen on one.

cf humana ✓

Sp UER 55-51 x 10

~~intermedia~~ ✓

8 aged


g. slits.

Ascus 190 x 29

1.5 Deltschia

41.5-48.5 x 17.5-19.5 obl. uniseriate

ascus 35 diam.

Patagonica ✓Sordaria

no gel, broad spurs 19-21 x 15.5-16.

~~humana~~ ✓Canochaeeta~~humana~~ ✓

spurs descend

14-14.5 x 10-12.5 x 8

setae to 45 long,

in one concentrated and ~~setae~~ in other all over
upper half of perithecia.4.5 D. patagonica ✓Sp. intermedia ✓7.5 Sp. intermedia ✓D. patagonicaT. rodelitschii

sp 21-22.5 x 8

hispida ✓13.5 Deltschia ✓ pseudotectaria immersed I completely, with
± white covering within the substrate.

Con-ochalea 8-sp. large distinctly discoid spore
17-19.5 x 16-17 x 8 Setae at 137°
205 Scutigera

Con-ochalea 8-sp. discoid - ellipsoid spore
14.5-16 x 11-11.5 x 6 hemiana ✓
Setae variable some at neck/ostiole, others
with lordy ang.

Sp-4 ER 48-54 x 9.5 intermedia ✓

Tr. bipuncta ✓ Sp 22.5 x 8

21.5 Tricho. bipuncta ✓ sp. 22.5-24 x 9-9.5

Con. hemiana ✓ Sp. intermedia ✓

Rechtsche ✓ 42-48 x 19-19.5 uniserial



Asci ca 400 x 38-40
with tapered stalk.

265 Tr. bipuncta ✓ Con. scutigera ✓ Con. hemiana ✓

1.6 Rechtsche patagonica ✓ 15140 Rechtsche bipuncta ✓

Con-ochalea scutigera ✓ Sp 4 ER 51-58 x 9.5
intermedia ✓

86 Tr. bipuncta ✓ Sp. intermedia ✓ Con. hemiana ✓

Con. scutigera ✓

Dried 8.6 with 4 aspers.