

Goat. Nagos, track through olives & pines Chios, Greece. 28/04
 16.5.04. E26.08. N38.56. Inc. 19.5.04. Coll. BAR & KB

20.5-23.5 Apothecial heads

26.5 Laszlohy < 400 diam Sebel < 130
 200'

Asci 240 x 32-35 sp. basinate 19-19.5 x 12-5-13
 21'

exicipula cells horizontally elongated
 ascus \pm cylindrical, tapering to base from about 180 ✓

Sordaria 18-19-20 x 9.5-10

Asci 175-180 x 14-15

obliquely basinate



funicular ✓

30.5 white Coprinus perithecia - numerous?


Laszlohy basinate asci 175-210 x 26-29
 \pm cylindrical

sp. 19.5-21 x 12.2-12.8 broad ellipsoid

exicipula ^{interlocking} polygonal cells (cf. a fig. smu)
 horizontally elongated
 Sebel thin walled, $< 290 \times 10$ at base
 thicker

apothecia $< ca$ 1mm diam, canes, small frond
 \pm dendrothecial when young amati ✓

Sordaria sp 22.0-23 x 12.5 good gel

8.6 Coprinus abundant fruited 4mm high. funicular
 abundant chelocystidia 4-sp, spores v. dark 'swamp'-
 fruited 6-6.5 x 3.5-4 . Vial \pm mixture of
 Sphaerocystis + hyphal elements - irregular
 thin walled, ca $<$ wide fluorifer ✓


28.6
11.7

masses of ~~20~~ Coprinus

Seh. ~~tetrastroma~~ 4-sp 18-19.5 x 11

Coprinus thin walled hyphal net. \pm square,

v. dark spores  6.5 x 5 filamentifer

discarded - old + messy with wood + Coprinus