

E23.41 N61.90. 22.8.04 [incubated 19.9.04]

white disc with lockers
+ penicillin disc empty trace.
17.5-19.5 x 6.

20.9 - 22.9 Tarchochitscha

'straight' - tapered spores



Setae < 130 x 7

at base

monilia ✓

27.9 Myx0 Cinnabar head ± typhula like.

Spores globose, v. minutely verrucose 7-8 diam

Stalk 160 x 16 head ca 480 long x 300



hyaline & colorless singly, st. brownish
on moss.

Arctia cinerea ✓ (det. B. Ing)

6.10 white ciliate - margined apothecia 250 diam

Spores oblong bisected, ellipsoid 8.5-9.5 x 3

Pores v thin ca 0.5 with vsl. layer top.

Asci



42 x 10



no pore evident in I: (?) pezizella? ✓
need to check marginal fringe morphology
- slight hint after a while. ✓

12.10 Arctia cinerea ✓


"Pezizella"

hyaline, acule, smooth
up to 600 diam.

< 30 long. Order apothecia

Spores 9.5 - 12.5 x 3
oblongly bisected

Asci 55 x 10 sp. bisected
ellipsoid to st. forward - asymmetrical



PO

keys out to Hyaloscypha intacta in

Noble Maermyceta

26.10 Areyria cinerea ✓ T. mundici ✓

~~Sp. venans~~ type Spore Fragments

~~Sordaria alvina~~ Sp. 22-24 x 9.

4.11 Areyria ✓ S. alvina ✓ enclosed Spores

23.11 Areyria ✓ S. alvina ✓

Coniochaeta 8-sp. v. short cable < 20 at neck

Ascus 8-9 x 6-6.5 x 4

Leptoplaea ✓

Dried 23.11