

24.6 - 27.6 ✓

30.6 P. libanus kleinii ✓ range on moss 12.5-13 x 8

P. libanus crystallinus ✓ hyaline 7-8 x 5

4.7 Ascobolus immersus ✓ Abundant P. libanus ✓

14.7 Coprinus white, conical unexpanded cap 5 mm high x 3 mm expanded cap to 1 cm veil very scanty, slightly fleshy, of narrow (3 mm wide) thick walled branched hyphae. Spores oval 8.5-9.5 x 5

A. immersus ✓ P. decipiens ✓ vermiculifer ✓
8-sp
35-38.5 x 19-19.5

21.7 Cop. vermiculifer ✓ P. decipiens ✓ 8-sp

Arnicum 4-sp 45-48 x 22-23-24

spores apparently 'sturd', 80-90 aggregated x 8-10 unfringed hyphae subse. sand-tuft arizense ✓

Coprinus subse + sphaerocysts heptemerus ✓
non-capitate scales

Saccobolus vesicifer ✓ Schizotheca good scales 8-sp
imm sps 26 x 13 concom ✓

5mm 42-44 x 16.
spores oval


27-7 Sch. canicum ✓ Podocarpus Chrom

Cop. vermiformis ✓ Asc. immersus ✓ Pod. deipras ✓
8-sp

White Coprolites 8-sp ca 200 diam



Asci 50-55 x 20 sp ellipsoid, biseriate
Pores hyaline, st. curved → 12.5-13 x 7.5-8
HP SE swollen towards
granuliformis ?

21-8 Lodophanes canens ✓ 21-22 x 12.5 


(immersed) globose, translucent bodied pectica. imitate
Carger, ^{hairier} ~~larger~~ pectica. 8 spores frond asci.
Annem ? biseriate no spiral ring.
immature.

Sch. canicum ✓

28-8 L. canens ✓

Annem hairy + with asymmetric tufts
sp uniseriate, ascus frond, no ring

sp. 42 x 20-19
-46
-48-51



ca 80 x 13 at base
-100



Sp. ✓

Dated 28-8 with L. canens + Annem sp