

6.5 - 11.5 Sordaria abundant but immature.
 a few free, uncolored spores with broad gel
 21-22 x 10 asci 14 wide

fungi ✓

15.5 Abundant Sordaria sp 18 x 9.5-10
 -19.5
 -22
 good broad gel.



fungi ✓

20.5 Sp. u. 2 immature superficial tectum in
 acid mycelin asci 180 x 22.5, spores body
 discernible 48 x 10. Dark myceloid hairy
 elements on pseudotectum

fungi ✓?

Sordaria ✓ abundant

24.5 abundant Sordaria ✓ Xylostroma ✓ rhizomorph?

27.5 Hypocrea very immature - black ostioid
 surrounded by light white mycelial disc.

2.6 Hypocrea ostioid with toothed rim,

30 diam. left pedicel ca 8 long

-38
 periphery deep blue ink



6.6 Sordaria fungida. Hypocrea same body
 as above spores 24-25.5-26 x 12.5-13. asci 270 x 19
 Second cell just apparent in immature asci ✓
 per in situ 6 long. brefeldii




27.6 Hypocypria / Peritroca 800 diam., black,
embedded in superficial white lympha masses

Ostiale 30 diam. No sign of asci or
spores?

4.7 Hypocypria sp. ²³⁻ 24-25 x 13-14.5

g slit 13 long ellipsoid  uniseptate.

Sign of 2nd cell just visible in
non-digested spores. Not apparent in mature

Spores. Ascii 240 x  22-23
pore bright blue in KI h. plidii ✓ ✓
5-6 x 5-6

Sporangium 4 ER 58-60 x 10

Asci 240 x 29. intermedia ✓

g. Slits 2.5 diam.

2nd 4.7 with Hypocypria, Sordaria
+ Sporangium