


ca 10-15 below the tip, no pigment associated cerata

Sch. zinn imake, small scales, 8-sp


25.8 Pseudanthophis H. v. plato S. finicola

Sch. good scales 8-sp imake

31.8 Coprus Sch. 4-sp no pleurostidia

no sphaerocysts Sch. evenly tapered to rounded tip. $< 90 \mu m$ sp 

g.p. not or only v. st. eccentric 9.5-11.2 x 5.7-6.3

check deutoyostidia, but not like 
gill edge of unbranched rounded cells ca 10-12 translucent
& am.

Abundant Pseudanthophis checked KI-RE See below 2.9

Coprus miser ✓

Sch. canum ✓ good scales

8-sp 1-2 seriate 25.5-27 x 13-14

2.9. Cop. Sch. zinn U-sp no facial pycnoda
Cop Sch. $< 80 \mu m$ spars 9.9.5 x 4.5-8
conurostidia $< 65-80 \times 10$ at base
deutoyostidia < 25 pellucida ✓

24.9 Cop. andersoni not under? Cop. miser

Pseudanthophis ✓

25.9 OK. 4-sp.

2.10 Cop. cardispermus ✓ Cop. uniser ✓ Ps. cernua ✓

Sch. coman ✓ Cop. rediflor ✓

Discard - Correl 2.10

Pilax sp. ...

Sed.

19.8 Sed.

Schistocera ...

21.8 Pteridophyta ...

Ps.