

6 m. Clifftop, rough grassland. Incubated 9.8.

- 11.8 Small brown-mottled apothecia c. 200 diam.
8-sp., 8-10 x 4 Thelephorus microsporus ✓
no sign of paraphyses
- Ascobolus ~~ellipticus~~ (fertile) spores present
- Schizotrichum 8-sp. 19-21 x 9.5-10. poor scales
nesticula ✓
- 11.8 Cop. cordisporos ✓ - dark spores ok
9 x 9 x 6 See below
- Schizotrichum perithecia 480 x 275, I no scale
8-sp 21 x 11 - 11.5 I visible nesticula ✓
- 19.8 Cop. ephemerader ✓ caps 2 mm diam. stipes 18 mm tall
stipe with my sp. 8.5-9 x 8.5-9 x 5
- Coprinus miser ✓ (check for cordisporos
some pruinose present? too
brown for ephemerader?)
light ok - See 22.8
Stropharia / Psilocybe brown Small
Spore 12.5-13.5 x 7 complete caps, 5 mm diam.
no ring stipe 80 x 1 wit Silver stem
marginal cystidia velvety below, rounded apically,
with tiny excitation. No pleurocystidia?
P. coprophila ✓
- 67
11
32

Comochela picticollis small 120-
80-
asci 80 x 8 sp. sub discoid - ellipsoid

8 x 6.5 x 4.5

○ ○

up to 15 long. blunt.

Setae scarce,
teroplacoid

other Anelidus / Fwf. for 118

21.8 P. coprophile ✓ Cop miser ✓

22.8 Cop. miser ! for HERB Cop. crosspmt ✓ 81c

Sch. nesticola ✓ no rings

23. Lathrobium setae thick-walled < 260 x 26
sp broad ellipsoid 21 x 12-12.5
-21.5 below f
ciliates ?

Hypoeca principia ? pale greenish to dark

orbicular sept.

26.8 Cop. crosspmt ✓ Hypoeca not yet made

Pseudopara degenes ✓

8-sp 38.5 x 19-19.5

orbicular + 4mg asc of
Darida ? ✓ 8 wide, small pre
bireinforced

28.8 From spine put up to look for conformation of Ascellula

Sp. 4-T 42-49 x 9.5

fragrant, deeply septate

oooo

asc tapering to narrow base
"lageniformis" ? ✓

(make pattern with shiny, undulated + aggregated hairs at neck?)

31.8 Cop. cadiosporus

Acridium spnc

Small entire toca



22.5-24 x
11-11.5

with discrete block like < 100 long. Recal
body 200 diam, brownish, not dark orange.
improve.


H. parva

improve

through search - no
signs of large Peritrichia
apothecia seen. Spore size not
likely from albidus

Panaeolus

3.8 Polytrichum? immae Stipe pale cream 1.5 cm x 4 mm, with
brownish gills - no spots
dimpls. Cap capitate, with pale inrolled edge, + dark ring
just above. 1 cm diam, moist but no guttulas



↑
pale top
↓ brown base

Gills with white edge from cystidia,

 < 50 long.

Cap outside cellular, with "cystidia" - hairs 30×5

4. sp. hexagonal 14.5×9.5



papillomycete X

24.9 Sprayed for larvae

Con. cervicoplaca

sp. ellipsoid $9 \times 6 \times 5$

Psil. pruinosa

Con. sativa sp. $(9-20 \times 16-17 \times 6-7)$

Coprinus sterquilinus

sp. 6×4 .

2.10 very larval. Sprouted
9.10 Sp. 4T ✓ parallel g-clts, relatively narrow
 58×8
 (sprout unusually large + tapered terminal cell
not sprouted + more rounded terminal cells
 $41-45 \times 8$

Concreto Scatges ✓

Discarded 9.10