

6.3 T. stercoraria ✓ ss

Pilobus hyaline ellipsoid sp. 6-8 x 4-5
crystalline ✓

13.3 Sch. 4-sp. 20-22 x 12.5 tetraspore ✓

Ascococcus roohopast ✓ sp. frond 12-13

Ascobius albidus ✓ x 4.5-4

Tridobus sp. subglobae. 10.5 x 9.5
setae < 350 - 400 zickii ✓

17.3 Ascobius brassicae ✓ sp. 11-11.5-12
Asc: broad cylindrical ^{unusually uniseriate} 20-21 diam x 17.5-19.5-25
pores hyaline irregularly lobed - swollen -
red stain at tips. excipulum of
pale thin-walled paraphysate cells < 22 diam

Telebohus nanus ✓

T. zickii ✓ setae ca 40 long

P. crystalline ✓

sp. 9.5-10 x 8 ht

Sch. tetraspore ✓

immature

A. albidus ✓

Telebohus microsporus ✓ Asc 6-6.5 x 9-10
sp. basitate 8 x 4 pores bright yellow from, Capitella to 6

23.3 Copris stercorarius ✓ A. brassicae ✓ A. alb-dor ✓

Sch. tetraspium ✓

28.8 Cop. stercorarius ✓ Torco zokalii ✓ Sch. tetraspium

Sch. vestricornis ✓ ♂ spud unzerette, ± no scale
Sp 19-20 x 10

Podophorus canens ✓ A. brassicae ✓

Sp 22-23 x 12.5-13

13.4 I. canens ✓ Sch. vestricornis ✓ Sch. tetraspium ✓

Sp. intermedia ✓ 55-57 x 8-9 UER

20.4 Sch. vestricornis ✓ Sch. tetraspium ✓

Discarded 20.4