

N55.966; W2.543

NT 659747

3.6 - 7.6 Pilobas crystallinis ✓ sp pale

ellipsoid 6.5-6 x 4

10.6 Cap. Sebrosii parvulus

Ascobas small closely lined spores 12.5-13

pale green pores, irregular but not capitate x 6.5

sp. brownish asci ca 160 x 16



only one spore - crenulate?

(looked real like A. brassicae) - minutes / crenulate ✓

Canthare apotecia 3mm, orange, bluish
rugose / hairy (short) immature. Young asci blunt

apothecia 160 x 11-12 pores broad 5, capitate
to 10-11, orange filled at ends.

spores uniseriate, in central length of ascus
12.5-13 x 6-6.5 (still in ascus)

- check when ripe)

check spore size granulate of stride (see over) ✓
+ characterization in cotton blue.

16.6 Thelobas microsporus ✓ apothecia 250 diam

asci 70-80 x 11-13 sp ellipsoid 8x4

pores green, capitate to 6 at tip


29.6 P. constrictum ✓

Cephus parvulus well predominantly lanabli type.

leader sphere for 22.6. numerous brown

excipulum, white contents. NO ascid structures

Irregular structures ca 25-35 x 10-12



with uniform
mini-globular contents

15.7

Cephus sp. 12.5-13.5 x 6.5

radialis ✓

Discard 15.7 Poor condition due to
beetle activity