

Hare [brown]. D619, rd junction to Comes, Eus, Pyrénées-Orientales, Fr. 45/07
15.10.07. N42.6705; E2.430. 880m.

- 23.10 Sporangiella 4 ER 54.5 - 55 x 9
devoid g. Sufs intermedia X
- 25.10 Pilularia pruinosa
- 30.10 Fusarium white hfts of hyphae, some red
at base.
- Telechors name monosporic, small
- Lachnella broad asc., sp. basidiate, yellowish
short mete 21-22.5 x 13-14.5
asci 190-200 x 3.5 setae short, relatively thinner
diversipora X
- 1.12 Very firm globose, ± dehiscent Ascohairs
with short globose spores 38-42 x 29-32
immersa → globular form
- Sp. intermedia ✓
- Pleopeltis immature poly-spored w/L rod-like - charte.
spores pruinosa 16-spored or more?
decid wall of small (<10) intervening cells
reduc opaque, no Rhizopeltate-type papillae
Asc ca 215 long X
- * but see later - probably pleopeltis

Aecidios Hawainensis

sp. 19-20 x 9.5-10



Saccobolus spine mass $3+3+2$ 38.5×14.5
versicolor?

Sch. resticola S-sp uniserial v. small scales

$17-17.5 \times 9.5-10$ - 125
- 21

6.12 Sch. resticola ✓ Sacc. versicolor ✓

Podospora immobile Rhizophilic?

A. Hawainensis ✓

16.12 Asc. imversus ✓ Sch. resticola ✓ sp. $20.5-22 \times$
no hair uniserial $12.5-13$

Sch. S-sp brown hairy $21-22.5 \times 14.5-16$

small rows of + vertical small scales. uniserial
Mingulatum?

Pod. decolorans 16.8-sp pleosporum

White immobile apothecia -Orbilia?

Prussia blocky + spherical hymen

Aecidios $110-115 \times 21-22$ inc stalk - Stalk of

60. Spore parts 9×6.5

fumigata

20.12

Coprinus miser


Sch. west-Ind.

Ostioles ✓ white "waxy" apothecia 410 diam
 no hairs. hymenium 16 \times deep. [see later 29.12]
 NO reaction with KI

Hypocoma

Single thread, no extensive stroma,
 outside with white, waxy lobes, ca 40 diam

Clear second cell visible in hyaline spores
 Pore bright blue in KI
 6.5×6.5



$20 \times 9-10$



Pd. pleospora ✓

Sch. west-Ind.

Sacc. versicolor

Asc. hairy

Sp. 4 ER $55 \times 9-10$

Int. redia

Coprinus sardanicus

apothecia 160 diam

asci 80×29

sp. $12.5-13 \times 8$

29.12 Pd. pleospora ✓

Hypocoma Single thread f.b. with waxy fringe

or outside. Ascii ca 270×22 . Sp. unseptate
 sp. ellipsoid $24-26 \times 12.5-13.5$. No sign of 2nd cell
 when mature. g. slit 16-19 long

brefeldii ✓

Ostria No ascii yet. but hymenium

- pores - 30-35 deep.

[not rare when 165 found from 20.12 was obtained] Looks just like O. leporina

on 48/07.

15.1 Cop. miser ✓ Sch. vesticula ✓ Ped. plesiospora

Coniochaeta sp. 8x8 x 5 discard ✓
asci 80 x 9 lignaria?

22.2 Ostria ✓ apothecium up to 1.25 cm diam.

Conk-like. Spores in ascii brownish white, even
in cotton line + with all immersion objects
Ped. plesiospora ✓ Sch. vesticula ✓

Trichodelitschia sp 19 x 6.5



Setae < 65 monticola

27.2 Ped. plesiospora ✓ 16 sp Sch. vesticula ✓

Ped. decipiens sp. 35-36 x 21 below.
Some brown hairs around red/orange spores etc.
typical of Rhizophila seed

5.3 Cop. miser ✓ Ped. plesiospora ✓ Sch. vesticula ✓

Dried S.3 with 3 above