

N55.904; W2.788. 135m. 2.12.07.

2.12 Sporomella 4 ER rounded spore-ed cells. intermedia ✓  
51.5-56 x 9.5  
-61

Sp 4 ER sp 38.5 x 8 antabris ✓

6.12 Telebours ~~ster~~ ster s.s. Sp. antabris ✓

Ascobars woolpers ✓

16.12 A. woolpers ✓ Conochada Scabeyana ✓ Sp 17-19  
good bit of cervical setae ✓ 16-17 x 8-9  
Sch. tetrasporum ✓ 4 sp 19-20 x 11-11.5

Sp. antabris ✓ T. stercoraria abundant

White waxy apothecia. not Ascozans - no  
marginal hairs dense layer of paraphyses/  
inner asci ca 55 deep. Orbitia? ✓

Pilobars spores ellipsoid-oblong ○ even-sized  
11-11.5 x 6 pale yellowish

Pilobars sp 6.5-8 x 4 ellipsoid v. pale crystallinos ✓

20.12 "Orbitia" ✓ - glassy apothecium, becoming  
convex. NO sign of spores or asci

Pedospira immature Rhynophytia depress?

Sch. tetrasporum ✓ Sp australis ✓ P. crystallinus ✓

21.12 ~~Pedospira plectyspa~~ 16-sp 35-36 x 19-20

Sch. tetrasporum -

Orbitia aptera gregarious up to 600 diam  
some asci with sign of spores, but not clear.

Asci 32 x 3 Spores oblongely 1-2 seriate  
ca 3-3.5 x 1-1.5 leporina x

10.1 Con. scatigena x Sp. 19-20 x 16-17 x 7

P. plectyspa ✓ 16-sp Sch. tetrasporum ✓

Hypocapsa ✓ single thread strands, with waxy  
flange and white sp. 26-28 x <sup>14.5</sup> 15.5-16.  
germ slit 16 ellipsoid

one deep blue/ki. 6-7 x 6-7

22.2 Coprinus stercoreus

brefeldii ?

Orbitia leporina ✓

Pedospira plectyspa 16-sp

Con. scatigena ✓



