

Hare [mountain]. Far Small Clough Head, nr Howden Moors,
Derbyshire. 31.5.08. N53.484; W1.802. SK132986. 480m.
Incubated 3 June. Coll. David Mallon

15/08

3.6 Sp - 4 ER immbale.

Conochaeta polymegasperma ✓ Sp 14-16 x 12-13 x 6-8

Asci 160-165 v 38-40-45 64 spores

Setae few < 25 long

7.6 Con. polymegasperma ✓

asci 167 x 35

Sp. 4 ER 40-43 x 8
-45

arabica ✓

12.6 Sordaria large st. tenacra perithecia

immature Asci 22-23 diam. uncoloured spores

ca 26-29 x 16 pronounced gel.

Sordaria sp smaller 22-23 x 12.5-13

Asci < 19 wide.

limicola ✓

Con. polymegasperma ✓

Sp. arabica ✓ 4 ER

24.6 Podospira apiculata ✓ imm Con. polymegasperma ✓

Sordaria sp. 26 x 15

superba ✓

Conochaeta 8 sp 12.5-13 x 9.5-10 x 6.5-7 ✓
Lignaria

30.6 Sordaria funicata ✓ Sp 4 ER 42 x 7
Conochaeta poly megasperma ✓ Ascii 145 x 19
antahis ✓

Conochaeta 8 sp 11-12 x 10-11 x 5 lymnia ✓

Pezomyces appendiculata ✓

9.7 P. appendiculata - Sp. antahis ✓

Conochaeta lymnia ✓ Con. poly megasperma ✓

Aspidium ampullaceum ✓ sp. 29-32 x 16

pedicel 12.5-13.

ampullate setae septate, < 65 x 3, head < 6.

21.7 Sp. antahis ✓ Con. lymnia ✓

Asymmetrically setae bisseriate Pezomyces 35 x 19
 with short, basally directed pedicel, si wt

Aspidium

Evadne ? dedc.

22.7. Triadelphium Sp 19.5-21 x 6.5-7 [see 22.7] OK

setae < 160

Asci 145-150 x 13
 unist



obviously uniseriate

monkii ?

Con. lymnia ✓ Sordaria 29 x 14.5-16 Sordaria ✓

P. excentrica? ✓ S-sp hseriate

Pentteera 400-420 high x 275 diam.

Setae in an asymmetric tuft. < 180 deg.

sp 35-38.5 x 19 sl bean shaped. Radial slot 12-13-16 x 6-7



directed basally

24 appendages thin + sphenoid, lat present + visible in II

SLIDE

Sp. 4 ER antralis ✓

Con. lignaria ✓

Dried	22.7	with	<u>Comochaca</u> ✓
			<u>P. excentrica</u>